# **SAFETY DATA SHEET**

### Drain Gun SWOOSH Cartridges



### Section 1. Identification

Product identifier	: Drain Gun SWOOSH Cartridges
Other means of identification	: Carbon Dioxide Gas, Compressed, Cartridge
Product type	: Gas.
Identified uses	: Not available.
Supplier/Manufacturer	: Alltemp Products Co. Ltd 827 Brock Rd S Pickering, Ontario Canada, L1W3J2 Tel: 905-831-3311 Fax: 905-831-1864 Email: sales@alltemp.ca Web site: www.alltemp.ca
Emergency telephone number (with hours of operation)	: CANUTEC: +1-613-996-6666 or *666 (cellular) 24/7

# Section 2. Hazard identification

Classification of the substance or mixture	: GASES UNDER PRESSURE - Compressed gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 - Contains gas under pressure; may explode if heated.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: P410 - Protect from sunlight. P403 - Store in a well-ventilated place.
Disposal	: Not applicable.
Other hazards which do not result in classification	: None known.





**CAS** number

124-38-9

# Section 3. Composition/information on ingredients

Substance/mixture	:
Other means of	:
identification	

Substance

: Carbon Dioxide Gas, Compressed, Cartridge

#### **CAS number/other identifiers**

CAS number	: Not available.
Product code	: Not available.
Ingredient name	

Carbon dioxide, gas

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

% (v/v)

60 - 100

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

Description of necessary first aid measures			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.		
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.</li> </ul>		
Ingestion	: As this product is a gas, refer to the inhalation section.		

#### Most important symptoms/effects, acute and delayed

Potential acute health eff	<u>ects</u>	
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Ingestion	: As this product is a gas, refer to the inhalation section.	
Over-exposure signs/symptoms		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	: No specific treatment.	



### Section 4. First-aid measures

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		

Spill	Immediately contact emergency personne	el. Stop leak if without risk. Note: see
	Section 1 for emergency contact informat	ion and Section 13 for waste disposal.





# Section 7. Handling and storage

### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Carbon dioxide, gas	CA Alberta Provincial (Canada, 4/2009). 15 min OEL: 54000 mg/m³ 15 minutes. 8 hrs OEL: 5000 ppm 8 hours. 15 min OEL: 30000 ppm 15 minutes. 8 hrs OEL: 9000 mg/m³ 8 hours. CA British Columbia Provincial (Canada, 7/2016). TWA: 5000 ppm 8 hours. STEL: 15000 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). TWA: 5000 ppm 8 hours. STEL: 30000 ppm 15 minutes. CA Quebec Provincial (Canada, 1/2014). TWAEV: 5000 ppm 8 hours. STEV: 30000 ppm 15 minutes. STEV: 30000 ppm 15 minutes. STEV: 30000 ppm 15 minutes. STEV: 30000 ppm 15 minutes. STEV: 54000 mg/m³ 15 minutes. STEV: 54000 mg/m³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 30000 ppm 15 minutes. TWA: 5000 ppm 8 hours.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measure	S	
Hygiene measures		Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



# Section 8. Exposure controls/personal protection

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	: Gas. [Liquefied compressed gas.]	
Color	: Not available.	
Odor	: Odorless.	
Odor threshold	: Not determined.	
рН	: Not available.	
Melting point	: 56.6°C (133.9°F)	
Boiling point	: Not available.	
Flash point	: Not available.	
Evaporation rate	: Not applicable.	
Flammability (solid, gas)	: Product is non-flammable.	
Lower and upper explosive (flammable) limits	: Not determined.	
Vapor pressure	: 5730 kPa (42979 mm Hg)	
Vapor density	: Not determined.	
Relative density	: 0.00197 g/cm <sup>3</sup>	
Solubility in water	: 2000g/l	
Partition coefficient: n- octanol/water	: Not determined.	
Auto-ignition temperature	: Not determined.	

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



## **Section 9. Physical and chemical properties**

Decomposition temperature: Not available.Viscosity: Not determined.Flow time (ISO 2431): Not available.

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Reacts with alkali (lyes). Reacts with water. Danger of receptacles bursting because of high vapor pressure when heated.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: alkalis, water.
Hazardous decomposition products	: Carbon monoxide.

# Section 11. Toxicological information

Information on toxicological effects
Acute toxicity
There is no data available.
Irritation/Corrosion
There is no data available.
<u>Sensitization</u>
There is no data available.
Mutagenicity
There is no data available.
<u>Carcinogenicity</u>
There is no data available.
Reproductive toxicity
There is no data available.
<u>Teratogenicity</u>
There is no data available.
<u>Specific target organ toxicity (single exposure)</u>
There is no data available.
<u>Specific target organ toxicity (repeated exposure)</u>
There is no data available.
Aspiration hazard
There is no data available.





### Section 11. Toxicological information

Information on the likely	: I
routes of exposure	

Dermal contact. Eye contact. Inhalation. Ingestion.

### Potential acute health effects

Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: As this product is a gas, refer to the inhalation section.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
<u>Long term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

There is no data available.

### Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**



### Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
Carbon dioxide, gas	0.83	-	low

### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty pressure vessels should be returned to the supplier. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

### Section 14. Transport information

	TDG Classification	IMDG	IATA
UN number	UN1013	UN1013	UN1013
UN proper shipping name	CARBON DIOXIDE	CARBON DIOXIDE	CARBON DIOXIDE
Transport hazard class(es)	2.2	2.2	2.2
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2. 17 (Class 2).	Emergency schedules F-C, S-V	-

**AERG** : 120

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.



# Section 15. Regulatory information

### **Canadian lists**

Canadian NPRI	:	None of the components are listed.
CEPA Toxic substances	:	The following components are listed: Carbon dioxide, gas
Canada inventory	:	All components are listed or exempted.

### Section 16. Other information

### Procedure used to derive the classification

Clas	sification	Justification		
GASES UNDER PRESSURE - Compressed gas		On basis of test data		
<u>History</u>				
Date of issue	: 05/15/2017			
Version	: 1			
Prepared by	: KMK Regulatory Servi	KMK Regulatory Services Inc.		
Key to abbreviations	BCF = Bioconcentratio GHS = Globally Harmo IATA = International A IBC = Intermediate Bu IMDG = International I LogPow = logarithm of MARPOL = Internation	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and

should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

