

OVER 450 REPLACEMENT MOTORS FOR OVER 30 OEM'S



VENTILATION
FLUE EXHAUST
CIRCULATOR PUMP
OIL BURNER
DIRECT DRIVE
BELTED FAN
UNIT HEATER

HEATING MOTOR

Skeleton Motors & Fan Kits

• Mechanically Reversible • Shaded Pole • Sleeve Bearing



T1-R3670 Kit Components



T1-R670 Kit Components



T1-R673 Kit Components

Applications

- Electric Htrs.
- Range Hoods
- Exhaust Fans
- Ventilators
- Vending Machines

Part #	Amps	Volts	RPM	HP	Stack	Rotation	Shaft	Features	Cross
T1-R617	0.20	208/230	1900	1/285	0.40	CCW	1.1"x.1811"	C-ring groove, Cord & spade terminal	CHROM. 04-290-004, 12657004, 12657005, ELECTROHOME SM607
T1-R616	0.40	120/240	2100	1/250	0.40	CCW	1.1"x.1811"	Cords w/ spade terminal	DIMPLEX/WESTCAN 2000060001, 2000060003
T1-R3670	.45/.25	120/240	3000	1/150	0.63	CCW	1.5"x3/16"	KIT-Cord & plug c/w two fan blades & mounting kit	600, 602, 700, 702, 710, EM670, EM672, 14001, 14005
T1-R670	0.50	115	3000	1/125	0.65	CCW	1.3"x3/16"	KIT-Cord & plug c/w two fan blades & mounting kit	65670, 14001, 600, 700, 710, EM-670, SM-670
T1-R673	.6/.4	115/60	2/3000	1/110	0.63	CCW	1.25"x3/16"	KIT-Wire leads, two speed, c/w two fan blades & mounting kit	4673, 14007, 65673, AM-673, J673 K673, SM-673
T1-R635	0.95	208/230	1700	1/40	1.50	CW	1.5"x1/4"	Cords c/w spades	CHROMALOX, WESTCAN, INDUST. CONSTRUCTION HEATERS
T1-R684	1.00	115	3000	1/70	0.80	CCW	2.1"x7/32"	Cord & plug	NUVENT 2000A, D90CB 2584SP WR. WHISPER FAN

3.3" Heating Motors



• Sleeve bearing unless indicated otherwise

Part #	HP	Volts	Amps	Spd/RPM	Rot.	Type	Body	Shaft	Features	Cross
O6-R401	1/165	115	0.35	1/1600	CCW	SP/TE	2.09"	1/4"×1.5"	Conduit Sleeve, Bare Wire Leads	Enterprise Fdry., SM401, 76401
O6-R403	1/145	115	0.33	1/1550	CW	SP/TE	2.75"	1/4"×1.27"	Mtr. On/Off Switch, 72" Cord & 3 Prong Plug	Enterprise Fdry. 370122, Newmac, SM402, SM403, 76321
O6-R215	1/115	230	0.22	1/1200	CCW	SP/TE	2.25"	5/16"×2.25"	Triangular Brk.Front	Electric Unit Htrs. Chromalox 01513005, Thermolec.
R2-R410	1/100	115	0.35	1/1550	CW	SP/ Open	2.75"	5/16"×2.0"	L.K.Fitting-Int.Fan Bare Wire Leads	Enterprise Fdry. 379135, SM410, 76410
O6-R511	1/100	230	0.28	1/1350	CW	SP/TE	2.1"	1/4"×2.0"	Shaft C-ring Groove Bare Wire Leads	Federal Pioneer Electric
O6-R210	1/50	230	0.40	1/1550	CCW	SP/TE	2.4"	1/4"×1.5"	Bare Wire Leads	Caloritech, SM210, 217, 76210, SS210, CGE, 12519-002
R1-R133	1/40	115	1.0	2/1550	CCW	SP/TE	2.6"	Hubless	Bare Wire Leads	Mark Hot 5DH1A1P456
O6-R217	1/35	230	0.50	1/1450	CW	SP/TE	2.4"	1/4"×1.20"	Studs Front & Rear	Chromalox 02188001, 2, 76217, FPE L82116A4,5
O6-R212	1/30	230	0.55	1/1550	CCW	SP/TE	2.8"	5/16"×3.5"	Ball Bearing, Triangular Brk.	Chromalox 01513002, 3, 10, 11, 16, SM212, 76212 SS212, 7173-0951
R2-R480	1/30	208/230	0.80	1/1500	CCW	SP/ Open	4.0"	3/8"×2.4"	4 Ears Each End, Ins. Spade Term.	Chromalox/Westcan Unit Heaters Westcan A2001B
O6-R213	1/25	115	1.40	1/1550	CCW	SP/TE	3.1"	5/16"×1.7"	Triangular Brkt./ Box	Trane, Lincoln, Chromalox, SM213, SM302, 76213, SS213
R2-R303	1/25	115	1.40	1/1550	CCW	SP/ Open	3.8"	5/16"×3.3"	Ball Bearing, Triangular Brkt/ Int.Fan, Bare Wire Leads	Trane Unit Htr. 75270010, SM303, 76303, SS303
R3-R316	1/20	115	1.36	1/1550	CCW	SP/ Open	2.7"	5/16"×1.35"	Ball Bearing, 30" Wire Leads 7" Grnd., Stud Mounting	Air 2000 HRV



• Sleeve bearing unless indicated otherwise

Part #	HP	Volts	Amps	Spd/RPM	Rot.	Type	Body	Shaft	Features	Cross
R2-R462	1/17	115	1.2/1.0	3/1660	CW	PSC/ Open	4.0"	3.5"×3/8"×3.5"	2 Side Studs	Venmar HRV 02101
R3-R373	1/15	115	0.90	1/1400	CCW	PSC/TE	4.50"	3/8"×3.25"	Plug 4/250 Cap Inc.	Dayton Greenhouse Fan, 7190-1004
R3-R348	1/15	115	1.12	2/1550 /1300	CCW	PSC/TE	4.1"	3/8"×3.35"	3 Ears/ Cap Inc. Pin & Ins. Spade Terms. Ring Term. Grnd.	Vanee HRV M1703
O1-R465	1/15	115	2.25	3/1550	CCW	SP/ Open	4.0"	2.3"×5/16"×2.3"	Internal Fan Pin Terms. Ring term. Grnd.	Nutech-Lifebreath 23202, Elmira stoves, 2868513152
US-R90671	1/15	115/208/230	1.1/2.1	1/1550	CW	SP	5.00"	2.24"×5/16"	Mechanical Duty Removable Studs Resilient Rings Ball Bearing	671,81671
US-R90672	1/15	115/208/230	1.1/2.1	1/1550	CCW	SP	5.00"	2.24"×5/16"	Mechanical Duty Removable Studs Resilient Rings Ball Bearing	672,81672
R2-R438	1/14	115	1.05	2/1600	CW	PSC/ Open	4.25"	5/16"×1.50"	3 Ears Mnt.	Venmar HRV 01038
R3-R366	1/7	115	1.7	3/1630	CW	PSC/ Open	4.75"	3.0"×3/8"×3.0"	2 Side Studs	Venmar HRV 02100
R2-R422	1/6	115	2.9	3/1690	CW	PSC/ Open	4.90"	3/8"×2.0"	3 Ears	Venmar HRV 02209

3.3" Refrigeration Motors




3.3" Hubless Motors - Totally Enclosed



115 & 230 Volts - Sleeve and Ball Bearing - Shaded Pole

Part #	Amps.	HP	Spd/RPM	Voltage	Rotation	Body	Feature	Comment
O4-R1211	0.30	1/150	1/1550	115	CW	2.09"	0.67" to hub face	5 Watt, Domestic Ref.
R1-R128	0.35	1/135	1/1550	115	CW	2.09"	3 Pt. Mtg., 3 Pin Plug	Coldstream
R1-R122	0.35	1/60	1/1550	230	CW	2.50"	3 pin Plug	Foster, Coldstream
R1-R114	0.45	1/125	1/1550	115	CW	2.09"	Leads, 3 Point or Leg Mounting	General Replacement
R1-R108	0.55	1/95	1/1550	115	CCW	2.00"	One U Bracket, leads	Blanchard
R1-R137	0.59	1/70	1/1550	115	CW	2.20"	2 Pin Plug	Coldstream
R1-R129	0.65	1/60	1/3000	115	CCW	2.50"	2 Pin plug	Hill Refrigeration
R1-R127	0.75	1/80	1/1600	115	CCW	2.09"	Stud Mounting	Foster
R1-R125	0.80	1/20	1/1500	230	CCW	4.00"	2 pin plug, Ball bearing	Dunham, Bush
R1-R101	0.90	1/45	1/1550	115	CW	2.30"	2 Pin Plug, Leg Mtg.	Hussmann
R1-R101L	0.90	1/45	1/1550	115	CW	2.30"	2 Pin Plug	Hussmann
R1-R103	0.80	1/45	1/1550	115	CCW	2.30"	2 Pin Plug	Hussmann
R1-R103L	0.90	1/45	1/1550	115	CCW	2.30"	2 Pin Plug, Leg Mtg.	Hussmann
R1-R124	1.55	1/20	1/1550	115	CCW	4.00"x	2 pin plug, Ball bearing	Dunham Bush

3.5" Diameter - 51 Frame - Totally Enclosed
Morrill / EMS Replacements



O4-R5211



O4-R5311



O4-R5411



O4-R5611



O4-R5811



O4-R2511



O4-R3511



O4-R5011

115 Volts - 1550 & 1500 RPM

Part #	Watts	Amps	Volts	Rot	RPM	A Dim	Shaft	Comment
O4-R5211	4	0.35	115	CW	1550	2.58"	Hubless	TECUMSEH TFM41, G.E. 5211, 5KSP51AL511
O4-R5311	6	0.50	115	CW	1550	2.83"	Hubless	G.E. 5311, 5KSP51CL501, TECUMSEH TFM61
O4-R5411	9	0.58	115	CW	1550	2.80"	Hubless	G.E. 5411, 5KSP51ECL551, TECUMSEH TFM91
O4-R5611		0.60	115	CW	1550	3.07"	Hubless	HUSSMANN 4700 58698
O4-R5811	16	1.00	115	CW	1550	3.03"	Hubless	050-0164-00, 050-0247-00, 401-0032-01, G.E. 5811
O4-R2511	25	1.10	115	CW	1500	3.50"	Hubless	TECUMSEH TFM191, 810E019A73, 810E019A80
O4-R3511	35	1.40	115	CW	1500	3.50"	Hubless	TECUMSEH TFM351, HUSSMANN 328346, COPELAND 050-0227-01
O4-R5011	50	1.70	115	CW	1500	4.50"	1.5"x3/8"	COPELAND 050-0011-01, 0017-02 050-0237-01, 998100800



Note: Motors may be converted to shaft type by using a shaft adapter #92-A8110



51 Frame Refrigeration Motors



3.5" Diameter - 51 Frame - Totally Enclosed
GE Replacements - Shaded Pole

- Unit Bearing
- CW Rotation
- 51 Frame
- Hubless Shaft
- Shaded Pole



Rotom
Plus



Part #	Watts	Volts	Amps	Spd/RPM	Type	Fig.	"A"	Shaft	Termination
EE-5211	4	115	0.29	1/1550	SP	1	2.74"	1/4" x 20 Hubless	
EE-5311	6	115	0.40	1/1550	SP	1	2.74"	1/4" x 20 Hubless	
EE-5610		115	0.40	1/1550	SP	4	2.74"	1/4" x 20 Hubless	
EE-5411	9	115	0.52	1/1550	SP	1	2.74"	1/4" x 20 Hubless	
EE-5611		115	0.52	1/1550	SP	2	2.74"	1/4" x 20 Hubless	
EE-5811	16	115	0.90	1/1550	SP	1	2.97"	1/4" x 20 Hubless	
EE-5821		208/230	0.50	1/1550	SP	1	2.97"	1/4" x 20 Hubless	
EE-2511	25	115	1.10	1/1500	SP	1	3.15"	1/4" x 20 Hubless	
EE-2512		208/230	0.55	1/1500	SP	1	3.15"	1/4" x 20 Hubless	
EE-3511	35	115	1.40	1/1500	SP	1	3.15"	1/4" x 20 Hubless	
EE-3512		208/230	0.70	1/1500	SP	1	3.15"	1/4" x 20 Hubless	
EE-5011	50	115	1.70	1/1500	SP	3	3.52"	3/8" x 1.5"	
EE-5012		208/230	0.85	1/1500	SP	3	3.52"	3/8" x 1.5"	
EE-5112		208/230	0.85	1/1500	SP	3	3.52"	5/16" x 1.5"	

Fig. 1




Fig. 2




Fig. 3





Fig. 4



Rotation determined opposite shaft end
Double shaft determined at lead end



120 Volt

Part #	HP	Spd/ RPM	Amps	Rot	Type	Encl.	Body	Shaft	Bearing	Cross Ref
R3-R326	1/110	1/1550	0.40	CW	SP	Open	2.09"	1.4"x1/4"	Sleeve	Blanchard, Franklin
O6-R230	1/70	1/2800	0.64	CCW	SP	Open	2.30"	1.3"x1/4"	Sleeve	Coldstream
R3-R205	1/35	1/1550	1.20	CW	SP	Open	2.50"	1.8"x1/4"	Sleeve	Keeprite
R3-R360	1/35	1/1550	1.00	CW	SP	Open	2.60"	1.6"x1/4"	Sleeve	Keeprite
R3-R291	1/30	1/1550	1.30	CW	SP	Open	2.50"	1.6"x1/4"	Sleeve	Keeprite
R3-R370	1/20	1/1550	0.75	CW	PSC	Open	3.98"	2.7"x5/16"	Ball	Keeprite
US-R90574	1/20	1/1550	1.90	CW	SP	Open	2.75"	2.48"x5/16"	Sleeve	Larkin, Heatcraft
R3-R358	1/20	1/1550	2.00	CCW	SP	Open	3.30"	3.2"x5/16"	Sleeve	Blanchard
R3-R1052	1/20	1/1550	2.00	CCW	SP	Open	3.10"	3.2"x5/16"	Ball	Keeprite, Blanchard
R3-R368	1/20	1/1550	1.72	CW	SP	Open	2.80"	2.5"x5/16"	Sleeve	Ref Plus
US-R90572	1/15	1/1550	1.80	CCW	SP	Open	3.08"	3.03"x5/16"	Sleeve	Bohn, Heatcraft
R3-R313	1/15	1/1550	2.20	CCW	SP	Open	3.60"	3.0"x5/16"	Ball	Krack 11055, Bohn, Blanchard, Torin 7627401

3.3" Refrigeration Motors



240 Volt

Part #	HP	Spd/RPM	Amps	Rot	Type	Encl.	Body	Shaft	Bearing	Cross Ref
R3-R371	1/20	1/1550	0.38	CW	PSC	OPEN	3.98"	2.7"x5/16"	Ball	Keeprite
US-R90575	1/20	1/1550	0.89	CW	SP	OPEN	2.75"	2.48"x5/16"	Sleeve	Larkin, Heatcraft
R3-R369	1/20	1/1550	0.90	CW	SP	OPEN	2.80"	2.5"x5/16"	Sleeve	Ref Plus
R3-R1053	1/20	1/1550	1.00	CCW	SP	OPEN	3.10"	3.2"x5/16"	Ball	Keeprite, Blanchard
R3-R359	1/20	1/1550	1.00	CCW	SP	OPEN	3.35"	2.8"x5/16"	Sleeve	Keeprite, Blanchard
US-R90573	1/15	1/1550	1.20	CCW	SP	OPEN	3.50"	3.14"x5/16"	Sleeve	Bohn, Heatcraft
R3-R314	1/15	1/1550	1.30	CCW	SP	OPEN	3.60"	3.0"x5/16"	Sleeve	Krack, Torin, Bohn, Blanchard

115/230 Volt

Part #	HP	Spd/RPM	Amps	Rot	Type	Encl.	Body	Shaft	Bearing	Cross Ref
US-R91189	1/20	1/1550	1.8-0.9	CCW	SP	TE	3.15"	1.65"x5/16"	Sleeve	Krack
US-R90721	1/12	1/1550	1.1-0.6	REV	PSC	OPEN	3.59"	3.15"x5/16"	Ball	Bohn, Heatcraft, Larkin
US-R90671	1/15	1/1550	2.1-1.1	CW	SP	OPEN	5.00"	2.24"x5/16"	Ball	GE 11 frame replacement
US-R90672	1/15	1/1550	2.1-1.1	CCW	SP	OPEN	5.00"	2.3"x5/16"	Ball	GE 11 frame replacement



Motor Part #	Blower Part #	HP	Amps	Spd/ RPM	CFM	Shaft	Bracket Part #	Blower Part #	Dia.	Width	Bore	Rot	Cross
T1-R630	R7-RB20	1/185	0.76	1/1500	60	1.90"x7/32"	92-A8600	93-A7105	5"	1 1/8"	7/32"	CW	013005, EB50
O6-R260	R7-RB22	1/80	0.65	1/1500	75	1.10"x5/16"	92-A8602	66-A508202	5 1/16"	2"	5/16"	CW	B60, 013012, EB60, 4099
O6-R262	R7-RB24 R7-RB25	1/40	1.00	1/1550	130 130	1.50"x5/16"	92-A8602	66-A508216	5 1/16"	2 5/32"	5/16"	CW	B100, K100, 013011, 4105
O6-R264	R7-RB26	1/60	0.95	1/1100	141	1.80"x5/16"	92-A8604	66-A610215	6 1/16"	2 5/32"	5/16"	CW	QK100, 013020
O6-R265	-	1/75	0.65	1/1400	115	1.63"x5/16"							QB100
O6-R266	R7-RB28	1/20	1.65	1/1550	201	1.40"x5/16"	92-A8604	66-A610215	6 1/16"	2 5/32"	5/16"	CW	BK100, 013024, 4115
O6-R267	-	1/50	0.80	1/1550	118	1.50"x5/16"							BB-100, 013019
M3-R2603	R7-RB30	1/35	1.15	1/1550	268	2.20"x1/2"	92-A8606	66-A610220	6 1/16"	2 5/32"	1/2"	CW	DK260, DB200, 75003, 013041, 013040, 4143
M3-R2604	-	1/10	2.87	1/1550	300	2.00"x1/2"							DB300, 013062, 013042
M4-R2605	-	1/12	3.00	1/1050	450	1.60"x1/2"							QBD300

5.0" Direct Drive Motors



Direct Replacement For:

- Coleman
- Carrier
- Lennox
- York

Part #	HP	Volts	Amps	Cap.	Spd/RPM	Rotation	Body	Bearing	Shaft	Cross
UE-98	1/8	115	5.2	-	3/1050	CCW	3.8"	Sleeve	3.8" x 1/2"	Fasco D178, D356, UE98
M4-R2385	1/5	115	6.5	-	3/1050	CCW	3.9"	Sleeve	5.5" x 1/2"	Fasco D158, UE385, 90
M4-R2429	1/5	208/230	3.2	-	3/1050	CCW	3.9"	Sleeve	5.5" x 1/2"	Fasco D318, UE429
M4-R2679	1/4	115	10.0	-	3/1050	Rev	4.7"	Sleeve	2.2" x 1/2"	Lennox, York, Carrier, 024-17903-703
M4-R2368	1/5	115	3.5	4/370	4/1030	CCW	4.5"	Sleeve	3.5" x 1/2"	1268, HC37MA135, P8-3789, 90, 3527, 29, 4662, 9662
M4-R2390	1/5	115	3.2	7.5/370	3/1075	Rev	3.9"	Sleeve	5.5" x 1/2"	UE390, York 24-22489-000, Bohn 5002L, 5003F
M4-R2391	1/5	208/230	1.3	7.5/370	3/1075	Rev	3.9"	Sleeve	5.5" x 1/2"	Fasco D262, D1016, UE391, 515
M4-R2395	1/4	115	4.9	5/370	3/1075	Rev	4.1"	Sleeve	4.5" x 1/2"	Fasco D150

5.5" Direct Drive Motor

Features

- 48 Frame
- 5.5" Diameter
- Open Enclosure
- Mounting: Stud, Strap & Base (Resilient Rings)
- 60 Hz
- Sleeve Bearing
- Shaft: 1/2" x 6.0"
- Reversible
- Permanent Split Capacitor (P.S.C.)
- 60" Coloured Electrical Leads
- Insulation Class B
- Thermally Protected



**24 Month
Warranty**



48 Frame - 4 Speed - Multi-HP - Direct Drive

Part #	HP	Volts	Amps	Cap.	Spd/RPM	Rotation	A Dim.	Bearing	Shaft
DD-1314	1/3	115	6.0	7.5/370	4/1075	Revers	4.40"	Sleeve	1/2"x6"

Cross Reference

Rotom	HP	Voltage	AO Smith	Carrier	Coleman	Emerson	Lennox	ICP	GE	Marathon	Rotom
DD-1314	1/3	115	DL1026 DL1036	HC41SE117	1486-236P	11864	P-8-7505	1009045 1008415	3583 3585	X003	R43583 R43585
	1/4			HC41SE121		1863	32663				
	1/6			P257 8583		1864	LFM13				
	1/7			P257 8585							

5.5" Direct Drive Replacement Motors

TruckStock™
PREMIUM

Features

- Less Inventory Required!
- Versatile!
- Time Saver!
- Energy Efficient
- Different Capacitor/Speed Combos
- Designed for 370V Cap
- Reversible Rotation
- Resilient Rings
- Extended Thru Bolts
- Automatic Protector
- Class B Insulation
- Continuous Duty-Over Air
- Mounts by Belly Band, Thru Bolts, or Shell Holes
- Rheem Mounting Holes in Shell
- 60 Hz



Open Drip Proof
40°C Ambient



Supplied Free In Every Box

All-Purpose Capacitor
 • Multi-Rating Capacitor
 • 5, 7.5, 10, 12.5 & 15 MFD

Part #	HP	Spd	RPM	Volts	Amps	Capacitor (370V)	Bearing	Leads	Dia	Shaft	
R6-R43600	1/2	All	1075	115	7.0	10 mfd	Sleeve	26"	4.86"	1/2"×5"	
	1/3	All			6.7	5 mfd 7.5*					
	1/4	Lo, Med-Lo, Med-Hi			4.4						
	1/5	Lo, Med-Lo			3.2						
R6-R43601	1/6	Lo	1075	208-230	2.4	5 mfd 7.5*	Sleeve	26"	4.86"	1/2"×5"	
	1/2	All			3.9						10 mfd
	1/3	All			3.6						
	1/4	Lo, Med-Lo, Med-Hi			2.5						
R6-R43602	1/5	Lo, Med-Lo	1075	115	1.8	5 mfd 7.5*	Ball	38"	4.86"	1/2"×5 1/2"	
	1/6	Lo			1.3						
	3/4	All			9.1						10 mfd
	1/2	All			6.8						
R6-R43603	1/3	All	1075	208-230	5.5	5 mfd 7.5*	Ball	38"	4.86"	1/2"×5 1/2"	
	1/4	Lo, Med-Lo, Med-Hi			3.0						
	1/5	Lo, Med-Lo			2.3						
	3/4	All			3.9						10 mfd
R6-R43603	1/2	All	1075	208-230	3.6	5 mfd 7.5*	Ball	38"	4.86"	1/2"×5 1/2"	
	1/3	All			3.0						
	1/4	Lo, Med-Lo, Med-Hi			2.3						
	1/5	Lo, Med-Lo			2.0						
R6-R43604	1/6	Lo	825	208-230	2.1	7.5 mfd	Sleeve	36"	5.24"	1/2"×5 1/2"	
	1/3	All			1.7						
	1/4	Lo, Med-Lo, Med-Hi			1.0						
	1/6	Lo, Med-Lo			0.9						

* Motor is approximately 10% stronger and has higher starting torque for 1/6, 1/5, 1/4 and 1/3 HP rating with the 7.5 mfd 370VAC capacitor.

Cross Reference

Rotom	Emerson	Genteq	Fasco	Marathon	A.O. Smith
R6-R43600	5460	3463	D2835	X077	FDL6001A
R6-R43601	5461	3464	D833	X073	FD6000A
R6-R43602	5470	3466	D2834	X074	FDL6002A
R6-R43603	5471	3467	D2833	X075	FD6001A
R6-R43604	5469	-	-	-	FD6002A

5.5" Direct Drive Motors

Features

- Economical TruckStock Option!
- Less Inventory Required!
- Versatile!
- Time Saver!
- Easy Installations!
- Energy Efficient
- Different Capacitor/Speed Combos
- Designed for 370V Cap
- Reversible Rotation
- Extended Thru Bolts
- Automatic Protector
- Class B Insulation
- Continuous Duty-Over Air
- Mounts by Belly Band, Thru Bolts or Shell Holes
- Rheem Mounting Holes in Shell
- 60 Hz

TruckStock™



Direct Drive

Part #	HP	Spd	RPM	Volts	Amps	Cap	Bearing	Leads	Body	Shaft
R6-R43463	1/2-1/6	Four	1075	115	7.0	10/370, 7.5/370, 5/370	Sleeve	38"	4.86"	1/2"x5"
R6-R43464	1/2-1/6	Four	1075	208-230	3.9	10/370, 7.5/370, 5/370	Sleeve	38"	4.86"	1/2"x5"
R6-R43466	3/4-1/5	Four	1075	115	9.1	10/370, 7.5/370, 5/370	Sleeve	38"	4.86"	1/2"x5"
R6-R43467	3/4-1/5	Four	1075	208-230	3.9	10/370, 7.5/370, 5/370	Sleeve	38"	4.86"	1/2"x5"

Cross Reference

Rotom	AO Smith	Emerson	Genteq	Fasco	Marathon	DiversiTech	Smart	Carrier	Carrier	York
R6-R43463	EM3463	5460	3463	D2835	X077	WG840463	SE3463	P257-E5460	T257-3463	S1-FHM3463
R6-R43464	EM3464	5461	3464	D833	X073	WG840464	SE3464	P257-E5461	T257-3464	S1-FHM3464
R6-R43466	EM3466	5470	3466	D2834	X074	WG840466	SE3466	P257-E5470	T257-3466	S1-FHM3466
R6-R43467	EM3467	5471	3467	D2833	X075	WG840467	SE3467	P257-E5471	T257-3467	S1-FHM3467

Direct Drive Motors

Features

- 48Y Frame
- 5.5" Diameter
- Open Enclosure
- Mounting: Stud, Strap & Base (Resilient Rings)
- 60 Hz
- Sleeve Bearing
- Shaft: 4.0" x 1/2"
- Reversible
- Permanent Split Capacitor (P.S.C.)
- 40°C Ambient
- Insulation Class B
- Thermally Protected



40°C Ambient

**24 Month
Warranty**



92-A8617
Torsion Flex Bracket
5.0" & 5.5" Dia.
9" & 10" Bolt Circles



92-A8550 - 5" Diameter
92-A8555 - 5.5" Diameter
9" & 10" Bolt Circles



5.5" Diameter for
1/2 HP and above
92-A8556 - 9" Bolt Circle
92-A8557 - 10" Bolt Circle
HEAVY DUTY

115 & 208/230 Volts, 3 Speed, 1075 RPM, Reversible Rotation

Part #	HP	Volts	Amps	Cap.	Spd/RPM	Rotation	Body	Bearing	Shaft
DD-3583	1/4	115	4.40	5/370	3/1075	Revers	4.15"	Sleeve	1/2"x4.0"
DD-3584	1/4	208/230	1.70	5/370	3/1075	Revers	4.15"	Sleeve	1/2"x4.0"
DD-3585	1/3	115	6.00	5/370	3/1075	Revers	4.40"	Sleeve	1/2"x4.0"
DD-3586	1/3	208/230	2.60	5/370	3/1075	Revers	4.40"	Sleeve	1/2"x4.0"
DD-3587	1/2	115	7.80	10/370	3/1075	Revers	5.40"	Sleeve	1/2"x4.0"
DD-3588	1/2	208/230	4.6	10/370	3/1075	Revers	5.40"	Sleeve	1/2"x4.0"
DD-3589	3/4	115	10.2	15/370	3/1075	Revers	5.48"	Sleeve	1/2"x4.0"
DD-3590	3/4	208/230	5.4	10/370	3/1075	Revers	5.48"	Sleeve	1/2"x4.0"

Capacitor Not Included

Cross Reference

Rotom	AO Smith	AO Smith	Emerson	Genteq	Fasco	Marathon	Packard	DiversiTech	Smart	Carrier	Carrier	York	UE	Rotom
DD-3583	EM3583	DL1026	1863	3583	D721	X000	43583	WG840583	SE3583	P257-8583	P257-3583	S1-FHM3583	533	R43583
DD-3584	EM3584	D1026	1971	3584	D725	X001	43584	WG840584	SE3584	P257-8584	P257-3584	S1-FHM3584	530	R43584
DD-3585	EM3585	DL1036	1864	3585	D727	X002	43585	WG840585	SE3585	P257-8585	P257-3585	S1-FHM3585	532	R43585
DD-3586	EM3586	D1036	1972	3586	D923	X003	43586	WG840586	SE3586	P257-8586	P257-3586	S1-FHM3586	529	R43586
DD-3587	EM3587	DL1056	1865	3587	D701	X004	43587	WG840587	SE3587	P257-8587	P257-3587	S1-FHM3587	531	R43587
DD-3588	EM3588	D1056	1973	3588	D703	X005	43588	WG840588	SE3588	P257-8588	P257-3588	S1-FHM3588	528	R43588
DD-3589	EM3589	DL1076	8904	3589	D728	X009	43589	WG840589	SE3589	P257-8589	P257-3589	S1-FHM3589	678	R43589
DD-3590	EM3590	D1076	8905	3590	D729	X010	43590	WG840590	SE3590	P257-8590	P257-3590	S1-FHM3590	679	R43590

5.5" Direct Drive Motors



5.5" Flex Mount Direct Drive Motors

Features

- 48Y Frame
- 5.5" Diameter
- Open Enclosure
- Mounting: Flex
- 60 Hz
- Sleeve & Ball Bearing
- Shaft: 1/2" x 6"
- Reversible
- Permanent Split Capacitor (P.S.C.)
- 60" Coloured Electrical Leads
- 45°C (113°F) Ambient
- Insulation Class B
- Thermally Protected

**9" & 10" Bolt
Circle**

**24 Month
Warranty**



DD-035
Illustrated

115 & 208/230 Volts, 4 Speed, 1075 RPM, Reversible Rotation

Part #	HP	Volts	Amps	Cap.	A Dim.	Bearing	Shaft
DD-034	1/4	115	3.6	5/370	3.84"	Sleeve	1/2"x6"
DD-044		208/230	1.8/2.0	5/370	4.00"	Sleeve	1/2"x6"
DD-035	1/3	115	5.0	10/370	4.50"	Ball	1/2"x6"
DD-045		208/230	2.3/2.5	5/450	4.30"	Ball	1/2"x6"
DD-036	1/2	115	7.6	10/370	4.85"	Ball	1/2"x6"
DD-046		208/230	3.8/4.0	10/370	4.79"	Sleeve	1/2"x6"

Capacitor Not Included

Cross Reference

Rotom	AO Smith	Fasco	GE	Marathon	UE	Rotom
DD-034	FML1026	D1730	3783	X034	752	R42034, R42419
DD-044	-	D1733	3784	-	-	R42449
DD-035	FML1036	D1731	3785	X035	753, 947	R42035, R42319
DD-045	FM1036	D1734	3786	-	-	R42349
DD-036	FML1056	D1732	3787	X036	754	R42036, R42219
DD-046	FM1056	D1735	3788	-	-	R42249

ECM Fan Coil Motors

Features

- Drop-in replacement • Brushless DC • 3 Speeds • 5 1/8" Diameter • 54" lead length
- ECM with internal control • Long life ball bearings • Rotors are isolated from shaft to reduce motor vibration • Saves an average of 69% on energy usage • Runs cooler

Part #	HP	Volts	Rot	Amps	RPM Range	Shaft	Frame
M4-R2189	1/10	120	CWLE	1.6	3/1100,900,700	9.3" x 1/2" x 9.3"	5.0"




PSC Fan Coil Motors

Features

- Type: PSC • Double Shaft • Volts: 115/60 Hz • Enclosure: Open end-bells • Thermally Protected
- Capacitor Included • Ball Bearing • Insulation Class B • Protection Class IP20 • Base Mount Included

Part #	HP	Volts	Amps	Spd/RPM	Dia	Rot	Type	Cap	Shaft
EC-FC-1893	1/15	115	0.96	6/1550	4.8"	CW	PSC	6.3/450	1/2" x 7.26"
EC-FC-1895	1/4	115	3.80	6/1550	4.8"	CW	PSC	18/450	1/2" x 7.26"



Tempspec Replacement Fan Coil Motors

9" or 10" Bolt Circle

Part #	HP	Volts	Amps	Type	Cap	Spd/RPM	Rot	Body	Frame	Bearing	Shaft	Cross
M4-R2195	1/12	115	2.10	PSC	7.5/370	3/740	CCW	3.75"	5.0"	Sleeve	3.4"x1/2"	DE3F056N
UE-799	1/8	115	2.60	PSC	5/370	5/1000	CCW	3.5"	5.0"	Sleeve	5.0"x1/2"	L350,L450,L600,UE DA3E200,DA3F100, DA3G142




M4-R2195 Illustrated

Fan Coil Motors

Heating & Air Conditioning • High Rise Apartment • Condominium • Hotel
ONE MOTOR DOES ALL THREE! Bedroom, Living Room, Common Area.

DD-030 Replaces : 5KCP39DGV279S

Part #	HP	Amps	Cap	Spd/RPM	Body	Frame	Shaft
DD-030	1/6	2.6	Inc.	5/950	3.98"	48	1/2"x4.5"



Direct Replacement For:

- Climelec
- Snyder-General
- Tempspec
- Unilux

Fan Coil Blowers

Heating & Air Conditioning • High Rise Apartment • Condominium • Hotel

Part #	Motors Used	CFM	"A" Dim.
66-RFC300	UE-799	300	6.75"
66-RFC400	DD-030, UE-799	400	8.25"
66-RFC600	DD-030	600	9.00"



Motors Sold Separately

Unit Heater Motors



4.0" Unit Heater Motor

Features

- 115 Volt • CCWLE

Part #	HP	Amps	RPM	Shaft	Cross
M3-R2614	1/12	2.25	1550	2.5" x 3/8"	C16230



5.0" Unit Heater Motors

Features

- 115 Volt • Totally Enclosed

Fig. A
Lennox
ICP
Keeprite



Fig. B
Reznor

Fig. C
Robbins & Myers
Reznor

Part #	Fig.	HP	Spd/RPM	Amps	Rot	Type	Cross
M4-R6920	A	1/15	1/1050	3.40	CCW	SP	P8-6920, 54028, A0516, A2160, E62788, E62862, E62A15
T2-R2360	B	1/15	1/1050	3.30	CCW	SP	45330, 45331, 45332, D143
T2-R2380	C	1/8	1/1075	2.60	CCW	PSC	170-45888, 55681, 9775, 380, D260

5.5" Unit Heater Motors - Dual Voltage

Part #	HP	Volts	Amps	Cap.	RPM	Rot	A Dim.	Bearing	Shaft
UE-730A	1/6	115/208/230	2.1/1.1	INC	1140	Revers	6.0"	Ball	1/2"x5"
UE-731A	1/4	115/208/230	3.1/1.6	INC	1140	Revers	6.25"	Ball	1/2"x5"
UE-732A	1/3	115/208/230	3.3/1.7	INC	1140	Revers	6.5"	Ball	1/2"x5"
UE-733A	1/2	115/208/230	5.6/2.8	INC	1140	Revers	7.25"	Ball	1/2"x5"

Capacitor Included



5.5" Unit Heater Motors

Features

- 48 Frame
- Totally Enclosed
- Mounting: 4 Stud Pattern
- 60 Hz
- Shaft: 1/2" x 3.4"
- Reversible
- Permanent Split Capacitor
- 60°C Ambient
- Insulation Class B
- Thermally Protected



Unit Heater

Part #	HP	Volts	Amps	Cap.	Spd/RPM	Rotation	A Dim.	Bearing	Shaft
UH-9034	1/6	115	2.4	5/370	1/1075	Revers.	4.52"	Ball	1/2"x3.4"
UH-9035	1/4	115	4.1	5/370	1/1075	Revers.	4.52"	Ball	1/2"x3.4"
UH-9036	1/3	115	5.0	7.5/370	1/1075	Revers.	4.52"	Ball	1/2"x3.4"

Capacitor Included


Cross Reference

Rotom	AO Smith	Emerson	Fasco	GE	Marathon	UE
UH-9034	UH1016, US1016, US1016NB	9034	D834	3206	X302, X306	177, 749
UH-9035	UH1026, US1026, US1026NB	9035	D734	3208	X303, X307	566, 734, 750
UH-9036	UH1036, US1036, US1036NB	9036	D732	3212	X304, X308	183, 751

Features

- 48 Frame
- 5.5" Diameter
- Open Drip Proof
- Resilient Ring & Base Included
- 60 Hz
- Sleeve Bearing
- Shaft: 1/2" x 1.5" W/ Flat
- Reversible
- Split Phase
- 45°C (113°F) Ambient
- Insulation Class B
- Thermally Protected

**24 Month
Warranty**



BF-4701
Illustrated

Belted Fan - One Speed

Part #	HP	Volts	Amps	S.F.	Spd/RPM	Rotation	A Dim.	Bearing	Shaft
BF-4701	1/4	115	5.4	1.35	1/1725	Revers	6.25"	Sleeve	1/2"x1.5"
BF-4706	1/3	115	6.8	1.35	1/1725	Revers	6.25"	Sleeve	1/2"x1.5"
BF-4708	1/2	115	8.0	1.25	1/1725	Revers	6.25"	Sleeve	1/2"x1.5"

Cross Reference

Rotom	AO Smith	Emerson	Fasco	GE	Marathon	UE	Rotom
BF-4701	GF2024	840CV	D6002	4701, H701	D127, B206, B303	-	R840
BF-4706	GF2034	841CV	-	4706, H711	D143, B207	-	R841
BF-4708	GF2054	1542C	-	4708	D162, B208	-	R1542

Features


- 48M and 48N Flange Mounting
- Open & Totally Enclosed
- External Reversing Switch (most models)
- Sleeve Bearing
- Manual Reset Overload



Split Phase, 60Hz, Shaded Pole

Part #	HP	Volts	Amps	Service Factor	Spd/RPM	Rotation	Body	Frame	Bearing	Shaft	Features
T4-R6102	1/8	115	2.12	1.0	1/1725	Rev	5.00"	48N	Sleeve	2.00" x 1/2"	20" Leads
T4-R4782	1/8	115	2.5	1.0	1/1725	Rev	5.22"	48N	Sleeve	1.82" x 1/2"	20" Leads, open shaft end bracket, rotation switch.
T4-R2097	1/8	115	2.8	1.0	1/3450	Rev	5.93"	48N	Sleeve	1.88" x 1/2"	20" Leads, open shaft end bracket, rotation switch.
T4-R3083	1/7	115	2.0	1.0	1/3450	Rev	5.75"	48M	Sleeve	2.00" x 1/2"	15" Leads, rotation switch.
T4-R5866	1/7	115	2.5	1.0	1/3450	CCW	5.47"	48M	Sleeve	1.82" x 1/2"	15" Leads, open shaft end brkt
T4-R3202	1/7	115	1.8	1.0	1/3450	CW	4.50"	48M	Sleeve	2.00" x 1/2"	Beckett 21805U, 10.5" Leads, open shaft end bracket
T4-R3250	1/6	115	3.2	1.0	1/1725	Rev	5.72"	48N	Sleeve	1.82" x 1/2"	20" Leads
T4-R3252	1/6	115	3.2	1.0	1/1725	Rev	5.72"	48N	Sleeve	1.82" x 1/2"	20" Leads, open shaft end bracket, rotation switch.
T4-R3251	1/6	115	2.7	1.0	1/3450	Rev	5.97"	48M	Sleeve	1.82" x 1/2"	20" Leads, rotation switch.
T4-R3579	1/4	115	3.7	1.0	1/1725	Rev	6.72"	48N	Sleeve	1.82" x 1/2"	20" Leads, rotation switch.
T4-R2302	1/4	115	4.2	1.0	1/3450	Rev	6.25"	48N	Sleeve	1.82" x 1/2"	20" Leads, open shaft end bracket.
T4-R3234	1/3	115	4.3	1.0	1/1725	Rev	6.72"	48N	Sleeve	1.82" x 1/2"	20" Leads, open shaft end bracket.
T4-R2303	1/3	115	5.0	1.0	1/1725	Rev	6.5"	48N	Sleeve	1.88" x 1/2"	Terminal board
T4-R3268	1/3	115/230	4.2/2.1	1.0	1/3450	Rev	6.72"	48N	Sleeve	1.82" x 1/2"	12.25" Leads, open shaft end brkt.
T4-R4788	1/3	115/230	5.2/12.6	1.35	1/3450	Rev	9.91"	48N	Sleeve	1.88" x 1/2"	Cap start, open shaft end bracket, terminal board
T4-R3267	1/2	115/230	6.2/3.1	1.0	1/3450	Rev	6.72"	48N	Sleeve	1.82" x 1/2"	12.25" Leads, 50/60Hz, open shaft end bracket.
T4-R3105	1/2	115/230	7.3/3.7	1.25	1/3450	Rev	10.41"	48N	Sleeve	1.88" x 1/2"	Cap start, terminal board, open dripproof
T4-R3172	3/4	115/208-230	10/5	1.0	1/3450	Rev	9.0"	48CZ	Ball	2.25" x 5/8"	Cap start, terminal board, open constr. 5/8" keyed shaft

PSC Oil Burner Motor - Direct Beckett Replacement - 21805U



PSC, 60Hz

Part #	HP	Volts	Amps	Service Factor	Spd/RPM	Rotation	Body	Frame	Bearing	Shaft	Cross
T4-R21805U	1/7	115	1.7	1.0	1/3450	CW	4.59	48M	Ball	1.88" x 1/2"	PSC, open drip proof, automatic protector

Armstrong / B&G Direct Replacement

Single Shaft • Single Speed • 1725 RPM

115/230/460/575 Volts • Resilient Rings for Base Mount Models • Open Construction • Reversible

Typical Applications : Hot Water Boiler & Booster Pumps



Fig. 1

CP-R1350
Illustrated



Fig. 2

CP-R1311
Illustrated



Fig. 3

CP-R1320
Illustrated



Fig. 4

CP-R1310
Illustrated



Fig. 5

CP-R1352
Illustrated



Fig. 6

CP-R1444
Illustrated

Part #	HP	Volts	Fig.	Bearing	Cross Reference
CP-R1350	1/12	115	1	Ball	805316-010, 831000-61, 111034
CP-R1311	1/12	115	2	Sleeve	Taco Replacement
CP-R1320	1/8	115	3	Sleeve	CCW, 5KH32EG129GA, 48S17D1084
CP-R1310	1/8	115	4	Sleeve	OBG2004
CP-R1351	1/6	115	1	Sleeve	817025-005, 111061
CP-R1352	1/6	115	5	Ball	817025-001, 831001-061, 111031
CP-R1354	1/4	115	5	Ball	817025-007, 831002-061, 111040
CP-R1444	1/4	115	6	Ball	816141-001
CP-R1356	1/3	115	5	Ball	817025-013, 831003-061, 111042
CP-R1446	1/3	115	6	Ball	816141-002
CP-R1359	1/2	115/208/230	7	Ball	831009-061, 111044
CP-R1368	1/2	208/230/460	8	Ball	811757-003, 020, 023, 831011-083, 111046
CP-R1459	1/2	115/208/230	9	Ball	811757-001, 111044
CP-R1362	3/4	115/208/230	7	Ball	831010-062, 111047
CP-R1370	3/4	230/460	8	Ball	831012-083, 111049
CP-R1372	3/4	575	8	Ball	811757-006, 111049-5
CP-R1462	3/4	115/208/230	9	Ball	811757-002, 033, 111047
CP-R1470	3/4	208/230/460	10	Ball	811575-005, 111049
CP-R1472	3/4	575	10	Ball	811757-005, 024, 027, 111049-5
CP-R1363	1	115/230	7	Ball	816676-062, 111050
CP-R1371	1	208/230/460	8	Ball	816675-069, 169090
CP-R1373	1	575	8	Ball	816676-068, 169090-5
CP-R1463	1	115/230	9	Ball	811757-007, 028, 031, 111050
CP-R1471	1	208/230/460	10	Ball	811757-008, 169090
CP-R1473	1	575	10	Ball	811757-009, 028, 031, 169090-5
CP-R1374	1 1/2	208/230/460	8	Ball	816678-069, 169092
CP-R1375	1 1/2	575	8	Ball	816685-068, 196092-5

Fig. 7



CP-R1359
Illustrated

Fig. 8



CP-R1373
Illustrated

Fig. 9



CP-R1463
Illustrated

Fig. 10



CP-R1471
Illustrated

Pump Couplers

Easy Links - Spirolink



T6-10010
Illustrated



T6-10034
Illustrated

Part#	Specification	Description
T6-10010	1/2" x 1/2"	1/2 to 1/3 HP Easy Link
T6-10010SL	1/2" x 1/2"	Spirolink
T6-10023	1/2" x 1/2" or 1/2" x 5/8"	1/2 to 3/4 HP Easy Link
T6-10023SL	1/2" x 1/2" or 1/2" x 5/8"	Spirolink
T6-10034SL	1/2" x 5/8" or 5/8" x 5/8"	Spirolink
T6-10045SL	1/2" x 5/8" or 5/8" x 5/8"	Taco

Flue Exhaust Motors



Part #	HP	Spd/RPM	Amps	Volts	Rot	Shaft	Body	Type	Mtg	Cross
FM-RFM623	1/40	1/1500	0.80	115	CW	2.5"x5/16"	5.60"	SP	4 STUD	D9623, S59-485
FM-RFM2	1/35	1/3000	0.65/ 1.30	115/230	CCW	3.9"x5/16"	4.90"	SP	2 STUD	Franklin 80137, Fasco D406, D408
FM-RFM1198	1/30	1/3200	1.50	115	CW	2.3"x5/16"	3.40"	SP	LUGS	Lennox 25J1201
FM-RFM890	1/25	1/3200	0.70	208/230	CCW	2.3"x5/16"	3.29"	SP	STUD	Lennox 98G8901, 7121-7091
FM-RFM580*	1/20	1/3300	1.90	115	CCW	1.9"x5/16"	3.50"	SP	LUGS	HC27VE120, Univ. JAP053N, Bryant P251-2307, U.E. 580
FM-RFM11*	1/20	1/3200	1.80	115	CCW	1.5"x5/16"	3.60"	SP	3 LUGS	Clare Bros. M045
FM-RFM653	1/20	1/3430	1.00	230/460	CW	2.1"x1/4"	5.90"	SP	4 STUD	Carrier, York, Keeprite U653 Fasco 7131-0506, 5/16 Bushing
FM-RFM462	1/16	1/3450	0.30	460	CW	3.3"x5/16"	4.80"	PSC/INC	4 STUD	ICP 1171347 Carrier HC30GB460

* Note: Without Centrifugal Switch



Part #	HP	Spd/RPM	Amps	Volts	Rot	Shaft	Body	Type	Mtg	Cross
FM-RFM5	1/15	1/3000	2.1/ 1.1	115/230	CCW	2.3"x1/4"	5.30"	SP	4 Stud	Fedders S1900047003, U.E. 570
FM-RFM12*	1/15	1/3000	2.00	115	CCW	1.3"x5/16"	4.40"	SP	3 Lugs	M046 - Clare High Efficiency
FM-RFM230	1/12	1/3200	0.60	230	REVPLUG	2.5"x1/4"	6.90"	PSC/INC	Stud	024-24115-020, 714
FM-RFM410	1/10	1/3000	0.7/ 1.50	115/230	REV	3.7"x1/4"	7.10"	PSC/INC	Lugs	Fasco D410, D412, Reznor
FM-RFM187	1/10	1/3400	0.30	208- 230/460	CW	8.8"x3/8"	6.80"	PSC/INC	Stud	York 024-2500-5005, 024-2500- 5702, D1187
FM-RFM460	1/10	1/3200	0.30	208/230 /460	REV	2.5"x1/4"	7.00"	PSC/INC	Stud	YVFM450, Fasco D1171 York 024- 24115-700
FM-RFM78	1/9	1/3200	0.65/ 1.30	115/230	REV	3.3"x5/16"	4.10"	PSC/INC	Stud	RFM7&8, Reznor 43846-115V, 43424-208/230V

* Note: Without Centrifugal Switch

Cooling Fan Kits

Part #	Rotation	Kits Description
92-FMK	CW	• 1 3/4" Diameter. • 5/16" Hub I.D. with 1/4" adapter.
92-FMK1	CCW	• (4) Spacers, (4) 10/32 & (4) 8/32 nuts.



Direct Drive Blowers



Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Encl	Bearing	Cross
R7-RB440	50	1/3080	115	0.25	CW	PSC	Open	Ball	Grainger 1TDN7, 4C440
R7-RB663	60	1/3000	115	0.60	CCW	SP	TE	Sleeve	AO Smith 9444
R7-RB662	60	1/3000	208/240	0.30	CCW	SP	Open	Sleeve	AO SMITH 9443, FASCO 50747-D230, GRAINGER 2C014
R7-RB661	60	1/3000	115	0.50	CCW	SP	Open	Sleeve	AO SMITH 9461, FASCO 50747-D500
R7-RB60	60	1/3200	115	0.80	CW	SP	Open	Sleeve	AO SMITH 9470, FASCO 50747-D401
R7-RB70	70	1/3000	115	0.50	CCW	SP	Open	Sleeve	AO Smith 989
R7-RB33	73	1/2800	115	0.60	CW	ECM	Open	Ball	Newmac 204001 EB3 w/ Variable Spd Switch
R7-RB665	75	1/3020	115	0.45	CCW	PSC	Open	Ball	AO SMITH 9462, FASCO 50748-D500, GRAINGER 4C443
R7-RB885	85	2/2800	115	0.65	CW	SP	Open	Sleeve	AO SMITH 414
R7-RB90	90	1/3000	115	1.00	CW	SP	Open	Sleeve	AO SMITH 13
R7-RB991	90	1/3000	115	1.00	CW	SP	Open	Sleeve	AO SMITH 383
R7-RB4	100	1/3220	115	0.34	CW	PSC	TE	Ball	Franklin 76012, 80042, Electrohome EB4
R7-RB3	100	1/3220	115	0.34	CW	PSC	Open	Ball	Fasco B24220
R7-RB2	100	1/1550	115	0.47	CW	SP	TE	Sleeve	Franklin 76002, 80978, Electrohome EB2

Flange Mounting Dimensions Available on Page 45 & 46



Part #	CFM	Spd/RPM	Volts	Amps	Rot	Type	Encl	Bearing	Cross
R7-RB54	100	1/3450	115	0.43	CW	PSC	TE	Ball	Easy Radiant
R7-RB120	120	1/3100	115	0.80	CW	SP	Open	Sleeve	AO Smith 9445
R7-RB141	140	1/3000	115	1.00	CCW	SP	Open	Sleeve	AO Smith 9492, Fasco 50752-D500, GRAINGER 4C442
R7-RB142	140	1/3000	208/240	0.50	CCW	SP	Open	Sleeve	AO Smith 9493, Fasco 50752-D230, Grainger 2C915
R7-RB446	146	1/3120	115	0.75	CCW	PSC	Open	Ball	Grainger 4C446, 1TDP7, Fasco 7021-3469, A166
R7-RB155	148	1/2480	115	0.75	CCW	PSC	TE	Ball	Grainger 1TDR6, 4C006, Fasco 7021-4933
R7-RB151	150	1/3000	115	1.10	CCW	SP	Open	Sleeve	AO Smith 9483
R7-RB160	160	1/1595	115	1.20	CCW	SP	Open	Sleeve	AO Smith 458
R7-RB165	165	1/3550	115	0.65	CCW	PSC	Open	Ball	
R7-RB180	180	3/1500	115	2.00	CCW	SP	Open	Sleeve	AO Smith 9471, Fasco B47120, Grainger 4C754
R7-RB312	222	1/2750	115	0.60	CCW	PSC	Open	Ball	Grainger 1TDU8, 4C826, Fasco A212, 70219025
R7-RB245	245	1/1550	115	1.50	CCW	SP	Open	Sleeve	AMU45, Airdex
R7-RB265	265	1/1640	115	0.77	CCW	PSC	Open	Ball	Franklin 80224, U.E. 459, Fasco B45227
R7-RB266	265	1/1650	230	1.90	CCW	SP	Open	Sleeve	AO Smith 9411, Fasco B45227-2, Grainger 4C869

Flange Mounting Dimensions Available on Page 45 & 46

Direct Drive Blowers



Part #	CFM	Spd/RPM	Volts	Amps	Rot.	Type	Encl	Bearing	Cross
R7-RB447	273	1/1640	115	0.77	CCW	PSC	Open	Ball	Grainger 4C447, 1TDR3
R7-RB938	287	1/3280	115	1.30	CCW	PSC	Open	Ball	ProFab 814320, Aspen, Empyre, Fasco 70625938
R7-RB320	320	1/1500	115	1.30	CW	SP	Open	Sleeve	AO Smith 9486, Fasco 50756-D500
R7-RB350	350	2/1570	115	3.00	CCW	SP	Open	Sleeve	AO Smith 9466, Grainger 4C444
R7-RB380	380	1/1420/ 1650	115	1.28/1.15	CCW	PSC	Open	Ball	NEW - Grainger 4C444, 4C666, 4YJ31, 1TDR7, Century 9466
R7-RB428	428/ 293	2/1500 /1085	115	1.1/ 0.85	CW	PSC	Open	Ball	GRAINGER 1TDT6, 4C565
R7-RB462	460	1/1550	230	1.80	CW	SP	Open	Sleeve	AO Smith 9412, Grainger 5C507
R7-RB465	465	1/1560	115	1.30	CW	PSC	Open	Ball	Franklin 80546, U.E.460, Fasco B45267, Grainger 4C448
R7-RB495	495	1/1570	115	3.80	CCW	SP	Open	Sleeve	AO Smith 9465
R7-RB500	500	2/1550	115	3.50	CCW	SP	Open	Sleeve	AO Smith 9491, Fasco 50769-D500
R7-RB445	549	1/1430	115	2.20	CCW	PSC	Open	Ball	Grainger 1TDT2, 4C445, 4YJ32
R7-RB760	797	2/1350	115	3.30	CW	PSC	Open	Ball	AO Smith 9459, Grainger 5C508
R7-RB965	965	1/1080	115	3.50	CCW	PSC	Open	Ball	Grainger 1TDT5
R7-RB1000	1000	2/1100	115/230	4.00	CCW	PSC	Open	Sleeve	AO Smith 9477, Fasco A1000
R7-RB1600	1638	4/1085	115	6.90	CCW	PSC	Open	Ball	Grainger 1XJX9

Flange Mounting Dimensions Available on Page 45 & 46

Rotation determined opposite shaft end
Double shaft determined at lead end



Air 2000

Part #	HP	Volts	Amps	Type	RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
R3-R316	1/20	115	1.36	SP	1550	CCW	2.7"	3.3"	Ball	-	1.6" x 1/4"	80093

Nutech

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
O1-R465	1/15	115	1.98	SP	3/1550	CW	4.0"	3.3"	Sleeve	-	2.3"x5/16"x2.3"	Electrohome 2868-513-133, 152, Nutech Lifebreath 23202
M4-R2655	1/12	115	1.10	PSC	1/1550	CCW	3.0"	5.0"	Sleeve	5/370	2.8"x3/8"x2.9"	A0812B2355, Fasco 7184-0254
M4-R2324	1/12	115	1.40	PSC	1/1550	CCW	3.6"	5.0"	Ball	3/370	2.8"x3/8"x2.6"	Nubreath 23-204, GE5KCP- 298G8560BS, Fasco 7185-0242

Vanee

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
R3-R348	1/15	110/115	1.12	PSC	2/1550	CCW	4.1"	3.3"	Sleeve	4/370	3.35"x3/8"	Heat Recovery Motor M1703, Fasco 7190-0369

Venmar

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
R2-R462	1/17	115	0.90	PSC	3/1660	CW	4.00"	3.3"	Sleeve	7.5/370	3.5"x3/8"x3.5"	02101, Fasco 7190-2271, Kit 12027, 12029, 12109
R2-R438	1/14	115	1.05	PSC	2/1600	CW	4.25"	3.3"	Sleeve	4/370	1.55"x5/16"	01038, Fasco 7190-2008
R3-R366	1/7	115	1.7	PSC	3/1630	CW	4.78"	3.3"	Sleeve	7.5/370	2.97"x3/8"x3"	02100, Fasco 7190-1523, Kit 1206, 12151
R2-R422	1/6	115	2.9	PSC	3/1690	CW	4.93"	3.3"	Sleeve	7.5/370	2.1" x 3/8"	02209, Fasco 7190-1522



Amana

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB160	1/30	115	1.6	SP	1/3000	CCW	6.0"	Skel	Ball	-	-	Mid eff. Res., D69964-5, 7021-8252, R0156859, 20044401, 7002-2407
FB-RFB158	1/25	115	0.7	PSC	1/3450	CCW	6.4"	3.3"	Sleeve	4/250	-	Hi eff. Res., 9552099437, D98686-5, R0156744, 20000101, Fasco 7002-2407, 7021-8258, 7062-3151
FB-RFB280	1/25	115	1.5	SP	1/3000	CCW	6.2	3.3"	Sleeve	-	-	7021-7794, D986868
FB-RFB129¹	1/20	115	1.95	SP	1/3250	CCW	6.75"	3.3"	Sleeve	-	-	CUIC Mid eff., Res., 11009001, 11009002, Fasco 7021-9064, A129

Armstrong

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB250	1/30	208/230	0.70	SP	1/3000	CW	5.50"	3.3"	Ball	-	-	Rooftop, 42250-001, 7021-10126
FB-RFB425	1/25	115	1.4	SP	1/3000	CW	5.8"	3.3"	Sleeve	-	-	Air Ease Mid eff. Ultra 80, Res. 40425-002
FB-RFB676	1/20	115	0.57	PSC	2/3300	CW	5.82"	3.3"	Ball	5/370	-	100676-01, 7062-5720, 7062-6350
FB-RFB547²	1/20	115	1.80	SP	1/3400	CW	5.8"	3.3"	Ball	-	-	Air Ease High eff. Ultra 90, 290, Res., 40404-003G-004, 40404-004, 2862-513-040, 367170004, 20190601, 7021-9625
FB-RFB203	1/20	208/230	0.9	SP	1/3000	CCW	8.5"	3.3"	Ball	-	-	Magic Chef, Air Ease, Olsen Rooftop, Comm., 203884300, 203884B002

*Notes:

1 - Comes with gasket

2 - Comes with gaskets, mounting hardware



FB-RFB212



FM-RFM580



FM-RFM5



FM-RFM653



FB-RFB756



FB-RFB757



FB-RFB758



FM-RFM462

Carrier

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB212¹	1/25	115	1.52	SP	1/3000	CCW	4.25"	Skel	Ball	-	-	Bryant, Payne Mid Eff., Res. HC21ZE117-13, 318984-753, 818984753, 58SSE08Q-BC Series 130 Blw. Whl. - 66-A8664
FM-RFM580	1/20	115	1.8	SP	1/3000	CCW	3.5"	3.3"	Sleeve	-	1.9"×5/16"	Hi Eff.Res. Carrier HC680001, HC27VE12, V579, V580, UE580, JA1P053N, Bryant P251-2307
FM-RFM5²	1/20	115/230	2.1/1.1	SP	1/3000	CCW	6.5"	3.3"	Ball	-	2.3"×1/4"	Comm. Magnetek 570, UE570, Fed- ders S1900047003 Blw. Whl. - 66-A8655
FM-RFM653¹	1/20	230/460	1.0/.51	SP	1/3000	CCW	5.9"	3.3"	Ball	-	2.3"×1/4"	Comm. Magnetek 653 Blw. Whl. - 66-A8655
FB-RFB756	1/16	115	1.02	PSC	1/3190	CW	-	3.3"	Ball	Inc	-	NEW - 320725-756, HC28CQ116, HC27CB115, 66756, 1179081, JE1D013N, 34VH22, K33HX- CW-1017, X83-386
FB-RFB757	1/16	115	1.16	PSC	1/3026	CW	-	3.3"	Ball	Inc	-	NEW - 320725-757, 320725- 754, 320725-761, HC27CB119, HC27CB116, 66757, 40LW03, X83-387
FB-RFB758	1/15	115	1.45	PSC	1/3222	CW	-	3.3"	Ball	Inc	-	NEW - 320725-758, 317292- 753, 320725-755, 325269-701, 325270-761, HC28QC115, YDZ- 050L22541-01, 115U77, X83-388
FM-RFM462³	1/10	460	0.30	PSC	1/3450	CW	4.7"	3.3"	Ball	Inc	3.3"×5/16"	HC30GB460, 48TJE 90/120/150 Comm. Roof Top Blw. Whl. - 66-A8660(4x1") 66-A8665(4x2")

*Notes:

1 - Comes with two (2) wiring harnesses

2 - Comes with 5/16" shaft adapter & Built-in centrifugal switch

3 - The rear magnetic centrifugal switch found on most replacements has been built into these Rotom models



Consolidated Industries

Part #	CFM	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB570	95	115	0.90	SP	1/3300	CCW	6.20"	3.3"	Sleeve	-	-	UE JA1P082, 401570
FB-RFB450	105	115	1.41	SP	1/3300	CCW	6.33"	3.3"	Sleeve	-	-	UE JA1P090, 401450

Clare

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB140	1/50	115	1.49	SP	1/3400	CCW	5.6"	3.3"	Sleeve	-	-	Consolidated CHU 54-3, 73-3 High Eff. Res: 4246100, 420950 Fasco 7021-9087, JA1N107NS
FB-RFB52	1/20	115	0.85	PSC	1/3000	CCW	7.8"	3.3"	Sleeve	INC	-	High Eff Universal Fit, Res: Clare V52 M053, HEG & HEHB 80A Series
FM-RFM11	1/20	115	1.80	SP	1/3200	CCW	3.6"	3.3"	Sleeve	-	1.5"x5/16"	Residential: Clare V15, Internal Fan, M045, 2862511004
FB-RFB130	1/18	115	0.70	PSC	1/3450	CCW	5.0"	3.3"	Ball	4/370	-	Consolidated CHU 90-3, 108-5, 126-5 High Eff. Res: 4246101, Fasco 7062-9064
FM-RFM12	1/15	115	2.0	SP	1/3100	CCW	4.4"	3.3"	Sleeve	-	1.3"x5/16"	High Eff. Res: Clare V17, M046
FB-RFB17	1/15	120	2.0	SP	1/3000	CCW	6.9"	3.3"	Sleeve	-	-	Mid Eff. MEG Series, Res: Clare V17, Fasco 7130-0029

Coleman

Part #	HP	Volts	Amps	Type	RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB156	1/50	115	1.1	SP	1/3000	CCW	5.6"	3.3"	Sleeve	-	-	Roof Top Com: Evcon 2702-321, 7021-9404



FB-RFB282



FB-RFB162



FB-RFB140



FB-RFB859



FB-RFB405



FB-RFB276



FB-RFB501



FB-RFB483

Ducane

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB282	1/16	115	1.1	SP	1/3000	CCW	6.0"	3.3"	Sleeve	-	-	Ducane, Lennox Air-Flo High Eff. (New) CMPB50U2 - 50U3, 75U2 - 75U3 Res: 20282001, 20282002, R20434401, 92L14-01, 92L14, 7021-0948

Goodman

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot.	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB162¹	1/50	208/230	0.5	SP	1/3000	CW	8.5"	3.3"	Sleeve	-	-	Roof Top Com: Goodman B29590-00, Fasco 7021-8656
FB-RFB140	1/50	115	1.49	SP	1/3400	CCW	5.6"	3.3"	Sleeve	-	-	Goodman-Janitrol GNPS, High Eff. Res: B28330-01, JAIN107NS
FB-RFB859	1/48	115	1.6	SP	1/3000	CW	5.52"	Skel	Ball	-	-	66005, 7002-2307, 7002-2771, 7002-3219, 7058-0229, B1859005, A157, B40590-35, J238-112-11128, J238-1128
FB-RFB405²	1/33	115	1.5	SP	1/3000	CW	5.9"	Skel	Ball	-	-	66590, 7002-3036, A182, B4059000, J238-112-11195, J238-11195
FB-RFB276	1/30	115	1.4	SP	3000	CW	5.44"	Skel	Ball	-	-	0131M00002P
FB-RFB501	1/16	115	2.8	SP	3000	CW	5.00"	Skel	Ball	-	-	22307501, 071M00000, 7058-2108
FB-RFB483	1/8	115	1.8	SP	3200	CW	5.33"	Skel	Ball	-	-	B4833000, B4833000S, A188, 7021- 10958, 5KSB46GF0001

*Notes:

1 - Built-in end switch

2 - Comes with gasket attached



FB-RFB111



FM-RFM2



FM-RFM410



FB-RFB127



FB-RFB672

Grimsby

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB111	1/25	115	1.2	SP	1/3000	CCW	6.0"	3.3"	Sleeve	-	-	SC-OLV-1-2 Mid Efficiency Res: SBC375, CPL1132

General Replacement

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FM-RFM2¹	1/35	115/230	1.3/0.65	SP	1/3000	CCW	4.9"	3.3"	Ball	-	3.9"x5/16"	Franklin 80137, Fasco D406, D408
FM-RFM410	1/10	115/230	1.5/0.7	PSC	1/3000	Rev	7.1"	3.3"	Ball	7.5/370	3.7"x1/4"	Fasco D410, D409, D412, Reznor

G.S.W.

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot.	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB127²	1/25	115	1.3	SP	1/3200	CCW	7.00"	3.3"	Sleeve	-	-	GSW 63217, Fasco 7021-8347

Heil Quaker

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot.	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB672	1/100	115	0.60	SP	1/3150	CCW	5.71"	3.3"	Sleeve	-	-	A064, 610672, X89-455

*Notes:

1 - Feature an internal fan, stainless steel shaft and built-in centrifugal switch

2 - Includes coupling & hose clamps



ICP (cont. next page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB141	1/65	115	1.00	SP	1/2800	CCW	6.0"	3.3"	Ball	-	-	Residential: 1094073-74, 1010239
FB-RFB571	1/50	230	0.30	PSC	1/3000	CCW	6.35"	3.3"	Ball	INC	-	7021-10048, 7021-10580, A169, 1085571, 1110008
FB-RFB105	1/50	230	0.4	SP	1/3200	CCW	5.72"	3.3"	Sleeve	-	-	Keeprite Roof Top RGA, RGAA, Com: Keeprite 1050144, JA1M109NS, Heil Quaker, Intercity, HQ1050144, Whirlpool, A151, A.O. 776
FB-RFB68¹	1/50	115	0.9	SP	1/3000	CCW	5.25"	3.3"	Sleeve	-	-	Keeprite CUGE, CPGE, CULE, MGH Mid Eff. Res: 1006168
FB-RFB433	1/35	115	1.5	SP	1/3000	CW	6.00"	Skel	Ball	-	-	1014433, 1014529
FB-RFB107²	1/33	230	0.3	PSC	2/3350 /2900	CW	8.70"	3.3"	Sleeve	3/370	-	Keeprite PGB, PGA, PGD, GPD, RGMA Com: Keeprite 1097245, 15-20-30 Ton
M3-R2609	1/30	115	1.21	SP	1/1550	CW	3.0"	4.1"	Sleeve	-	2.4"x1/2"	Intercity Condo & Apartment Exhaust Fan Motor UE009
M3-R2612	1/30	115	1.21	SP	1/1550	CCW	3.0"	4.1"	Sleeve	-	2.4"x1/2"	Intercity Condo & Apartment Exhaust Fan Motor UE010

1 - Comes with two (2) gaskets, high temp. silicone, hardware & instructions

2 - Comes with gaskets

OEM Replacement Motors



ICP (cont. from previous page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB383	1/26	115	1.6	SP	1/3000	CCW	6.50"	Skel	Ball	-	-	66833, 7021-7700, 7021-8735, 7021-8736, 7021-9335, 7021-9918, 7021-9744, 1708607, 1010238P, 1010324, 1013833, J238-13933
FB-RFB242	1/25	115	1.3	SP	1/3200	CCW	7.0"	3.3"	Sleeve	-	-	Keeprite, 702111099, B24220, CRC
FB-RFB350	1/25	115	0.8	PSC	1/3450	CW	7.10"	3.3"	Ball	5/370	-	Keeprite CGJ, CGK High Eff. 50, 75, 100, 125 Res: 1011350 Hardware Connection Kit - FB-RFB350-1
FB-RFB134	1/25	115	1.5	SP	1/3000	CCW	7.0"	3.3"	Ball	-	-	Keeprite, Heil, Comfortmaker NTC Mid Eff. Res: 1010324, 1708607, 1010975, Airco, Tempstar
FB-RFB145¹	1/25	115	0.7	PSC	1/3450	CW	5.3"	3.3"	Ball	4/250	-	Keeprite, Heil, Comfortmaker NTGM High Eff. Res: 1009924, 1009518, 1010527, 1011412, 1164280, Airco, Tempstar Res: 7062-5165, 7062-3794, 7062-5922 Intercity 1149097, 1008416P A307
FB-RFB114	1/24	115	0.7	PSC	1/3450	CW	7.75"	3.3"	Sleeve	4/250	-	1172823, 330701-701, 329148-701, 1013915, 1172823
FB-RFB330	1/25	115	2.4	SP	3000	CCW	5.54"	Skel	Ball	-	-	Res: 7021-10048, 7021-10580
FB-RFB170	1/25	115	2.3	SP	1/3400	CW	6.00"	3.3"	Ball	-	-	70626158, 1172825
FB-RFB825	1/20	115	.75/.44	PSC	2/3000 /2000	CW	4.40"	3.3"	Ball	6/370	-	HC30GB460, 48TJE 90/120/150 Com. Roof Top ICP 1171347 Blw. Whl. - 66-A8660(4x1") 66-A8665(4x2")
FM-RFM462²	1/16	460	0.3	PSC	1/3450	CW	4.7"	3.3"	Ball	4/370	3.3"x5/16"	702112429, 1172824
FB-RFB824	1/15	115	2.6	SP	1/3000	CW	4.3"	3.3"	Ball	-	-	Keeprite, Heil, Comfortmaker RGB Series Roof Top Com: 501493
FB-RFB9	1/12	208/230	1.1	SP	1/3000	CCW	10.0"	3.3"	Ball	-	-	

*Notes:

- 1 - Vent Restrictor Orifice Plates: 92-1008696 ICP 50 & 75, 92-1008699 ICP 100, 92-1160415 ICP 125, Comes with coupling, pins, O-rings and gaskets
- 2 - The rear magnetic centrifugal switch found on most replacements has been built into these Rotom models



Lennox(cont. next page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB390	1/65	115	0.7	SP	1/3000	CW	5.75"	3.3"	Sleeve	-	-	Res: 88J3901, 7021-9262, A219
FB-RFB401	1/60	115	1.3	SP	1/2800	CW	5.96"	Skel	Ball	-	-	66401, 7021-1108, 7021-9242, 7021-9311, 7021-9455, 7021-9640, 7021-9657, J238-8171, 85L4901, 88K8401, 67M5401, 10K5101, 10K5301, 10K5301P, 27K5201, 27K5201P
FB-RFB43	1/60	115	0.8	SP	1/3000	CW	5.8"	3.3"	Sleeve	-	-	G24 Mid Eff. 43K4101, 101202-02
FB-RFB98¹	1/60	115	0.8	SP	1/3000	CW	5.8"	3.3"	Sleeve	-	-	G24 Mid Eff. 11K98 Kit
FB-RFB99¹	1/60	115	0.8	SP	1/3000	CW	5.8"	3.3"	Sleeve	-	-	G24 Mid Eff. 11K99 Kit
FB-RFB495	1/30	115	1.4	SP	1/3000	CW	5.14"	Skel	Ball	-	-	24W95, 31L5501
FM-RFM1198	1/30	115	1.5	SP	1/3200	CW	3.40"	3.3"	Sleeve	-	2 1/4"x5/16"	Roof Top Com: Lennox 25J1201, Fasco 7121-8774
FB-RFB790	1/30	115	1.8	SP	1/3000	CCW	6.00"	Skel	Ball	-	-	Res: 60M7901, 7058-0217, A207
FB-RFB810	1/30	115	1.8	SP	1/3000	CW	6.00"	Skel	Ball	-	-	Com: 60M8101, 7058-0322, A208
FM-RFM890	1/25	208/230	0.7	SP	1/3200	CCW	3.29"	3.3"	Ball	-	2.3"x5/16"	GCS3 Roof Top Com: Lennox 98G8901 Fasco 7121-7091 BLW.WHL - 66-A8677
FB-RFB385	1/20	115	0.8	PSC	2/3200 /2800	CW		3.3"	Ball	7.5/370	-	Res: 38M5001, 7062-5441, A209
FB-RFB547¹	1/20	115	1.8	SP	1/3400	CW	5.8"	3.3"	Ball	-	-	G26 High Eff. Series Res: 68K21, Fasco 7021-9450
FB-RFB550	1/16	230	0.83	SP	1/3000	CW	5.50"	3.3"	Ball	-	-	Com: 25M5501, 7021-11231, A217

*Notes:

1 - Comes with gaskets and mounting hardware

OEM Replacement Motors



Lennox (cont. from previous page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB101²	1/12	208/230	0.5	PSC	1/3200	CW	8.80"	3.3"	Ball	3/370	-	GCS Roof Top Com: Lennox 23G8101, 135327, 074, 28G6601, Fasco 7062-1794, 7062-3577
FB-RFB701	1/10	208/230	0.6	PSC	1/3200	CCW	6.80"	3.3"	Ball	4/370	-	Roof Top Com: Lennox 98G8701
FB-RFB320	1/10	460	.38/.33	PSC	1/3200	CCW	6.75"	3.3"	Sleeve	4/370	-	Com: 69M3201, 7062-5554, 7062-4051, 7062-4518, 97J8101

Modine

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB599	1/15	115	2.4	SP	1/3000	CW	8.75"	3.3"	Sleeve	-	-	5H073598-001, 7021-9045, 7021-12659
FB-RFB598	1/15	200/230	.95/1.1	SP	1/3000	CW	8.50"	3.3"	Sleeve	-	-	5H73598-2

Newmac

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Comments
R7-RB33³	1/25	115	0.60	PSC	1/2800	CW	6.60"	3.3"	Ball	-	-	Oil & Wood Furnace 2040001

*Notes:

2 - Comes with gasket. Built-in centrifugal switch

3 - Features a built-in variable speed control



FB-RFB303



FM-RFM623



FB-RFB902



FB-RFB140



FB-RFB467



FB-RFB111



FB-RFB130



FB-RFB200



FB-RFB181



FB-RFB203

Nordyne, Frigidaire, Miller

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB303	1/50	115	0.77	SP	1/3000	CW	7.60"	3.3"	Ball	-	-	512A, 303875
FM-RFM623	1/40	115	0.80	SP	1/1500	CW	5.60"	3.3"	Sleeve	-	2.5"x 5/16"	D9623, S59-485
FB-RFB902	1/20	115	0.70	PSC	1/3450	CCW	5.20"	3.3"	Sleeve	4/370	-	G5RC, G6RC, G1, G4 High Eff Res.: 902977

Olsen

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB140	1/50	115	1.49	SP	1/3400	CCW	5.60"	3.3"	Sleeve	-	-	Consolidated NUP 54-3, 72-3 High Eff. Res: 4246100, JAIN107NS
FB-RFB467	1/30	115	1.70	SP	3000	CCW	5.94"	Skel	Ball	-	-	29467
FB-RFB111	1/25	120	1.2	SP	1/3000	CCW	6.00"	3.3"	Sleeve	-	-	Residential: SBC375, CPL1132, 26607, 26573
FB-RFB130	1/25	115	0.70	PSC	1/3450	CCW	5.00"	3.3"	Ball	4/370	-	Consolidated NUP N12, 16, 20, 90-3, 108-5, 126-5 H.E. Res: 4246101
FB-RFB200²	1/24	115	1.8	SP	1/3200	CCW	6.60"	3.3"	Ball	-	-	HCS-2 High Eff. 60, 75, 81, 90 Right Hand Discharge Residential: 20082, 11051403
FB-RFB181²	1/22	115	1.2	SP	1/3320	CW	6.60"	3.3"	Ball	-	-	Airco High Eff HCS-2 60, 75, 81, 90 Left Hand Discharge Res: 18102
FB-RFB203	1/20	208/230	0.9	SP	1/3000	CCW	8.50"	3.3"	Ball	-	-	Com. Rooftop 3255A

*Notes:

2 - Comes with three (3) brackets, fastening hardware, drain tubing & instructions.

OEM Replacement Motors



PennVent

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
M4-R3206	1/40	115	1.1	SP	1/1050	CCW	3.00"	5.0"	Ball	-	2.25"x3/8"	D340, Z-6 Model
M4-R3975	1/20	115	2.3	SP	1/1045	CCW	3.00"	5.0"	Sleeve	-	2.25"x3/8"	D1036, 7151-2139, S88-916, Z-8 Model
R3-R374	1/12	115	1.5/0.9	PSC	2/1550 /1300	CCW	2.90"	3.3"	Sleeve	10/370	3.38"x3/8"	JE2H7057-T, 63746-0
M4-R3747	1/7 1/11 1/25	115	2.5/2.1 /1.6	PSC	3/1500 /1300 /1050	CCW	4.25"	5.0"	Sleeve	5/370	2.5"x1/2"	DE2F7085-T, 63747-0
M4-R3748	1/6 1/12 1/20	115	2.1/1.9 /1.4	PSC	3/1550 /1300 /1050	CCW	4.25"	5.0"	Sleeve	10/370	2.5"x1/2"	DE2F7088-T, 63748-0
R3-R343	.027	115	1.4/0.6	SP	2/1550 /1050	CCW	2.25"	3.3"	Sleeve	-	5.75"x3/8"	JA2M414-T, 56343-0
R3-R346	.275	115	3.6/2.5	PSC	2/1550 /1050	CCW	4.65"	3.3"	Sleeve	12.5/370	5.3"x3/8"	JE2K007-T, 56346-0

Reznor

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FM-RFM78¹	1/10	115/230	1.3/0.7	PSC	1/3200	Rev	4.10"	3.3"	Ball	2/370	3.3"x5/16"	Commercial: Reznor 43846 (115V), 43424 (208/230), FM-RFM7, FM-RFM8 BLW.WHL - 66-A8675

*Notes:

1 - Comes with three (3) brackets, fastening hardware, drain tubing & instructions.




Rheem-Ruud

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot.	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB139¹	1/50	115	0.95	SP	1/2970	CCW	6.25"	3.3"	Sleeve	-	-	Hot Water Heater SP11608, Fasco 7062-7572
FB-RFB214²	1/50	115	1.1	SP	1/3000	CW	5.25"	3.3"	Sleeve	-	-	RGDE Mid Eff. Res: Fasco 70-214196-83, A079
FB-RFB189³	1/40	115	1.0	SP	1/3000	CCW	5.50"	3.3"	Sleeve	-	-	Rheem-Ruud 09-189, UE JA1M161N
FB-RFB107²	1/33	230	0.3	PSC	2/3350 /2900	CW	8.70"	3.3"	Sleeve	3/370	-	Roof Top, PGB, PGA, PGD, GPD, RGMA Com: Reem-Rudd 1070770, 101070, 107701 15-20-30 Ton
FB-RFB641	1/25	208/230	0.6	SP	1/3200	CCW	5.75"	3.3"	Ball	-	-	Com: 70-23641-81, 7021-9567, A241
FB-RFB136	1/25	115	0.75	PSC	1/3450	CCW	6.25"	3.3"	Sleeve	4/370	-	Weather King RGT High Eff. Res: 70-24033-01, Fasco 7062-3861
FB-RFB206	1/20	115	0.85	PSC	2/3400 /2400	CCW	7.00"	3.3"	Sleeve	4/370	-	Residential: 70-24206-01, 7062-3925, A246
FB-RFB241⁴	1/20	115	1.27	SP	1/3400	CCW	6.30"	Skel	Ball	-	-	Weather King RGP Mid Eff. Conquest 800 Res: Fasco 70-24157-03, 70-22838-02

***Notes:**

- 1 - Includes coupling, adapter horn, plug, screws & tubing
- 2 - Comes with gasket
- 3 - Includes two (2) gaskets & 90° brass fitting
- 4 - Comes with gasket mounted



Roberts Gordon

Part #	CFM	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
R7-RB3	100	115	0.34	PSC	1/3220	CW	5.65"	3.3"	Ball	INC	-	Gordon Ray BH Series, GRP 90709700

Skymark

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB236	1/40	208/230	0.30	PSC	1/3000	CW	5.00"	3.3"	Ball	INC	-	7021-9136, MTR-136PK, A251

Trane(cont. next page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB215	1/50	115	1.0	SP	1/3000	CCW	5.89"	3.3"	Sleeve	-	-	51-21504-01
FB-RFB337	1/30	115	1.3	SP	1/3100	CCW	6.00"	Skel	Ball	-	-	D330787P01, 7021-10281, A361, 7021-10291, 7021-8013, 7021-9055, J238-1344, J238-138-1344, 787P01, BLW473, D330809P01, 21D340125, 21D330673
UE-954	1/30	115	0.6	PSC	3/1100	CW	4.0"	5"	Sleeve	INC	8.5"×1/2"	MOT 1878, MOT 1875, X70500149-01-7, EM K48HXBH-954
UE-9608	1/20	115	0.6	PSC	3/1100	Rev.	3.25"	5"	Sleeve	INC	9.5"×1/2"	MOT 1875, X70500149-02, EM K48HXBH-955
UE-641	1/30	115	0.5	PSC	3/1075	CW	3.5"	5"	Sleeve	INC	8.5"×1/2"×9"	MOT 1876, CX70500133-01, UE DE3E152



FB-RFB130




UE-953




FB-RFB310



UE-945



UE-955



UE-642



FB-RFB356



FB-RFB118

Trane (cont. from previous page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB130	1/25	115	0.7	PSC	2/3450	CCW	5.0"	3.3"	Ball	4/370	-	TUCG 60, 80, 100 High Eff. Res: BW000517, UE9457
UE-953	1/15	115	0.8	PSC	3/1100	CW	3.25"	5"	Sleeve	INC	10.5"x1/2"x10.5"	MOT 1877, X70 500149-04-7, EM K48HBJA-956
FB-RFB310	1/8	208/230	0.62	PSC	1/3500	CCW	7.50"	3.3"	Ball	INC	-	7062-3972, A273, X38040310-01
UE-945	1/8	115	1.2	PSC	3/1500	CW	4.0"	5"	Sleeve	Inc.	9"x1/2"x7.5"	MOT 1978, MOT 481, X70 500149-11-7, EM K48HXCKT-1419
UE-955	1/6	115	2.0	PSC	3/1500	CW	4.0"	5"	Sleeve	6/370	10.5"x1/2"x10.5"	MOT 1979, MOT 482, X70 500149-12-7, EM K48HXCKS-1418
UE-642	1/4	277	1.1	PSC	3/1475	CW	4.0"	5"	Sleeve	4/370	8"x1/2"x8"	MOT 689, X70500354, UE DE2G101

Weil Mclain

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB356¹	1/12	115	2.8	SP	1/3250	CCW	7.5"	3.3"	Sleeve	-	-	CG Series, 510-312-273, 381-356-499, 7021-10410

Williamson Furnace

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB118	1/15	115	1.8	SP	1/3000	CCW	5.93"	3.3"	Sleeve	-	-	A118, 7021-6999, 7021-7042, X89-520

*Notes:

1 - Comes with gasket



FB-RFB63



FB-RFB144



FB-RFB154



FB-RFB165

York(cont. next page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB63	1/40	208/230	0.45	SP	1/3000	CW	6.3"	3.3"	Ball	-	-	Roof Top, D8SA, D9SA Com: 026-22239-700, UE771, Fasco A063, U464E, 7021-4314
FB-RFB144²	1/40	208/230	0.50	SP	1/3000	CCW	7.75"	3.3"	Sleeve	-	-	Roof Top DCG Unit Com: York 024-24115-017, 018, 705, 026-25999-000
FB-RFB154¹	1/30	115	1.2	SP	1/3000	CCW	6.0"	3.3"	Sleeve	-	-	York Furnace P4-HUA012 Mid Eff. Blower N064000 Res: York 024-27519-000, Fasco 7021-9428, Luxaire
FB-RFB165¹	1/25	115	0.70	PSC	1/3450	CCW	6.4"	3.3"	Sleeve	4/370	-	York Furnace P3-URB High Eff. Blower Res: York 024-25960-000, Coleman 2940391P, Fasco 7062-3958, A165, Luxaire

*Notes:

1 - Comes with gasket

2 - Comes with gasket. Built-in centrifugal switch



York(cont. from previous page)(cont. next page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FB-RFB137¹	1/25	115	0.70	PSC	1/3450	CCW	6.0"	3.3"	Sleeve	4/250	-	York P3UR A, B, C, D High Eff. Res: 7314249-70, 024-2500-7000, Fasco 7062-2442, Luxaire
FB-RFB654²	1/20	230/460	1.0/51	SP	1/3000	CW	7.0"	3.3"	Ball	-	-	D1, D2 Roof Top Unit 3.5 To 5 Ton Com: 024-24115-017, 018, 020, 713, Fasco 7162-4547 BLW. WHL - 66-A8660(4"x1"x1/4")
FB-RFB655²	1/20	230/460	1.0/51	SP	1/3000	CW	7.0"	3.3"	Ball	-	-	York D3CG076N105-25D Roof Top 7.5-20 Ton Com: 024-24115-017, 018, 020, Fasco 7162-4547 BLW. WHL-66-A8665(4"x2"x5/16")
FM-RFM653³	1/20	230/460	1.0/51	SP	1/3000	CW	5.9"	3.3"	Ball	-	2.3"x1/4"	York D1, D2, D3 Roof Top Unit Magnetek 653, Fasco D1174 BLW. WHL - 66-A8650
FB-RFB225	1/15	115	2.25	SP	1/3200	CCW	6.50"	3.3"	Ball	-	-	A225, 7021-11577, 7021-11577S, 02434558000
FB-RFB227	1/15	115	0.7	PSC	1/3450	CCW	6.65"	3.3"	Sleeve	4/370	-	7062-4708S, 024-27641-000, 17450, 7062-4708, 373-20717-001
FB-RFB187⁴	1/10	460	0.30	PSC	1/3400	CW	6.8"	3.3"	Ball	4/370	3/8"x8 3/4"	York 10 Ton Roof Top Blower DIC- G120N16525A Commercial: 024-2500-5004, 5005, 5702, D1187
FB-RFB461³	1/10	460	0.30	PSC	1/3200	Rev	7.8"	3.3"	Ball	4/370	-	D1, D2, 7.5 Ton Roof Top Unit Com: 024-24115-017, 020, 713, Fasco 7162-4547 BLW. WHL - 66-A8660(4"x1"x1/4")
FB-RFB462³	1/10	460	0.30	PSC	1/3200	Rev	7.8"	3.3"	Ball	4/370	-	D1, D2 Roof Top Unit Com: 024-24115- 017, 020, 713, Fasco 7162-4547 BLW. WHL - 66-A8665(4"x2"x5/16")

*Notes:

- 1 - Comes with gaskets
- 2 - Includes blower wheels, plates, hardware, cooling disk and built in centrifugal switch
- 3 - Built-in centrifugal switch
- 4 - Includes 66-A8666 & 66-A8667 blower wheels and built in centrifugal switch



FM-RFM187



FM-RFM460



FB-RFB232



FM-RFM230



FB-RFB231

York(cont. from previous page)

Part #	HP	Volts	Amps	Type	Spd/RPM	Rot	Body	Frame	Bearing	Cap	Shaft	Cross
FM-RFM187¹	1/10	208/230 /460	0.30	PSC	1/3400	CW	6.8"	3.3"	Ball	4/370	3/8"x8 3/4"	York 10 Ton Roof Top Blower DICG-120N16525A Commercial: 024-2500-5004, 5005, 5702, D1187
FM-RFM460²	1/10	208/230 460	0.30	PSC	1/3200	Rev	6.9"	3.3"	Ball	4/370	2 1/2"x1/4"	York D1, D2 Roof Top Unit 024-24115-012, 017, 700, 709, 713, Fasco D1171, YVFM450
FB-RFB232³	1/10	230	0.55	PSC	1/3450	Rev	5.0"	3.3"	Ball	4/370	-	York D1, D2 7.5 Ton Roof Top Unit Com: York 024-24115-714, 018 BLW. WHL - 66-A8665(4"x2"x5/16")
FM-RFM230²	1/8	230	0.60	PSC	1/3200	Rev	6.9"	3.3"	Ball	4/370	2 1/2"x1/4"	York D1, D2 Roof Top Unit 024-24115-020, 714
FB-RFB231³	1/8	230	0.60	PSC	1/3200	Rev	7.5"	3.3"	Ball	4/370	-	York D1, D2 5 Ton Roof Top Unit Com: York 024-24115-714, 018 BLW. WHL - 66-A8660(4"x1"x1/4")

*Notes:

1 - **DOES NOT** include 66-A8666 & 66-A8667 blower wheels and built in centrifugal switch.

2 - Comes with 5/16" shaft adapter. Built-in centrifugal switch

3 - Built-in centrifugal switch, mounting plate, blower wheel

Aluminium Pulleys



67-660
Illustrated

Blower Pulleys

Part #	Bore	Diameter
67-650*		5"
67-660		6"
67-670		7"
67-680	3/4"	8"
67-690		9"
67-610		10"
67-612		12"

* 5" pulley is solid

Blower Pulleys - Continued

Part #	Bore	Diameter
67-860		6"
67-870		7"
67-880	1"	8"
67-890		9"
67-810		10"
67-812		12"



67-4325
Illustrated

Variable Speed Pulleys

Part #	Bore	Diameter
67-4325		3 1/4"
67-4350	1/2"	3 1/2"
67-4375		3 3/4"
67-4400		4"
67-5325		3 1/4"
67-5350	5/8"	3 1/2"
67-5375		3 3/4"
67-5400		4"

Cast aluminum pulley mfg'd to OEM specs

Bearings

Ball Bearings

Bearings complete with collar.

Part #	Bore	OD	Replaces
67-4336-1	3/4"	1 13/16"	LRCR
67-4336-2			(2) Bearings & (2) Collars
67-4346-1	1"	2 1/4"	RCR



67-4336-1
Illustrated

Sleeve Bearing Packs

Kits include 2 bearings & 2 rubber sleeves.

Part #	Bore	OD	Type	Replaces
67-4036-2	3/4"	1 25/32"	Oil	Delhi
67-4135-2	5/8"	1 7/8"		Lau
67-4136-2				Delhi
67-4137-2	3/4"	1 13/16"	Sealed	Lau & Lennox
67-4138-2		1 7/8"		Torin
67-4147-2	1"	2 1/2"		Lau & Lennox
67-4148-2				Torin



67-4036-2
Oil Type Illustrated



67-4136-2
Sealed Type
Illustrated

Bearings & Sleeves

Part #	Bore	Type
67-4136-R	3/4"	Rubber sleeve
67-4146-R	1"	Rubber sleeve
67-4136-B	3/4"	Sealed bearing
67-4036-B	3/4"	Oil bearing



67-4136-R
Illustrated



67-4136-B
Illustrated



67-4046-B
Illustrated

Thrust Collar Packs

Part #	Description
67-2164	(2) 5/8" collars & washers
67-2165	(2) 3/4" collars & washers
67-2166	(2) 1" collars & washers



67-2165
Illustrated

Cushioned Pillow Blocks

Part #	Description	Industry No	Lau No.	Bearing Shaft Size
535-BB1	Bronze Bearing Pillow Block	NAH8A		1/2"
535-BB2	Bronze Bearing Pillow Block	NAH10A	38-2204-01	5/8"
535-BB3	Bronze Bearing Pillow Block	NAH12A	38-2086-01	3/4"
535-BB4	Bronze Bearing Pillow Block	NAH16A	38-2087-01	1"



535-BB1
Illustrated

Side Flange Mount Pillow Blocks

Part #	Description	Industry No.	Bearing Shaft Size
535-BB6	Cushioned Flange Block	NAH10A	5/8"



535-BB6
Illustrated

Shafts

- Sized to bearing manufacturers specifications
- Slabbed on pulley end
- Rust protected
- Individually wrapped
- Protective end caps
- Part number and size listed on every shaft

67-61610
Illustrated



Part #	Diameter	Length	Cross Reference
67-61100		11"	Lennox, 2100157
67-61110		11 5/8"	Lennox
67-61212		12 3/4"	8-5-495C, 2100002
67-61400		14"	8-5-245C, 2100159
67-61600	3/4"	16"	8-6-23608, WW15X36, 2100162, 2100163, 2100198
67-61610		16 5/8"	8-5-240C, G10, G110, 2100011, 2100161
67-61920		19 1/8"	G12, 2100168
67-62000		20"	M90-256, RS620
67-62200		22"	2100013
67-62400		24"	8-5-243C
67-63600		36"	
67-82000	1"	20"	G15-72, 2100165, 2100078, 2100081, 2100076
67-83600		36"	P-S-209, M90-270, 2100168, 2100052, 2100054

Mounting Brackets

 92-A8617 Torsion Flex Bracket 5.0" and 5.5" Diameter 9" & 10" Bolt Circles	 92-A8550 5" Diameter 92-A8555 5.5" Diameter 9" & 10" Bolt Circles	 5.5" Diameter for 1/2 HP and above 92-A8556 9" Bolt Circle 92-A8557 10" Bolt Circle HEAVY DUTY
---	--	---

Duct Fans

Air Duct Booster

Features electrical junction box for UL and code compliant electrical connection. An efficient way to increase air circulation, keep room temperatures consistent, and lower heating and cooling costs. Metal construction, powerful no-maintenance motors and a one-use thermal fuse mean these fans will be up to the task for years. Straightforward installation into any 120V system with detailed instructions, templates, and diagrams. Available in many sizes. A great way to give slow vents a boost. Conforms to UL STD 507, Certified to CSA STD C22.2 #113

Part #	Diameter	CFM	Watts	Order Mult
625-AF6	6"	240	37	4
625-AF8	8"	420	37	4
625-AF10	10"	650	35	4
625-AF12	12"	975	65	2
625-AF14	14"	1350	65	1



626-AF8
Illustrated

In-Line Air Duct Booster Fans

Features

- High Volume & Pressure
- Installs In Any Position
- Ball Bearings Are Permanently Sealed & Lubricated
- Backwards Inclined Blades
- Vibration Absorbing Material
- Class B TP Auto Reset
- UB Protected / Flame Retardant - Thermal Plastic Resin
- 140°F(60°C) Maximum Air Stream Temperature

Applications

- Ventilation
- Exhaust
- In-Line Boosting
- Radon Mitigation
- Dryer Vent Boosting

Serious Air Power With Quiet Operation



THE POWER OF BLUE
CENTRAX™

**5 YEAR
LIMITED
Warranty**

Accessories

- Speed Control
- Power Cord
- Auto Switch
- Duct Mufflers

Part #	Amps	Watts	Duct Dia.	Volts	Hz	CFM
T9-TF104	0.53	40	4"	115	60	200
T9-TF106	1.00	70	6"	115	60	409
T9-TF108	1.70	120	8"	115	60	650

Duct Muffler



IN-LINE NOISE MUFFLER™
DUCTMUFFLER™







Part #	Diameter	Length
T9-DM106	6"	24"
T9-DM108	8"	24"
T9-DM110	10"	36"
T9-DM112	12"	36"

The DuctMuffler™ reduces noise traveling through ductwork. Sound reduction for composite noise averages 9dBA to 20dBA.

Building Code Compliant, Meets NFPA standards 90A And 90 B. UL® Listed Acoustic Liner, Class 1 Air Duct

Part #	Type A				Type B			Type C						Type D				Type E			
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
R7-RB1	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB2	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB3	4.60"	3.90"	3.50"	2.80"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB33	3.00"	2.30"	3.00"	2.30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB34	4.5"	3.45"	4.0"	2.85"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB60	-	-	-	-	3.3"	2.77"	2.95"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB70	4.0"	3.38"	3.5"	2.88"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB120	-	-	-	-	4.0"	2.81"	2.33"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB141	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
R7-RB142	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
HB-RB150	See diagram on page 22																				
R7-RB155	4.0"	3.8"	4.0"	3.3"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB160	-	-	-	-	-	-	-	-	-	-	-	-	-	5.13"	4.11"	4.00"	1.50"	-	-	-	-
R7-RB165	3.5"	2.9"	3.9"	3.37"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB265	5.5"	4.85"	5.0"	4.4"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB320	-	-	-	-	-	-	-	-	-	-	-	-	-	4.75"	4.12"	4.80"	1.47"	-	-	-	-
R7-RB326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.42"	5.63"	2.52"	5.02"
R7-RB350	5.3"	4.7"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB440	-	-	-	-	4.04"	2.81"	2.38"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB445	6.6"	6.0"	5.7"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB446	4.61"	3.96"	3.52"	2.87"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB447	6.6"	6.0"	5.7"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB462	-	-	-	-	-	-	-	9.43"	8.8"	4.4"	4.4"	5.0"	4.4"	-	-	-	-	-	-	-	-
R7-RB465	-	-	-	-	-	-	-	9.43"	8.8"	4.4"	4.4"	5.0"	4.4"	-	-	-	-	-	-	-	-
R7-RB495	6.6"	6.0"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB500	6.6"	6.0"	5.6"	5.0"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB661	-	-	-	-	3.3"	2.77"	2.36"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB662	-	-	-	-	3.3"	2.77"	2.36"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB665	-	-	-	-	3.3"	4.00"	2.33"	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R7-RB760	-	-	-	-	-	-	-	9.33"	8.8"	4.4"	4.4"	5.63"	5.06"	-	-	-	-	-	-	-	-
R7-RB938	-	-	-	-	-	-	-	-	-	-	-	-	-	4.75"	4.12"	4.75"	1.50"	-	-	-	-
R7-RB991	3.00"	2.00"	3.00"	2.00"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HB-RBM121	4.40"	3.75"	4.01"	3.40"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Diagrams on next page.



Index

Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page
DD-030	16	67-4137-2	44	R3-R314	9	T4-R3105	19	R7-RB500	25,48	FB-RFB550	34
DD-034	15	67-4138-2	44	R3-R316	3,26	T4-R3172	19	R7-RB661	23,48	FB-RFB570	29
DD-035	15	67-4147-2	44	R3-R326	8	T4-R3202	19	R7-RB662	23,48	FB-RFB571	32
DD-036	15	67-4148-2	44	R3-R343	37	M4-R3206	37	R7-RB663	23	FB-RFB598	35
DD-044	15	67-4336-1	44	R3-R346	37	T4-R3234	19	R7-RB665	23,48	FB-RFB599	35
DD-045	15	67-4336-2	44	R3-R348	4,26	T4-R3250	19	R7-RB760	25,48	FB-RFB641	38
DD-046	15	67-4346-1	44	R3-R358	8	T4-R3251	19	R7-RB885	23	FB-RFB654	42
UE-98	11	625-AF10	45	R3-R359	9	T4-R3252	19	R7-RB938	25,48	FB-RFB655	42
67-610	44	625-AF12	45	R3-R360	8	T4-R3267	19	R7-RB965	25	FB-RFB672	31
67-612	44	625-AF14	45	R3-R366	4,26	T4-R3268	19	R7-RB991	23,48	FB-RFB676	27
UE-641	39	625-AF6	45	R3-R368	8	O4-R3511	6	R7-RB1000	25	FB-RFB701	35
UE-642	40	625-AF8	45	R3-R369	9	T4-R3579	19	R7-RB1600	25	FB-RFB756	28
67-650	44	535-BB1	44	R3-R370	8	T1-R3670	2	HB-RBM121	48	FB-RFB757	28
67-660	44	535-BB2	44	R3-R371	9	M4-R3747	37	FB-RFB9	33	FB-RFB758	28
67-670	44	535-BB3	44	R3-R373	4	M4-R3748	37	FB-RFB17	29	FB-RFB790	34
67-680	44	535-BB4	44	R3-R374	37	M4-R3975	37	FB-RFB43	34	FB-RFB810	34
67-690	44	535-BB6	44	O6-R401	3	T4-R4782	19	FB-RFB52	29	FB-RFB824	33
UE-799	16	T6-10010SL	20	O6-R403	3	T4-R4788	19	FB-RFB63	41	FB-RFB825	33
67-810	44	T6-10023SL	20	R2-R410	3	O4-R5011	6	FB-RFB68	32	FB-RFB859	30
67-812	44	T6-10034SL	20	R2-R422	4,26	O4-R5211	6	FB-RFB98	34	FB-RFB902	36
67-860	44	T6-10045SL	20	R2-R438	4,26	O4-R5311	6	FB-RFB99	34	66-RFC300	16
67-870	44	67-4036-B	44	R2-R462	4,36	O4-R5411	6	FB-RFB101	35	66-RFC400	16
67-880	44	67-4136-B	44	O1-R465	4,26	O4-R5611	6	FB-RFB105	32	66-RFC600	16
67-890	44	67-4136-R	44	R2-R480	3	O4-R5811	6	FB-RFB107	32,38	FM-RFM2	21,31
UE-945	40	67-4146-R	44	O6-R511	3	T4-R5866	19	FB-RFB111	31,36	FM-RFM5	22,28
UE-953	40	UE-730A	17	T1-R616	2	T4-R6102	19	FB-RFB114	33	FM-RFM11	21,29
UE-954	39	UE-731A	17	T1-R617	2	M4-R6920	17	FB-RFB118	40	FM-RFM12	22,29
UE-955	40	UE-732A	17	T1-R630	10	T4-R21805U	19	FB-RFB127	31	FM-RFM78	22,37
DD-1314	11	UE-733A	17	T1-R635	2	R6-R43463	13	FB-RFB129	27	FM-RFM187	22,43
67-2164	44	92-A8550	45	T1-R670	2	R6-R43464	13	FB-RFB130	29,36,40	FM-RFM230	22,43
67-2165	44	92-A8555	45	T1-R673	2	R6-R43466	13	FB-RFB134	33	FM-RFM410	31
67-2166	44	92-A8556	45	T1-R684	2	R6-R43467	13	FB-RFB136	38	FM-RFM460	22,43
EE-2511	7	92-A8557	45	R3-R1052	8	R6-R43600	12	FB-RFB137	42	FM-RFM462	21,28,33
EE-2512	7	92-A8617	45	R3-R1053	9	R6-R43601	12	FB-RFB139	38	FM-RFM580	21,28
EE-3511	7	T9-DB6-2	46	O4-R1211	5	R6-R43602	12	FB-RFB140	29,30,36	FM-RFM623	21,36
EE-3512	7	T9-DB6-2CR	46	CP-R1310	20	R6-R43603	12	FB-RFB141	32	FM-RFM653	21,28,42
DD-3583	14	T9-DB8-2	46	CP-R1311	20	R6-R43604	12	FB-RFB144	41	FM-RFM890	21,34
DD-3584	14	T9-DB10-2	46	CP-R1320	20	US-R90572	8	FB-RFB145	33	FM-RFM1198	21,34
DD-3585	14	T9-DB68	46	CP-R1350	20	US-R90573	9	FB-RFB154	41	T9-TF104	47
DD-3586	14	T9-DB124	46	CP-R1351	20	US-R90574	8	FB-RFB156	29	T9-TF106	47
DD-3587	14	T9-DB144	46	CP-R1352	20	US-R90575	9	FB-RFB158	27	T9-TF108	47
DD-3588	14	T9-DB164	46	CP-R1354	20	US-R90671	4,9	FB-RFB160	27		
DD-3589	14	T9-DB204C	46	CP-R1356	20	US-R90672	4,9	FB-RFB162	30		
DD-3590	14	T9-DB205C	46	CP-R1359	20	US-R90721	9	FB-RFB165	41		
67-4325	44	T9-DB206C	46	CP-R1362	20	US-R91189	9	FB-RFB170	33		
67-4350	44	T9-DB208C	46	CP-R1363	20	R7-RB1	48	FB-RFB181	36		
67-4375	44	T9-DB210C	46	CP-R1368	20	R7-RB2	23,48	FB-RFB187	42		
67-4400	44	T9-DB212C	46	CP-R1370	20	R7-RB3	23,39,48	FB-RFB189	38		
BF-4701	18	T9-DM106	47	CP-R1371	20	R7-RB4	23	FB-RFB200	36		
BF-4706	18	T9-DM108	47	CP-R1372	20	R7-RB20	10	FB-RFB203	27,36		
BF-4708	18	T9-DM110	47	CP-R1373	20	R7-RB22	10	FB-RFB206	38		
EE-5011	7	T9-DM112	47	CP-R1374	20	R7-RB24	10	FB-RFB212	28		
EE-5012	7	T9-DS45110	46	CP-R1375	20	R7-RB25	10	FB-RFB214	38		
EE-5112	7	EC-FC-1893	16	CP-R1444	20	R7-RB26	10	FB-RFB215	39		
EE-5211	7	EC-FC-1895	16	CP-R1446	20	R7-RB28	10	FB-RFB225	42		
EE-5311	7	92-FMK	22	CP-R1459	20	R7-RB30	10	FB-RFB227	42		
67-5325	44	92-FMK1	22	CP-R1462	20	R7-RB33	23,35,48	FB-RFB231	43		
67-5350	44	R1-R101	5	CP-R1463	20	r7-rb34	48	FB-RFB232	43		
67-5375	44	R1-R101L	5	CP-R1470	20	R7-RB54	24	FB-RFB236	39		
67-5400	44	R1-R103	5	CP-R1471	20	R7-RB60	23,48	FB-RFB241	38		
EE-5411	7	R1-R103L	5	CP-R1472	20	R7-RB70	23,48	FB-RFB242	33		
EE-5610	7	R1-R108	5	CP-R1473	20	R7-RB90	23	FB-RFB250	27		
EE-5611	7	R1-R114	5	T4-R2097	19	R7-RB120	24,48	FB-RFB276	30		
EE-5811	7	R1-R122	5	M4-R2189	16	R7-RB141	24,48	FB-RFB280	27		
EE-5821	7	R1-R124	5	M4-R2195	16	R7-RB142	24,48	FB-RFB282	30		
UH-9034	17	R1-R125	5	T4-R2302	19	HB-RB150	48	FB-RFB303	36		
UH-9035	17	R1-R127	5	T4-R2303	19	R7-RB151	24	FB-RFB310	40		
UH-9036	17	R1-R128	5	M4-R2324	26	R7-RB155	24,48	FB-RFB320	35		
UE-9608	39	R1-R129	5	T2-R2360	17	R7-RB160	24,48	FB-RFB330	33		
T6-10010	20	R1-R133	3	M4-R2368	11	R7-RB165	24,48	FB-RFB337	39		
T6-10023	20	R1-R137	5	T2-R2380	17	R7-RB180	24	FB-RFB350	33		
67-61100	45	R3-R205	8	M4-R2385	11	R7-RB245	24	FB-RFB356	40		
67-61110	45	O6-R210	3	M4-R2390	11	R7-RB265	24,48	FB-RFB383	33		
67-61212	45	O6-R212	3	M4-R2391	11	R7-RB266	24	FB-RFB385	34		
67-61400	45	O6-R213	3	M4-R2395	11	R7-RB312	24	FB-RFB390	34		
67-61600	45	O6-R215	3	M4-R2429	11	R7-RB320	25,48	FB-RFB401	34		
67-61610	45	O6-R217	3	O4-R2511	6	r7-rb326	48	FB-RFB405	30		
67-61920	45	O6-R230	8	M3-R2603	10	R7-RB350	25,48	FB-RFB425	27		
67-62000	45	O6-R260	10	M3-R2604	10	R7-RB380	25	FB-RFB433	32		
67-62200	45	O6-R262	10	M4-R2605	10	R7-RB428	25	FB-RFB450	29		
67-62400	45	O6-R264	10	M3-R2609	32	R7-RB440	23,48	FB-RFB461	42		
67-63600	45	O6-R265	10	M3-R2612	32	R7-RB445	25,48	FB-RFB462	42		
67-82000	45	O6-R266	10	M3-R2614	17	R7-RB446	24,48	FB-RFB467	36		
67-83600	45	O6-R267	10	M4-R2655	26	R7-RB447	25,48	FB-RFB483	30		
67-4036-2	44	R3-R291	8	M4-R2679	11	R7-RB462	25,48	FB-RFB495	34		
67-4135-2	44	R2-R303	3	T4-R3083	19	R7-RB465	25,48	FB-RFB501	30		
67-4136-2	44	R3-R313	8			R7-RB495	25,48	FB-RFB547	27,34		

NOTES

LEGAL NOTICE

Rotom is a registered trademark of Alltemp Products Company Limited (Alltemp)

It is important to note that alltemp is not affiliated with any of the original equipment manufacturers or their brands which may be referred to herein. All brand names or trademarks used herein are the property of their respective owners and all original equipment manufacturers' names, numbers, symbols and descriptions are for cross reference purposes only. It is not implied that any part referred to herein is the product of any original equipment manufacturer, nor any of its associated brands.

TRADEMARK DISCLAIMER

Product names, logos, brands, and other trademarks featured within are the property of their respective trademark holders. These trademark holders are not affiliated with Alltemp, our products or our website. No association between Alltemp and any trademark holder is expressed or implied. Names, numbers, symbols and descriptions are for cross reference purposes only.

ROTOM® is a registered trade marks of ALLTEMP® PRODUCTS COMPANY LIMITED. ALLTEMP® has made an effort to illustrate with photos, outline drawings and/or descriptions, the products in this catalogue. These are for the sole purpose of identification. We do not express or imply that products conform exactly to the descriptions, drawings and/or photos. All reasonable effort has been made to accurately determine a suitable product. However, all users are solely responsible to evaluate and determine for themselves the suitability of the product purchased for the use intended. All information, data and dimension tables in this catalogue have been carefully compiled and thoroughly checked. However, no responsibility for possible errors or omissions can be assumed. The company reserves the right to change specifications and other information included in this catalogue without notice. The vendor's responsibility shall be limited only to its written warranty and the vendor shall not be responsible for any loss, cost or damage whatsoever from the use of this product by you or your customers.



WWW.ALLTEMP.CA