

February 2017

<http://media.diversitech.com/doc/DOC04041.pdf>

Page 1 of 5

Motors

Condenser Fan Motors, Single Speed

These motors install with all standard 48 frame mounting brackets. They are a quiet operator and electrically reversible. There is an Automatic Thermal Overload Protector and they have class B insulation. They have 30in. leads and 60 HZ with low power consumption. The motor has a standard 48 frame motor casing size and has drain holes with plugs on both end plates. There is a continuous air over on this motor and a 60 C Ambient Design with Extended Studs.



Catalog No.	Description	UOM	Order Multiple	List Price
FMC142-8	Condenser Fan Motor, 1/4HP, 825/1 RPM, 1.5FLA, 208-230V, 60C Ambient	EA	1	\$0.00
WG840204	Condenser Fan Motor, 1/4HP, 825/1 RPM, 1.5FLA, 208-230V, 60C Ambient	EA	1	\$221.76
WG840205	Condenser Fan Motor, 1/3HP, 825/1 RPM, 2.2FLA, 208-230V, 60C Ambient	EA	1	\$252.32
WG840727	Condenser Fan Motor, 1/6HP, 1075/1 RPM, 1.3FLA, 208-230V, 60C Ambient	EA	1	\$158.16
WG840728	Condenser Fan Motor, 1/4HP, 1075/1 RPM, 2.2FLA, 208-230V, 60C Ambient	EA	1	\$180.12
WG840729	Condenser Fan Motor, 1/3HP, 1075/1 RPM, 2.8FLA, 208-230V, 60C Ambient	EA	1	\$209.32
WG840730	Condenser Fan Motor, 1/2HP, 1075/1 RPM, 4.2FLA, 208-230V, 60C Ambient	EA	1	\$244.72
WG840731	Condenser Fan Motor, 3/4HP, 1075/1 RPM, 4.5FLA, 208-230V, 60C Ambient	EA	1	\$273.76

Motors

Direct Drive Furnace Blower Motors

These motors install with all standard 48 frame mounting brackets. They are a quiet operator and electrically reversible. There is an Automatic Thermal Overload Protector and they have class B insulation. The speed is 1075/3 and 60 HZ with low power consumption. The motor uses a 370V Capacitor and has a standard 48 frame motor casing size. There is a continuous duty, air over on this motor and the 2.5in. diameter hub rings are included.



Catalog No.	Description	UOM	Order Multiple	List Price
FME132	Direct Drive Furnace Blower Motor, 1/4hp, 1075/3 RPM, 2.2FLA, 208-230V - Ships Direct to Customer	EA	1	\$0.00
WG840583	Direct Drive Furnace Blower Motor, 1/4HP, 1075/3 RPM, 4.6FLA, 115V	EA	1	\$182.84
WG840584	Direct Drive Furnace Blower Motor, 1/4hp, 1075/3 RPM, 2.2FLA, 208-230V	EA	1	\$183.20
WG840585	Direct Drive Furnace Blower Motor, 1/3hp, 1075/3 RPM, 6.7FLA, 115V	EA	1	\$205.32
WG840586	Direct Drive Furnace Blower Motor, 1/3hp, 1075/3 RPM, 2.9FLA, 208-230V	EA	1	\$206.48
WG840587	Direct Drive Furnace Blower Motor, 1/2hp, 1075/3 RPM, 10.2FLA, 115V	EA	1	\$252.68
WG840588	Direct Drive Furnace Blower Motor, 1/2HP, 1075/3 Rpm, 5.0FLA, 208-230V	EA	1	\$251.44
WG840589	Direct Drive Furnace Blower Motor, 3/4HP, 1075/3 RPM, 11.3FLA, 115V	EA	1	\$261.56
WG840590	Direct Drive Furnace Blower Motor, 3/4HP, 1075/3 RPM, 5.4FLA, 208-230V	EA	1	\$268.36
WG840595	Direct Drive Furnace Blower Motor, 1HP, 1075/3 RPM, 12.6FLA, 115V	EA	1	\$305.40
WG840596	Direct Drive Furnace Blower Motor, 1HP, 1075/3 RPM, 5.59FLA, 208-230V	EA	1	\$290.44

Motors

High Temperature Condenser Fan Motors

These motors install with all standard 48 frame mounting brackets. They are a quiet operator and electrically reversible. There is an Automatic Thermal Overload Protector and they have class B insulation. They have 30in. leads and 60 HZ with low power consumption. The motor has a standard 48 frame motor casing size and has drain holes with plugs on both end plates. There is a continuous air over on this motor and a 70 C Ambient Design with Extended Studs.



Catalog No.	Description	UOM	Order Multiple	List Price
WG840204HT	Condenser Fan Motor, 1/4HP, 825/1 RPM, 1.5FLA, 208-230V, 70C Ambient	EA	1	\$230.92
WG840205HT	Condenser Fan Motor, 1/3HP, 825/1 RPM, 2.2FLA, 208-230V, 70C Ambient	EA	1	\$261.04
WG840728HT	Condenser Fan Motor, 1/4HP, 1075/1 RPM, 2.2FLA, 208-230V, 70C Ambient	EA	1	\$193.04
WG840729HT	Condenser Fan Motor, 1/3HP, 1075/1 RPM, 2.8FLA, 208-230V, 70C Ambient	EA	1	\$218.24
WG840730HT	Condenser Fan Motor, 1/2HP, 1075/1 RPM, 4.2FLA, 208-230V, 70C Ambient	EA	1	\$253.28
WG840731HT	Condenser Fan Motor, 3/4HP, 1075/1 RPM, 4.5FLA, 208-230V, 70C Ambient	EA	1	\$285.20
WG840736HT	Condenser Fan Motor, 1/4HP, 1075/1 RPM, 0.8FLA, 460V, 70C Ambient	EA	1	\$216.64
WG840737HT	Condenser Fan Motor, 1/3HP, 1075/1 RPM, 1.5FLA, 460V, 70C Ambient	EA	1	\$252.60
WG840738HT	Condenser Fan Motor, 1/2HP, 1075/1 RPM, 2.3FLA, 460V, 70C Ambient	EA	1	\$288.60
WG840739HT	Condenser Fan Motor, 3/4HP, 1075/1 RPM, 2.6FLA, 460V, 70C Ambient	EA	1	\$325.84

Motors

Multiple Horsepower Condenser Fan Motors

The Multi-Horsepower motors are specially designed to cover a range of applications. The condenser fan motors range from 1/2 to 1/5. 1/3 to 1/6 both at 1075 rpm. 1/3 to 1/6 at 825rpm. The direct drive furnace blower motors range from 1/2 to 1/6 in both 115 and 230 volts and 3/4 to 1/5 in both 115 and 230 volts all at 1075rpm. These motors feature reversing plugs, extended thru bolts 36 inch leads and are designed for 370 volt capacitors. Installs with all 48 frame mounting brackets.



Catalog No.	Description	UOM	Order Multiple	List Price
MMC13162	Multiple Horsepower Motor, CF, 208-230V, 1075/2 Speed, 1/3-2.8 HP-FLA, 1/4-2.0 HP-FLA, 1/5-1.7 HP-FLA, 1/6-1.5 HP-FLA	EA	1	\$0.00
MMC13162-8	Multiple Horsepower Motor, CF, 208-230V, 825/2 Speed, 1/3-2.1 HP-FLA, 1/4-1.7 HP-FLA, 1/5-1.5 HP-FLA, 1/6-1.2 HP-FLA	EA	1	\$0.00
WG840465	Multiple Horsepower Motor, CF, 208-230V, 1075/2 Speed, 1/3-2.8 HP-FLA, 1/4-2.0 HP-FLA, 1/5-1.7 HP-FLA, 1/6-1.5 HP-FLA	EA	1	\$218.32
WG840468	Multiple Horsepower Motor, CF, 208-230V, 1075/2 Speed, 1/2-3.0 HP-FLA, 1/3-2.5 HP-FLA, 1/4-2.0 HP-FLA, 1/5-1.3 HP-FLA	EA	1	\$254.68
WG840468	Multiple Horsepower Motor, CF, 208-230V, 1075/2 Speed, 1/2-3.0 HP-FLA, 1/3-2.5 HP-FLA, 1/4-2.0 HP-FLA, 1/5-1.3 HP-FLA	EA	1	\$254.68
WG840469	Multiple Horsepower Motor, CF, 208-230V, 825/2 Speed, 1/3-2.1 HP-FLA, 1/4-1.7 HP-FLA, 1/5-1.5 HP-FLA, 1/6-1.2 HP-FLA	EA	1	\$222.48

Motors

Multiple Horsepower Motors

The Multi-Horsepower motors are specially designed to cover a range of applications. The condenser fan motors range from 1/2 to 1/5. 1/3 to 1/6 both at 1075 rpm. 1/3 to 1/6 at 825rpm. The direct drive furnace blower motors range from 1/2 to 1/6 in both 115 and 230 volts and 3/4 to 1/5 in both 115 and 230 volts all at 1075rpm. These motors feature reversing plugs, extended thru bolts 36 inch leads and are designed for 370 volt capacitors. Installs with all 48 mounting brackets.



Catalog No.	Description	UOM	Order Multiple	List Price
MME12162	Multiple Horsepower Motor, DDFB, 208-230V, 1075/4 Speed, 1/2-3.9 HP-FLA, 1/3-3.6 HP-FLA, 1/4-2.5 HP-FLA, 1/5-1.8 HP-FLA, 1/6-1.3 HP-FLA	EA	1	\$0.00
WG840463	Multiple Horsepower Motor, DDFB, 115V, 1075/4 Speed, 1/2-7.0 HP-FLA, 1/3-6.7 HP-FLA, 1/4-4.4 HP-FLA, 1/5-3.2 HP-FLA, 1/6-2.4 HP-FLA	EA	1	\$231.80
WG840464	Multiple Horsepower Motor, DDFB, 208-230V, 1075/4 Speed, 1/2-3.9 HP-FLA, 1/3-3.6 HP-FLA, 1/4-2.5 HP-FLA, 1/5-1.8 HP-FLA, 1/6-1.3 HP-FLA	EA	1	\$236.48
WG840466	Multiple Horsepower Motor, DDFB, 115V, 1075/4 Speed, 3/4-8.1 HP-FLA, 1/2-6.6 HP-FLA, 1/3-4.6 HP-FLA, 1/4-3.8 HP-FLA, 1/5-3.1 HP-FLA	EA	1	\$273.40
WG840467	Multiple Horsepower Motor, DDFB, 208-230V, 1075/4 Speed, 3/4-3.8 HP-FLA, 1/2-3.7 HP-FLA, 1/3-2.5 HP-FLA, 1/4-1.8 HP-FLA, 1/5-1.7 HP-FLA	EA	1	\$282.40

Refrigeration Motors

Wellington ECM Refrigeration Motors are electronically commutated brushless DC motors. Top quality electronics and design make these motors extremely efficient, quiet and reliable. Long design life and reliability are the result of Wellington's moisture proof patented design and the use of ball bearings; and allow significant maintenance and cost savings. Wellington motors use the same mounting systems as shaded pole motors and are provided with a plug in connection for easy, fast replacement.



Catalog No.	Description	UOM	Order Multiple	List Price
ECR01-12W	Wellington ECM Refrigeration Motor, 115V, 60 Hz, 12 Watt Output	EA	1	\$121.56
ECR01-9W	Wellington ECM Refrigeration Motor, 115V, 60 Hz, 9Watt Output	EA	1	\$121.56