

**Total Pages: 4** 

SDS# 992, 993KIT Date: May 30, 2018

# **Boost Juice® / Boost Juice® Inject**

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product Name: Boost Juice<sup>®</sup>, Boost Juice<sup>®</sup> Inject Catalog Number: 992, 993KIT Product Class: HVAC/R refrigerant additive Manufactured by: DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA, 30097 Information Phone No.: 1+678.542.3600 EMERGENCY Phone No.: 1 800.255.3924 Chem-Tel (Chemical Emergencies)

### **SECTION 2. HAZARDOUS IDENTIFICATION**

### **Hazards Classification**

Flammable liquids: Category 3 Skin corrosion/Irritation: Category 3 Skin Sensitization: Category 1B Hazardous to the aquatic environment – Short Term - Acute 3

#### Label Elements:



Signal Word: Warning

### Hazard Statement(s):

Flammable liquid and vapor Causes mild skin irritation May cause an allergic skin reaction Harmful to aquatic life

### Precautionary Statement(s):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves and eye protection. Avoid breathing mist, vapor or spray. Contaminated clothing should not be allowed out of the workplace. Avoid release to the environment.

In case of fire: Do NOT use water stream. Use carbon dioxide, dry chemical powder, alcohol-resistant foam or water spray. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical attention. Specific treatments: see first aid measures on this label. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national regulations.

**Other hazards:** None known.

DOC144581 DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097



# **Boost Juice® / Boost Juice® Inject**

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT CAS No. Composition, wt%

Triethylorthoformate 122-51-0 10-30

\*1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-

Actual concentration or concentration ranges are withheld as a trade secret. The remaining components of this product are not classified as hazardous under WHMIS 2015.

### **SECTION 4. FIRST AID MEASURES**

#### Inhalation

Remove person to fresh air. If breathing is difficult, oxygen may be given by qualified personnel. Obtain medical attention. **Ingestion** 

Do NOT induce vomiting. Wash out mouth with water provided person is conscious. Call a physician.

### **Skin Contact**

Immediately wash skin with soap and plenty of water. Remove clothing. If irritation persists or if contact has been prolonged, obtain medical attention. Wash contaminated clothing before reuse.

#### Eye Contact

Remove contact lenses and immediately flush eyes with copious amounts of water for at least 15 minutes. Obtain medical attention. Acute and Delayed Symptoms

Symptoms of overexposure may include skin and eye irritation, irritation of mucous membranes as well as nausea and diarrhea. **Special Treatment Needed** 

Get medical treatment.

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media: Do NOT use water stream. Use carbon dioxide, dry chemical powder, alcohol-resistant foam or water spray.

#### Special hazards arising from the product

Vapors from this product may travel or be moved by air currents and ignited by pilot light or other flames and ignition sources at locations distant from product handling point. Burning produces carbon monoxide and dioxide.

Advice for firefighters: Avoid breathing fumes or vapors. For larger fires, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, protective equipment and emergency procedures

Clear the area of unnecessary personnel. Shut off all sources of ignition. No smoking. Wear chemical-resistant gloves and chemical safety goggles. Ensure adequate ventilation. Avoid breathing fumes or vapors.

### **Environmental Precautions**

Avoid runoff to sewers and waterways.

### Methods and Material for Containment and Clean-Up

Cover spill with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

### **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Avoid breathing vapor. Wear chemical-resistant gloves and chemical safety goggles. Avoid contact with eyes, skin, and clothing.

### **Conditions for Safe Storage**

This product should be stored and handled in closed equipment to keep vapors in and moisture out. When this is done, general room ventilation is expected to be satisfactory. Keep away from sparks, open flame or other sources of ignition.



# **Boost Juice® / Boost Juice® Inject**

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control Parameters**

None of the components of this product have listed occupational exposure limits.

### **Engineering Controls**

Have eyewash available. General room ventilation is expected to be sufficient for use of the product.

### **Protective Equipment**

Wear chemical-resistant gloves and chemical safety goggles or safety glasses with side shields and chemical protective clothing.

### Hygiene

Practice good industrial hygiene. Wash hands thoroughly after handling. Contaminated clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear orange liquid Odor: Ethereal Odor Threshold: No data available pH: No data available Melting Point/Freezing Point: No data available Initial Boiling Point: No data available Flash Point: 40°C (104°F) Evaporation Rate (Water = 1): No data available Flammable or Explosive Limits: No data available Vapor pressure: No data available Vapor Density: No data available Density: 0.94 g/cm3 @ 25°C (77°F) Solubility in water: No data available Octanol/Water Partition Coefficient: No data available Autoignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: Reacts with water. Chemical Stability: Stable under recommended storage conditions. Possibility of Hazardous Reactions: Unlikely Conditions to Avoid: Moisture, heat, flames and sparks Incompatible Materials: Acids, strong oxidizing agents Hazardous Decomposition Products: In combustion, forms carbon dioxide / monoxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

# Information on the likely routes of exposure

Inhalation: Could be harmful if inhaled. Ingestion: Not a likely route of exposure. Could be harmful if swallowed. Skin Contact: Causes mild skin irritation. May cause an allergic skin reaction. Eye Contact: May cause eye irritation

### Symptoms related to physical, chemical and toxicological characteristics

Inhalation: May cause irritation of nose, mucous membranes and throat if exposed to vapors or mists. Ingestion: May cause gastrointestinal irritation, nausea and diarrhea. Skin Contact: Irritation may produce redness of skin. Repeated or prolonged exposure may cause an allergic skin reaction. Eye Contact: Symptoms may include watering or redness.

### **Delayed and immediate effects**

No additional information

### Chronic effects from short-term and long-term exposure

No additional information



# **Boost Juice® / Boost Juice® Inject**

# SECTION 11. TOXICOLOGICAL INFORMATION (cont.)

### Numerical measures of toxicity

The toxicological properties of this product have not been investigated. Information for hazardous components is provided below.

Acute toxicity	
Oral LD50 rat:	Triethylorthoformate: 7060 mg/kg
	N-alkylated benzotriazole: 3313 mg/kg
Skin LD50 rabbit:	Triethylorthoformate – 17820 mg/kg
Skin LD50 guinea pig:	Triethylorthoformate - >8910 mg/kg
Skin LD50 rat:	N-alkylated benzotriazole: >2000mg/kg
Skin corrosion/irritation	
Rabbit:	Triethylorthoformate - slightly irritating
	N-alkylated benzotriazole – irritant
Serious eye damage/irritation	
Rabbit:	Triethylorthoformate – no irritation
	N-alkylated benzotriazole – non- irritant

# **Skin Sensitization**

N-alkvlated benzotriazole – non- irritant

### Guinea pig

N-alkylated benzotriazole - caused skin sensitization

### Carcinogenicity

None of the components of this product is identified as a carcinogen by IARC, ACGIH, NTP or OSHA.

## **SECTION 12. ECOLOGICAL INFORMATION**

No data are available for the ecological effects of this product; information on some components is provided below.

Toxicity to fish:	Triethylorthoformate LC50 – 48 h Species: Leuciscus idus Result: 592 mg/l
	N-alkylated benzotriazole LC50 (96 h) Species: Brachydanio rerio Result: 1.3 mg/l
Toxicity to other organisms:	Triethylorthoformate EC50 – 48 h Species: Daphnia magna Result: 617 mg/l
	N-alkylated benzotriazole EC50 – 48 h Species: Daphnia magna

Result: 2.05 mg/l



# **Boost Juice® / Boost Juice® Inject**

## SECTION 12. ECOLOGICAL INFORMATION (cont.)

Toxicity to algae:

N-alkylated benzotriazole EC50 - 72 h Species: Desmodesmus subspicatus Result: 0.976 mg/l

### Persistence and degradability

Triethylorthoformate: Readily biodegradable. N-alkylated benzotriazole: Not readily biodegradable.

### **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

### Product

Contact a licensed professional waste disposal service to dispose of this material. Observe all local, state, provincial and national requirements.

### **Contaminated packaging**

Dispose of as product.

### **SECTION 14. TRANSPORTATION INFORMATION**

TDG/IATA/IACO/IMDG Shipping Name: FLAMMABLE LIQUID, N.O.S. (ethyl orthoformate) UN #: 1993 Class: 3 Packing Group: III

### **SECTION 15. REGULATORY INFORMATION**

Superfund Amendments and Reauthorization Act (SARA) Title III Information: SARA Section 311/312 (40 CFR 370) Immediate Hazard: Yes, Flammable liquids category 3, Skin corrosion/irritation category 3, Hazardous to the aquatic environment (Short term - Acute 3) Delayed Hazard: Yes, Skin sensitization category 1B Fire Hazard: Yes, Category 3

Pressure Hazard: No Reactivity Hazard: Low risk for hazardous reactions

### SARA Section 313 (40 CFR 372) component

This material does not contain any chemical components with known CAS numbers that exceed the De Minimis reporting levels established by SARA Title III, Section 313 and 40 CFR 372.

### State Regulations - California Proposition 65:

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under at levels which would be subject to the proposition.

### Toxic Substances Control Act (TSCA):

All components of this product are included on the TSCA inventory.

### **International Regulations**

### Canadian Environmental Protection Act (DSL)

All products are on the Canadian Domestic Substance List (DSL)



# **Boost Juice® / Boost Juice® Inject**

# **SECTION 15. REGULATORY INFORMATION (cont.)**

### Canadian Workplace Hazardous Materials Information System (WHMIS)

Flammable liquids: Category 3 Skin corrosion/Irritation: Category 3 Skin Sensitization: Category 1B Hazardous to the aquatic environment – Short Term - Acute 3

## **SECTION 16. OTHER INFORMATION**

### Notes to this revision

This version 1.1 replaces an earlier SDS version 1.0 and meets the requirements of WHMIS 2015.

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.