



INNOVATION. EVERYDAY

We strive every day to deliver innovative solutions for your maintenance needs. Helping you get your job done faster, and easier is our main goal. If we're missing the mark, we want to hear about it.



TOP NOTCH ASSEMBLY

Our on-site production team works hard to ensure durable, high performance equipment is being delivered to our customers every time. Whether it's assembling each CoilJet by hand or testing the quality of our products--it's the little details that make the biggest difference.



EXCELLENT SUPPORT

From pre-sales questions to technical support regarding our products, our team is here to help. SpeedClean has your back with proven results; 100% guaranteed.

SpeedClean is a registered trademark of

© Crossford International (2020) All Rights Reserved.

Table of Contents

Coil/Surface Cleaning

Dry Steam Coil and Surface Cleaner... 3

Coil Cleaning

Coil Cleaning
CoilJet® CJ-200E4
CoilJet® CJ-125 5
Mini-Split Bib® Kit 6-7
Mini-Split Bib® Kit-XL 6-7
Mini-Split Cassette Bib® Kit 8
FlowJet TM 9
CoilShot® Condenser
Coil Cleaning Tool 10 -11
CoilShot® Condenser
Coil Cleaning Wand 10 -11
CoilShot® Coil Cleaning Tablets 12
Condenser Needle™ 13
Tube Cleaning
Tube Cleaner 14
Descaling
Bucket Descaler®
Chemicals
SpeedyFoam®
SpeedyBright® 16
Accessories



other surfaces without harsh, damaging chemicals. It works excellent on air handlers, mini-splits, condensers, exhaust vents, oily commercial kitchen ducts and more. The power of steam combined with 65 psi pressure goes deep into coils, cracks, and crevices, lifting and removing stubborn dirt and soils. The small and portable unit is lightweight and comes complete with a hose and full accessory kit to clean even the toughest to reach areas. Take it anywhere on the job site. It also sanitizes surfaces killing bacteria, fungus, mold, mildew and other microorganisms on contact leaving coils and other surfaces clean and sparkling!

SPECS:

Part Number: SC-VSC-7000 Dimensions (H x W x D): 13" x 13" x 19"

Steam Hose: 10'
Weight: 16.5 lbs
Steam flow regulation: Manual
Output pressure: 65 PSI

Output pressure: 65 PSI
Steam production: 0.43 gallon/hr
Boiler capacity: 0.7 gallons
Max temperature: 235 fahrenheit
Voltage: 13.5 AMPS, 115


13.5 AMPS, 115 V, 60Hz, AC, 1550 Watts

FEATURES:

- Easy-fill tank Quick refills
- Stainless steel boiler Quality construction
- 1500W power High performance
- Full accessory kit Cleans variety of surfaces

APPLICATIONS:

- Coil cleaning
- Exhaust hoods and fans
- Appliances and Surfaces



Standard hose connector for continuous water supply.







Integrated water and chemical tank

Convenient strap for easy transport damage fins

Pach

Rechargeable battery lasts all day

SPECS:

For best results, use with SpeedyFoam®

Part Number: Output Pressure: Capacity (water): Capacity (chemical): Weight (dry): U.S. Patents:

CJ-125 125 PSI at 0.7 GPM 3.375 gallons 1.75 quarts 22 lbs Patent 9.266,152 Includes: 2 standard spray nozzles, spray gun with quick connect, smart charger, rechargeable battery, and shoulder strap.





SPECS:

Part Number: Weight (dry): Fits ductless fan units: U.S. Patents:

4.3 lbs Up to 44" wide 6,863,116, 9,259,769

MSB-KIT



SPECS:

Part Number: MSB-KIT-XL
Weight (dry): 4.5 lbs
Fits ductless fan units: 45" to 60" wide
U.S. Patents: 6.863,116, 9.259,769

Mini-Split Bib[®]Kit

Clean In-place Solution for Easy Servicing.

The fastest way to clean ductless mini split coils, fans, and more. Safely clean virtually any mini split system 30" to 44" the correct way—using pressurized water on coils and fans. This patented technology keeps water away from walls and other surroundings while directing it into the 5 gallon bucket for disposal.

FEATURES:


- Fully assembled, quick set-up and easy to move from job-to-job
- Includes 8' drain line for high mounted evaporators
- XL Bib fits virtually any commercial brand ductless fan unit 45" to 60" wide.
- Keeps walls and floors safe from water and over spray.

Mini-Split Bib® Kit-XL

Too Big? We have it covered.

The Mini Split Bib® Kit XL is a fast way to clean larger commercial ductless minisplit coils, blower wheels and more. The patented technology fits ductless units 45" to 60" and keeps water away from walls and other surroundings and directs it into the 5 gallon bucket for disposal, so it's clean and safe all around.

Complete kits include: Bib, adjustable mounting brackets, 1 roll of protective tape, 2 deflector plates (XL Kit includes 3) and 5 gallon bucket.



Part Number: Weight (dry):

4.5 lbs

Fits ductless cassette fan units: U.S. Patents:

Up to 48" wide 6,863,116, 9,259,769

Complete kit includes: Cassette bib, adjustable bungee cord, mounting hooks and a five gallon bucket.

Cassette Bib Stand





SPECS:

Motor Power:

Part Number: FLOWJET-60
Weight: 35 lbs (net dry)
Output Pressure: 400 PSI
Output Water Flow: 2.2 GPM

Input Power: 12.5 amps, 115 V,

60 Hz AC 3/4 HP ___ Chemical siphon tube

Includes: FlowJet, 2 standard spray nozzles, 12' hose, 25' power cord with GFCI protection, spray gun, and 18" lance assembly.

FEATURES:

- Optional 90° spray nozzle forces dirt and debris back in the direction it entered
- 12' hose with additional lengths available





CoilShot® Condenser Coil Cleaning Tool

The Future of Coil Cleaning.

Tablet based system saves wasted coil cleaner and space over bulky coil cleaner bottles. One pack of tablets replaces an entire case of coil cleaner*. Use with CoilShot wand for best results - to help get behind coils for superior cleaning every time.

SPECS:

 Part Number:
 SC-CS 100

 Output Pressure:
 Up to 70 PSI at 3 GPM

 Weight (dry):
 1 lb

 U.S. Patent:
 D750,333; 9,533,331

Includes: CoilShot, quick connect foaming nozzle, and one original formula tablet.



*Original formula only.

SPECS:

Part Number:

Weight (dry):

FEATURES:

- Attaches to standard garden hose
- Uses pre-measured, CoilShot® tablets
- Switches from foaming cleaner to water with easy mixing valve
- Quickly connect attachments

CoilShot®

Use only with genuine CoilShot® Coil Cleaner Tablets



Swivel handle easily adjusts direction of water jet Quick connect fitting For use with CollShot Tool.

SC-CS-WAND

1 lb

CoilShot® Condenser Coil Cleaning Wand

Increase Performance

3 ft. wand is specially designed to quickly connect to CoilShot cleaning tool. 90° nozzle creates powerful cleaning spray to clean coils from the inside out. The wand features a slim profile that fits between the grate so you don't have to remove the top fan and housing.

FEATURES:

- · Quick connect fitting
- Heavy-duty aluminum wand
- Unique wand tip to backflush coils

CoilShot® Coil Cleaner Tablets

Pre-measured Tablet eliminates guesswork.



SPECS:

Part Number: Contents:

U.S. Patent:

SC-CS-TABS 8 CoilShot tablets per 7 oz box D765,828 and other Patent Pending



SPECS:

Part Number: Contents:

SC-CS-TABS-HD 6 CoilShot tablets per 7 oz box

U.S. Patent:

D765,828 and other Patent Pending The revolutionary CoilShot Cleaning Tablets are designed to offer fast and easy cleaning of residential and commercial single-pass HVAC coils without the strain and bulkiness of using liquid coil cleaners.

FEATURES:

- Each tablet is equal to approximately 1/2 gallon of coil cleaner*
- Eliminates the need for bulky liquid coil cleaners
- Safe for all coils and is plant friendly, non acidic and non-caustic*
- HD tablet degreases and brightens coils for heavy-duty applications
- HD tablet has powerful lift for extra-dirty condensers

*Original formula only.

Refer to SDS for proper usage and safety information prior to use.



Adjustable chemical injection

direction of water jet

Swivel handle

easily adjusts

Blast dirt and debris from condenser coils, without damaging delicate fins, using Condenser Needle. Designed to clean from the backside of the coil, Condenser Needle reaches inside units and quickly cleans the entire coil bed.

3' aluminum wand

90° nozzle creates powerful cleaning spray to clean coils from the inside out

FEATURES:

- · Attaches to a standard garden hose
- 36" wand easily handles most units
- Exclusive spray tip delivers 90° spray pattern up to 3+ gallons per minute
- Adjustable chemical injection hosev

SPECS:

Part Number: CN-03

Output Pressure: Up to 100 PSI at

3.3 GPM

Dimensions (HxWxD): 48"x3"x3" Weight: 3 lbs

U.S. Patent: D624,718



For best results, use with

SpeedyFoam®



Designed for the ultimate experience in portability, this compact tube cleaner includes all the innovative features you expect and the benefits you demand from a SpeedClean product. Integrated water flush, 860 RPM reversible shaft rotation, quick connect shaft and brushes and all at half the size of other traditional tube cleaners. That's big news.

Flexible shafts and brushes sold separately. See page 17.

Sturdy and compact, easy transport design

21' GFCI power cord

FEATURES:

- Foot pedal compartment for easy storage
- Built-in electric cord holder
- Quick connect shaft to manifold and shaft to brush
- Available in 115v 50/60Hz or 230v 50/60Hz
- Portable, compact design
- Rugged/Durable outer shell

Nylon covered shaft with powerful water flush

SPECS:

Part Number: SC-TC-60 Flexible Shaft Speed: 860 rpm Weight: 38 lbs





Eliminate limescale and other deposits from water passages in just minutes. The BucketDescaler features a durable acid-proof pump and fittings, extra-long hoses, and optional re-circulation valve kit. Perfect for tankless and tanked water heaters and other small heat exchangers.

FEATURES:

- 6' inlet and outlet hoses
- Purge valve to reduce cleanup time

SPECS:

Part Number: SC-DS-5
Cord Length: 12'
Flow: 3.3 GPM
Capacity: 4 gallons
Hose Size: 6' (two)
Weight: 7 lbs
U.S. Patent: 9,381,549



For best results, circulate with SpeedyBright®



SPECS:

Part Number:

SC-FCC-1

Size:

1 gallon (available

Concentrated::

in 5 gal) Mix with water before use roaming, non-acia, non-ruming, and water soluble. SpeedyFoam cleaner and degreaser removes grime, oil, and grease from condenser and evaporator coils, mechanical equipment, and air filters. Non-caustic and safe for all metals, including aluminum.



SPECS:

Part Number: Sizes: SPDYBRT-CS

2 x .5 gallons (also available 5 gallon pails and 55 gallon


drums)

Concentrated:

Dilute based on application

Scientifically formulated to dissolve all types of limescale, rust, and calcium carbonate deposits from water passages and heating elements. SpeedyBright improves operating efficiency in tankless water heaters, gas/electric water heaters, and other water heating/heat exchange systems. Extend the usable life of cleaned equipment by quickly and safely removing energy robbing contaminants. Phosphoric acid based cleaner classified by UL to NSF/ANSI Standard 60.

Mini-Split Cassette Bib®



Mini-Split Cassette Bib Stand:

Expand your reach! The portable Cassette Bib Stand keeps your bib in place when cleaning high ceilings. SC-CB-STAND



Carrying Bag

Make carrying your
Bib Stand easier, in this
durable canvas bag.

CSB-010

FlowJet™



36" Two Piece Extendable Wand with 90° Spray Tip SC-WWSS-HF

FOR USE WITH SC-TC-60 ONLY

SHAFT	7/16" - 1/2" I.D. TUBES	9/16" - 1" I.D. TUBES
15′	SC-TC-S02-15R	SC-TC-S03-15R
25′	SC-TC-S02-25R	SC-TC-S03-25R
35′	SC-TC-S02-35R	SC-TC-S03-35R

Tube Cleaner



SC-TC-60 Flexible Shaft* High performance nylon coated shaft

*Only for use with SC-TC-60

Tube Cleaner



SC-TC-50 Flexible Shaft*High performance nylon coated shaft

*Only for use with SC-TC-50

FOR USE WITH SC-TC-50 ONLY

SHAFT	7/16" - 1/2" I.D. TUBES	9/16" - 1" I.D. TUBES
15′	SC-TC-S02-15	SC-TC-S03-15
25′	SC-TC-S02-25	SC-TC-S03-25
35′	SC-TC-S02-35	SC-TC-S03-35

Nylon Brush Medium brist



TUBE I.D.

Medium bristle for soft to medium deposits. Comes in a bag of 10.

PART NO.

BucketDescaler®



Recirculation Valve Kit Increase descaling power for larger water begters


for larger water heaters
SC-DS-5-VLV-KIT

CoilShot®



CoilShot Coil Cleaning Tablet SC-CS-TABS SC-CS-TABS-HD

7/16" SC-TC-BN-7/16 1/2" SC-TC-BN-1/2 9/16" SC-TC-BN-9/16 5/8" SC-TC-BN-5/8 11/16" SC-TC-BN-11/16 3/4" SC-TC-BN-3/4





(2) 6' Extension Hoses SC-DS-5-EXTHOSE



Grit Brush



Heavy bristle for medium deposits and scale. Comes in a bag of 6.

TUBE I.D.	PART NO.
7/16" - 5/8"	SC-TC-BGB-075
11/16" - 3/4"	SC-TC-BGB-100
13/16" - 1"	SC-TC-BGB-125

CoilJet®



90° Spray Flex Wand 24"



Extension Lance



Quick Disconnect Adapters



Foaming Nozzle





0° Pinpoint Replacement Nozzles





Replacement Nozzles

,		
DESCRIPTION	PART NO.	
	24″ 8945-24	
90° Spray Wand	36″ 8945	
	48″ 8945-48	
	60″ 8945-60	
3 ft Sectional Stainless Steel 90° Spray Wand	CJ-WWSS	
16" Extension for CJ-WWSS	CJ-WWSS-EXT	
0° Spray Flex Wand 12"	8945-0-DEG-FW12	
0° Spray Flex Wand 24"	8945-0-DEG-FLEX	
90° Spray Flex Wand 24"	8945-FLEX-24	
	24" CJ-9656	
Extension Lance Assembly	36" CJ-9657	
Extension Lance Assembly	48" CJ-9658	
	60" CJ-9659	
45° Quick Disconnect Adapter	CJ-QDN-45	
90° Quick Disconnect Adapter	CJ-QDN-90	
Foaming Nozzle Assembly	CJ-9619	
0° Pinpoint Replacement Nozzle for CJ-125	CJ-QDN-0004R	
15° Replacement Nozzle for CJ-125	CJ-QDN-1504Y	
25° Replacement Nozzle for CJ-200E (green)	CJ-QDN-2508G	
15° Fan Replacement Nozzle for CJ-200E (yellow)	CJ-QDN-15025Y	



Replacement Charger



Battery Charger





Battery and Charger Kit



12V Replacement Deep Cycle Lead Acid Battery



Vehicle Adapter Kit



SpeedyFoam Coil Cleaner



CoilJet Mini-Split Accessory Kit

	DESCRIPTION	PART NO.
	Battery Charger, Plug into Unit for CJ-125	CJ2-24
	Battery Charger with Lugs to Charge CJ-125 Battery Outside of Unit	CJ2-25
)	Battery Charger Kit for CJ-125	CJ125-KIT-SB
	12V Replacement Deep Cycle Lead Acid Battery for CJ-125	CJ-9613
	Vehicle Adapter for Battery Charger	8944
	SpeedyFoam:	00 500 1
	Coil Cleaner, One Gallon	SC-FCC-1
	SpeedyFoam: Case of 4, One Gallon	SC-FCC-4X1
	SpeedyFoam: 5 Gallon Pail	SC-FCC-5
	CoilJet Mini-Split Accessory Kit	CJ-MSB-ACC-KIT



oad a tablet into the CoilShot® unit, turn on the water and produce a powerful foaming coil cleaner that's non-toxic and plant-friendly. Use one or two tablets per job—no mess, no leftover, and no customer complaints to deal with.

Smaller, lighter and safer, CoilShot® is your best shot. Fire away.

COIS HOT

LEARN MORE. www.speedclean.com

Distributed by:



Hit it with your best shot.

PO Box 110301 Stamford, CT 06911 1-888-700-3540 www.speedclean.com