SAFETY DATA SHEET

R-22



Section 1. Identification

| Product identifier | : R-22 |
|--|--|
| Chemical name | : Chlorodifluoromethane |
| Other means of identification | : Not available. |
| Product type | : Gas. |
| Identified uses | : Refrigerant. |
| Supplier/Manufacturer | : Alltemp Products Co. Ltd 827 Brock Rd S Pickering, Ontario Canada, L1W3J2 Tel: 905-831-3311 Fax: 905-831-1864 Email: sales@alltemp.ca Web site: www.alltemp.ca |
| Emergency telephone number (with hours of operation) | : CANUTEC: +1-613-996-6666 or *666 (cellular) 24/7 |

Section 2. Hazard identification

| Classification of the substance or mixture | : GASES UNDER PRESSURE - Liquefied gas SIMPLE ASPHYXIANTS - Category 1 HAZARDOUS TO THE OZONE LAYER - Category 1 |
|--|--|
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | H280 - Contains gas under pressure; may explode if heated. No Code(s) - May displace oxygen and cause rapid suffocation. H420 - Harms public health and the environment by destroying ozone in the upper atmosphere. |
| Precautionary statements | |
| General | : Vapors are heavier than air and may cause Asphyxiantxia by reduction of the oxygen content. |
| Prevention | : Not applicable. |
| Response | : Not applicable. |
| Storage | : P410 - Protect from sunlight. P403 - Store in a well-ventilated place. |
| Disposal | : P502 - Refer to manufacturer or supplier for information on recovery or recycling. |
| | |

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Section 2. Hazard identification

Supplemental label elements

: Keep container tightly closed. Use only with adequate ventilation. Do not enter storage areas and confined spaces unless adequately ventilated.

Other hazards which do not : None known.

result in classification

Section 3. Composition/information on ingredients

| Substance/mixture | : Substance |
|-------------------------------|-------------------------|
| Chemical name | : Chlorodifluoromethane |
| Other means of identification | : Not available. |

CAS number/other identifiers

| Ingradiant name | |
|-----------------|-----------------|
| Product code | : Not available |
| CAS number | : 75-45-6 |
| | |

| Ingredient name | % (v/v) | CAS number |
|-----------------------|----------|------------|
| Chlorodifluoromethane | 90 - 100 | 75-45-6 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs. |
|--------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : As this product is a gas, refer to the inhalation section. |

| <u>ns/effects, acute and delayed</u> |
|---|
| effects |
| : No known significant effects or critical hazards. |
| : At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen. |
| : No known significant effects or critical hazards. |
| : As this product is a gas, refer to the inhalation section. |
| |



Section 4. First-aid measures

Over-exposure signs/symptoms

| Eye contact | : No known significant effects or critical hazards. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours | |
|----------------------------|---|----|
| Specific treatments | No specific treatment. | |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. If is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. | it |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| v | - |
|--|--|
| Extinguishing media | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | Fire Hazard: R-22 is not flammable at ambient temperatures and atmospheric pressure. R-22 can become combustible with high concentrations of air at elevated pressure and/or temperature and in the presence of an ignition source. This substance can also become combustible in an oxygen enriched environment (oxygen concentrations greater than that in air). For example, do not mix R-22 with air under pressure for leak detection purposes. Explosion Hazard: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Reactivity: Hazardous reactions will not occur under normal conditions. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated hydrocarbons hydrogen fluoride (HF) |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

KK (M



Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|---|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). May be harmful to the environment if released in large quantities. |

Methods and materials for containment and cleaning up

| Small spill | : Immediately contact emergency personnel. Stop leak if without risk. |
|-------------|--|
| Large spill | : Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid release to the environment. Refer to special instructions/safety data sheet. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. |
|--|--|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. See Section 10 for incompatible materials before handling or use |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits





Section 8. Exposure controls/personal protection

| Ingredient name | Exposure limits |
|-----------------------|---|
| Chlorodifluoromethane | CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 3500 mg/m ³ 8 hours. 8 hrs OEL: 1000 ppm 8 hours. CA British Columbia Provincial (Canada, 7/2016). TWA: 500 ppm 8 hours. STEL: 1250 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). TWA: 1000 ppm 8 hours. CA Quebec Provincial (Canada, 1/2014). TWAEV: 1000 ppm 8 hours. TWAEV: 3540 mg/m ³ 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours. |

| Appropriate engineering controls Environmental exposure controls | | Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. | |
|---|-----|---|--|
| Individual protection measu | res | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. | |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a seessment indicates this is necessary to avoid exposure to liquid splashes, m gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses side-shields. | |
| Skin protection | | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. | |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | |



Section 8. Exposure controls/personal protection

| Respiratory protection | : The gas can cause asphyxiation without warning by replacing the oxygen in the air. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. If operating conditions cause high gas concentrations to be produced or any recommended or statutory exposure limit is exceeded, use an air-fed respirator or self-contained breathing apparatus. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
|------------------------|--|
| | |

Section 9. Physical and chemical properties

| <u>Appearance</u> | | | |
|--|---|--|--|
| Physical state | : Gas. [Liquefied gas.] | | |
| Color | Colorless. | | |
| Odor | : Ethereal. [Slight] | | |
| Odor threshold | : Not available. | | |
| рН | : Neutral. | | |
| Melting point | : Not available. | | |
| Boiling point | : -41.45°C (-41.45°F) @ 1 atm | | |
| Flash point | : Does not flash. | | |
| Evaporation rate | : Not available. | | |
| Flammability (solid, gas) | : Not available. | | |
| Lower and upper explosive (flammable) limits | : Not available. | | |
| Vapor pressure | : 131.99 psia @ 20°C (68°F) 352.08 psia @ 60°C (140°F) | | |
| Vapor density | : Not available. | | |
| Relative density | : Liquid @ 1 atm. 87.97 lb/ft ³ Vapor @ 1 atm. 0.293 lb/ft ³ | | |
| Solubility in water | : Not available. | | |
| Partition coefficient: n- octanol/water | : Not available. | | |
| Auto-ignition temperature | : Not available. | | |
| Decomposition temperature | : 632°C (1169.6°F) | | |
| Viscosity | : Not available. | | |
| Flow time (ISO 2431) | : Not available. | | |
| Molecular weight | : 86.47 g/mole | | |
| Section 10 Stabilit | ty and reactivity | | |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | The product is stable. |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |





Section 10. Stability and reactivity

| : Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Decomposes under high temperature. Can form a combustible mixture with air at pressures above atmospheric pressure. Do not allow gas to accumulate in low or confined areas. |
|---|
| : Alkali metals, Alkaline earth metals, Powdered metals, Powdered metal salts. |
| : Decomposes at high temperatures forming hydrochloric and hydrofluoric acids, and possibly carbonyl halides. Decomposition materials are toxic and therefore, avoid contact. |
| |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

There is no data available.

Irritation/Corrosion

There is no data available.

Sensitization

There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

Classification

| Product/ingredient name | OSHA | IARC | NTP | ACGIH | EPA | NIOSH |
|-------------------------|------|------|-----|-------|-----|-------|
| Chlorodifluoromethane | - | 3 | - | A4 | - | - |

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely : Dermal contact. Eye contact. Inhalation. Ingestion.

routes of exposure

| Potential acute health effect | <u>></u> |
|-------------------------------|---|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : As this product is a gas, refer to the inhalation section. |
| | |





Section 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : No known significant effects or critical hazards. | | | |
|--------------|---|--|--|--|
| Inhalation | : No known significant effects or critical hazards. | | | |
| Skin contact | : No known significant effects or critical hazards. | | | |
| Ingestion | : No known significant effects or critical hazards. | | | |

Delayed and immediate effects and also chronic effects from short and long term exposure

| <u>Short term exposure</u> | |
|-------------------------------|---|
| Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Long term exposure | |
| Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Potential chronic health effe | ects |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------------|-----|-----------|
| Chlorodifluoromethane | 1.11 to 1.16 | - | low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.





Section 12. Ecological information

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty pressure vessels should be returned to the supplier. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

| TDG Classification | IMDG | IATA |
|---|--|--|
| UN1018 | UN1018 | UN1018 |
| CHLORODIFLUOROMETHANE | CHLORODIFLUOROMETHANE | CHLORODIFLUOROMETHANE |
| 2.2 | 2.2 | 2.2 |
| - | - | - |
| No. | No. | No. |
| Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2. 17 (Class 2). | Emergency schedules F-C, S-V | - |
| | UN1018 CHLORODIFLUOROMETHANE 2.2 - No. Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2. | UN1018 UN1018 CHLORODIFLUOROMETHANE CHLORODIFLUOROMETHANE 2.2 2.2 Image: Construct of the transportation of Dangerous Goods Regulations: 2.13-2. No. |

AERG : 126

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Canadian lists

| Canadian NPRI | : This mater |
|------------------------------|--------------|
| CEPA Toxic substances | : This mater |
| Canada inventory | : This mater |

- rial is listed.
- ial is listed.
 - ial is listed or exempted.

R-22



Section 16. Other information

Procedure used to derive the classification

| Justification |
|---|
| Expert judgment Expert judgment Expert judgment |
| |
| |

| Date of issue | : 04/15/2017 |
|----------------------|--|
| Version | : 1 |
| Prepared by | : KMK Regulatory Services Inc. |
| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.