

The work takes you from superheat to freezing cold. And requires you get really comfortable in the dark, dirty and downright cramped. You gotta find a way to keep your cool even when the customer has been without hers for 27 hours. The tools in your truck are the only help you've got. And that's the kicker. Because while the work keeps getting more complex, the tools haven't evolved much at all. UNTIL NOW.



#### **Table of Contents**

VACUUM PUMPS	
Vacuum Pumps Vacuum Pump Oil Vacuum Gauges	2-4 5 6-7
RECOVERY MACHINE	
Recovery Machine	8
LEAK DETECTORS	
Heated Diode Leak Detector Infrared Leak Detector	9 10
REFRIGERANT SCALES	
Refrigerant Scales	11-12
VALVE CORE REMOVAL TOOLS	
Valve Core Removal Tools	13
MANIFOLDS	
Manifold Family 4-Valve Aluminum Manifold 2-Valve Aluminum Manifold 2-Valve Basic Manifold Replacement Parts	14-15 16-19 20-21 22 23
ELECTRONIC TOOLS	
Dual Readout Thermometer Thermocouple Clamp	24 25
GAUGES	
Gauge Family Analog Gauges	26 27
HOSES	
Hose Family Refrigeration Hoses Refrigeration Hoses with Ball Valve Adapte Ball Valve Extensions Refrigeration Hoses with Ball Valve Ends Stainless Steel Evacuation Hoses	28 29 ers 30 31 32 33
BENDING TOOLS	
Bender Family Compact Bender Kits Tri-Tube Benders Spring Benders	34 35 36 37

FLARING TOOLS	
Orbital Flare Kit Large Basic Flare Basic Flare	38 9-40 41 42 43 4-45 46 47
Compact Swage Tool Kit Deluxe Compact Swage Tool Kit Punch Swage Set Multi-Swage Punch	8-49 50 51 52 52
TUBING CUTTERS	
Tubing Cutters Family 5 Small Diameter Tubing Cutters Large Diameter Tubing Cutters Plastic Tubing Cutter Ratcheting Plastic Tubing Cutters	3-54 55 56 57 58
SHEET METAL & DUCT TOOLS	
Sheet Metal & Duct Tools Family Pocket Brake Aviation Snips Offset Aviation Snips Tinner Snips Aluminum Handle Snip Pipe Duct Cutter V-Notcher Snap Lock Punch Hand Crimpers Hand Seamers Folding Tools Duct Stretcher Hole Cutters Duct Slitting Tool Duct Knife Cable Tie Tensioning Tool	59 60 61 62 62 63 64 65 66 67 67 68 68

At hilmor, we're revolutionizing the HVAC/R world by creating tools that are a step ahead. Every tool we make is designed to give you all the features you need and none of the ones you don't. We're determined to deliver smart, innovative solutions when and where you need them most. So, you'll be fully equipped to retool and conquer.

#### **Table of Contents**

DRIVING TOOLS		SERVICE TOOLS	
Driving Tools Family	69	Service Tools Family 1	105
Fast Connect Magnetic Nut Driver Set	70	Lineset Cleaner 1	106
Fast Connect Screwdriver Bit Set	71	Inspection Mirrors	107
Magnetic Nutsetters	72	Fin Straightening Tools 1	80
Magnetic Nut Drivers	73-77	Deburring Tool 1	109
Quick-Change Magnetic Nut Drivers	78	Tube Prep Brushes	110
Ratcheting 9 in 1 Multi-Tool	79	Service Wrenches	111
9 in 1 Multi-Tool	80	Locking Pliers Pinch-Off Tool	112
6 in 1 Stubby Multi-Tool	80	Refrigerant Recovery Tool	112
Impact Fasteners Bits	81	Liquid Charger	113
Fast Connect Bit Extension	82	Nitrogen Purge Tool	113
Keystone Tip Demolition Screwdrivers	83		
Keystone Tip Screwdrivers	84	WORK LIGHTS	
Cabinet Tip Screwdrivers	84	Work Lights Family	114
Terminal Block Screwdriver	85		115
Phillips Tip Screwdrivers	85	Mini Work Light	115
Precision Screwdriver Set	86	Portable Work Light	116
Screwdriver Sets	87	Pivoting Work Light	116
		Compact Work Light	117
PLIERS, WRENCHES & WIRE STRIPPERS	5	Pocket Work Light	117
Hex Key Sets	88-89	MODIFICATION AND	
Pliers, Wrenches & Wire Strippers Family	90	WORKSITE STORAGE	
Digital Adjustable Torque Wrench	91-92	Worksite Storage Family	118
Adjustable Wrenches	93	HVAC/R Tote	119
Multi-Function Pliers	94	Backpack Tool Bag 1	120
Tongue & Groove Pliers	95-96	Tool Center Bag	121
Lineman's Pliers	97	HVAC/R Refrigerant Tank & Utility Backpack 1	122
Long Nose Pliers	97	HVAC/R Carrying Strap	123
Diagonal Cutting Pliers	98	Zipper Pouch	124
Crimping Tool	98	HVAC/R General Purpose Gloves 1	125
Wire Strippers	99	HVAC/R Sheet Metal Gloves 1	125
Self-Adjusting Wire Stripper	100	11170	
LITH ITY (AUVEO		KITS	
UTILITY KNIVES	101 100	HVAC/R Starter Kit 126-1	127
Utility Knives and Blades Family Retractable Utility Knife	101-102 103	WARRANTY/PRESSURE-TEMPERATURE CH	ART
Folding Utility Knife	104	·	128
Chairing Strikey Ramo	.01		128 129

# YOUR DAYS OF MESSING AROUND WITH CLUNKY, UNRELIABLE PUMPS ARE OVER.



The first thing you'll notice is how two durable hoist points allow you to transport your Vacuum Pump with ease. Simply attach the hilmor HVAC/R Carrying Strap, throw it over your shoulder and get to work. Several innovative features also help make changing oil easier. The front of the pump where the oil is stored is sloped downwards, creating a natural path for oil to drain faster. A large sight glass allows oil to be checked more easily and an oversized oil fill port makes pouring in new oil easier. These vacuum pumps have been retooled to make evacuation as easy as possible.



### **VACUUM PUMPS**

Your days of messing around with clunky, unreliable pumps are over. These two-stage rotary vane vacuum pumps have been retooled with features to make pulling vacuum down to 25 microns a breeze.



#### **Hands-Free Carry**

Two durable hoist points make transporting the vacuum pump easier. Compatible with the hilmor HVAC/R Carrying Strap.



#### **Drains Oil Quickly**

A sloped and channeled housing helps oil drain fast.



#### **Extra Confidence**

A leak-proof blank-off valve isolates the pump from the system for accurate vacuum readings and easy oil change without losing a vacuum.



#### Easy To Check Oil

Quickly identify oil level and detect oil contamination through a large sight glass.



#### **Quick, Easy Access**

Easy access to a large oil fill port.

#### **Product Specifications**

Item Numbers	1947970	1948121	1948122	1950532
Product Descriptions	VP3	VP5	VP9	VP12
CFM	3	5	9	12
Motor HP	1/3	1/2	1	1
Power Requirements	4.5A, 120v 60hz	7.5A, 120v 60hz	5.5A, 120v 60hz	7.6A, 120v 60hz
Motor Speed	1720 RPM	3440 RPM	1720 RPM	2500 RPM
Intake Fitting	1/4", 3/8"	1/4", 3/8", 1/2"	1/4", 3/8", 1/2"	1/4", 3/8" 1/2"
Ultimate Vacuum	25 Microns	25 Microns	25 Microns	25 Microns
Oil Capacity	11 oz.	11 oz.	15 oz.	15 oz.
Compliance	CSA	CSA	CSA	CSA
Dimensions				
Length Width Height	13.6" 5.5" 10.7"	13.6" 5.5" 10.7"	15.9" 5.9" 11.2"	15.6" 5.7" 10.1"
Net Weight	19.7 lbs.	19.7 lbs.	36.2 lbs.	25.5 lbs.
Warranty	2 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited




Vacuum Pump 1950532 Vacuum Pump 1948122 Vacuum Pump 1948121 Vacuum Pump 1947970

# **VACUUM PUMP OIL**

Working in basements and crawlspaces all day, you're bound to get dirty. And so is your vacuum pump oil. Oil is the lifeblood of a vacuum pump and filters moisture and contaminants from the system. Clean oil means longer life for your pump and deeper, faster vacuum pulls.

Item Number	1948211	1948212
Product Descriptions	VPOQ	VPOG
Volume	Quart (Case of 12)	1 Gallon (Case of 6)
Dimensions*		
Dimensions* Length	2-5/8"	4-1/8"
	2-5/8" 4-1/8"	4-1/8" 7"
Length		,

<sup>\*</sup>Per Bottle





# **WIRELESS VACUUM GAUGE**

Easy positioning. Easier readings. Easily, the best vacuum gauge.



#### Easy to Read

LED backlit screen for easy to read display.



#### **Long Battery Life**

80 hour battery life for Remote Sensor and Handheld.\*



#### **Added Convenience**

Programmable audible micron alarm with high and low settings.



#### **Added Versatility**

Includes foldable hook and magnet to easily attach to any unit.

#### **Product Specifications**

Item Number 1950217

Product Description WVG

#### Contents

- 1 Remote Sensor with 3 AAA Batteries
- 1 Handheld Display with 3 AA Batteries
- 1 1/4" Female Flare Adaptor
- 1 Protective Case

#### **Dimensions**

Length	8"
Width	6"
Height	3.8"

#### **Replacement Parts**

Item Number 1950219

1 - Vacuum Gauge Sensor

Item Number 1950531

- 1 Vacuum Gauge Sensor
- 1 Vacuum Gauge Transmitter







<sup>\*</sup>measured with LED backlight turned off

# **COMPACT VACUUM GAUGE**

The hilmor Compact Vacuum Gauge is an all-in-one micron gauge that is durably constructed for everyday use and abuse. An easy to read backlit display provides readings and the two button operation simplifies field use.



#### Easy to Read

Backlit LCD makes reading in the dark easy.



#### **Convenient Storage**

Protective case keeps the gauge safe and quick to grab.



#### **Added Versatility**

Full range readings lets you see the progress right away.



#### **Superior Protection**

Handles 800 psi momentarily if a mistake is made.



#### **Product Specifications**

Item Number	CVG1200
Product Description	CVG

#### **Contents**

- 1 Vacuum Gauge
- 1 Protective Case
- 3 AAA Batteries

#### **Dimensions**

Length	4.8"
Width	2.2"
Height	1.2"

#### **Specifications**

#### Units

microns, mBar & mmHg

#### Accuracy

5% ±10 microns (1 to 1,000 microns) at 25°C 20% (1,000 to 5,000 microns)at 25°C

#### Resolution

1 micron (1 to 2,000 microns)

100 microns (2,000 to 20,000 microns) 1000 microns (20,000 to 100,000 microns) 10000 microns (100,000 to 300,000 microns)

Compact Vacuum Gauge CVG1200

# **RECOVERY MACHINE**

Pulls like a powerhouse. Lifts like a feather. The recovery machine designed for you.



#### Quick, Easy Access

Conveniently located hose ports make connecting hoses easier and reduces strain



#### Accurate, Easy to Read

Digital LCD Screen provides accurate and easy to read pressure readings.



#### **Superior Security**

High- and low-pressure automatic shutoff protects machine and helps ensure safety.



#### **Convenient Storage**

Dedicated power cord wrap protects the cord and secures the plug.

#### **Product Specifications**

Item Number	1950536
Product Description	RM
Dimensions	
Length Width Height Weight	9.2" 4.9" 12-1/2" 17-1/2 lbs.
Replacement Parts	., , ==.
Item Number 1- Intake Filter	1950537

1- O-Ring



1950536



# HEATED DIODE REFRIGERANT LEAK DETECTOR

Tight Space? No problem. Find leaks fast with the flexible probe that allows access to all of those hard-to-reach areas.



#### **Added Convenience**

Audible and visual notification.



#### Easy to Read

LED screen for easy to read display.



#### **Added Versatility**

Works on all halogenated refrigerants.



#### **Small Space Capable**

Flexible probe allows access to the hard-to-reach areas.

#### **Product Specifications**

Product Description LDHD

#### **Contents**

1 - Leak Detector 1 - Accessory Case

3 - AA Batteries

#### **Dimensions**

 Length
 10-1/4"

 Width
 2-1/4"

 Height
 2-1/4"

 Weight
 14 oz. (397g)

#### **Specifications**

Detected

Battery Life: 6 hours Warranty: 2 Year Limited

#### **Technical Specifications**

Sensor Type	Semi-Conductive Sensor (Heated Diode)
Sensor Life	5 years (Typical)
Maximum Sensitivity	(0.14 oz) 4 grams/year
Response Time	3 Seconds
Warm-Up Time	30 Seconds
Operating Environment	32°F (0°C) to 104°F (40°C) at <75% RH (non-condensing)

**Display Method LED Display Notification Mode** LED Display and Audio (3) 1.5V AA Batterv Automatic Shutdown after **Battery Saver** 10 Minutes of inactivity **Working Time** 6 Hours Certifications SAE J1627, SAE J2791, SAE J2913, EN14624: 2012 Refrigerants It will detect all halogenated

> is not limited to: CFC: R12, R11, R500, R503 HCFC: R22, R123, R124, R502 HFC: R134A, R404A, R410A, R407C

(including Chlorine or Fluorine) refrigerants. This includes, but

Heated Diode Refrigerant Leak Detector LDHD250

# INFRARED REFRIGERANT LEAK DETECTOR

This detector is in it for the long haul. The 10-year sensor life will keep up with all of your daily demands.



#### **Extra Confidence**

Built to last with a 10-year sensor life.



#### Easy to Read

The TFT LCD screen provides a clear visual confirmation of the leak location.



#### **Added Convenience**

Audible and visual notification for leak detection.



#### **Added Versatility**

Works on all halogenated refrigerants.

#### **Product Specifications**

Item Number	LDIR150
<b>Product Description</b>	LDIR

#### **Contents**

- 1 Leak Detector
- 1 10 pack of filters
- 1 Charger
- 1 Cable
- 1 Accessory Case

#### **Dimensions**

Length	7.9"
Width	3.3"
Height	1-1/2"

Weight 14.6 oz (415g)

#### **Specifications**

Warranty: 2Year Limited

#### **Technical Specifications**

Sensor Type	Infrared Spectrum Absorption
Sensor Life	10 years (Typical)
Maximum Sensitivity	(0.14 oz) 4 grams/year
Response Time	3 Seconds
Warm-Up Time	30 Seconds
Operating Environment	32°F (0°C) to 104°F (40°C) at <75% RH (non-condensing)

Display Method	TFT LCD Display
Notification Mode	TFT LCD Display & Audio
Battery	Built-in Rechargeable Lithium Battery
Battery Saver	Automatic Shutdown after 10 Minutes of inactivity
Working Time	6 Hours
Charging Time	4 Hours
Certifications	SAE J1627, SAE J2791, SAE J2913, EN14624: 2012
B ( )	



It will detect all halogenated (including Chlorine or Fluorine) refrigerants. This includes, but is not limited to: CFC: R12, R11, R500, R503 HCFC: R22, R123, R124, R502 HFC: R134A, R404A, R410A, R407C CH: R600A

Infrared Refrigerant Leak Detector LDIR150

### **WIRELESS REFRIGERANT SCALE**

Rugged & durable to handle all terrains.
Use inside the case for added protection
from the elements. The hilmor Wireless
Refrigerant Scale remote provides the user
with a market leading 130 foot wireless
range to help tackle those challenging
locations.



#### **Accurate Readings**

Provides readings in 0.2 oz increments.



#### Easy to Read

Backlit LED display is easy to read.



#### **Added Versatility**

Scale can be used in or out of the protective case.



#### **Long Range**

Wireless remote keeps working up to 130 ft away.

#### **Product Specifications**

Item Number RSWL220

Product Description WRS

#### Contents

1 - Wireless Refrigerant Scale

1 - Remote

i - Reillote

5 - AAA Batteries 5 - AA Batteries

1 - Protective Case

#### **Dimensions**

Length	18"
Width	14-3/4"
Height	3-1/2"
Weight	10.6 lbs

#### **Specifications**

Units: kg or lbs & oz

Battery Life Duration: 40 hours

Resolution: 0.2 oz. (5 g) Capacity: 220 lbs (100 kg) Wireless Range: 130 ft (40m)

Operating Temperature: -10° to 40°C (14° to 104°F)



# **REFRIGERANT SCALE**

Rugged & durable to handle all terrains. Use inside the case for added protection from the elements.



#### **Accurate Readings**

Provides readings in 0.2 oz increments.



#### Easy to Read

Backlit LED display is easy to read.



#### **Added Versatility**

Scale can be used in or out of the protective case.



#### Secure

Rubberized surface provides tank stability and protects scale.

#### **Product Specifications**

Item Number RSW220

Product Description RS

#### Contents

1 - Refrigerant Scale5 - AAA Batteries1 - Protective Case

#### **Dimensions**

 Length
 18"

 Width
 14-3/4"

 Height
 3-1/2"

 Weight
 10.6 lbs

#### **Specifications**

Battery Life Duration: 40 hours

Resolution: 0.2 oz (5 g) Capacity: 220 lbs (100 kg)



# **VALVE CORE REMOVAL TOOL**

Valve Core Removal Tools are designed to make work more efficient, but there's nothing efficient about losing tools or equipment. The hilmor Valve Core Removal Tool has a built-in rare earth magnet on the back of the plunger for convenient jobsite storage. After removing the core for evacuation or change-out, the plunger and valve core can be stored on the side of the unit. The tool comes in both 1/4" and 5/16" sizes. The hilmor Valve Core Removal Tool uses a spring gripper, as opposed to an O-ring to grab valve cores, increasing the life of the tool.



#### **Jobsite Storage**

Built-in rare-earth magnet for convenient plunger storage, minimizing lost parts on the job.



#### **Superior Versatility**

Vacuum tested to 20 microns and tested to 800 PSI working pressure.



#### **Reliable Core Gripper**

Securely and confidently remove valve cores for unrestricted flow.



#### Vacuum Gauge Port

1/4" side flare to easily connect a vacuum gauge.

Item Number	1947967	1947968
Product Descriptions	VCRT14	VCRT516
Connection Size	1/4"	5/16"
Maximum Allowable Working Pressure	800 PSI	800 PSI
Burst Pressure	4000 PSI	4000 PSI
Operating Temperature	-20° F to +180° F	-20° F to +180° F
Dimensions		
Length	2-1/2"	2-1/2"
Width	5-3/4"	5-3/4"
Height	7-7/8"	7-7/8"
Weight	8 oz.	8 oz.



Built-in rare-earth magnet for convenient jobsite storage.



# BUILT TO HANDLE ANY CLIMATE THROWN THEIR WAY.



Manifolds operate as your sidekicks on every job. They need to be durable. They need to not leak. They need to excel in even the most extreme conditions. The hilmor line of Manifolds is ready to be put to work with replaceable stainless steel valve seats and SAE-style O-rings. The list of features goes on and on, but the one that matters most is their ability to withstand all the pressures you encounter — day in and day out.



# 4-VALVE ALUMINUM MANIFOLD

We know that manifolds are your lifeline. So, when we decided to retool the features and design, we were meticulous down to the last detail.



#### **Extra Confidence**

Built to last with a forged aluminum body. Designed to be leak-resistant with replaceable stainless steel valve seats, SAE-style O-rings and a securely seated, large sight glass.



Rubberized handles are optimally sized for quick and painless turns.



Front-mounted hose positions give you easier access.



#### Quick on the Job

Get faster vacuum pulls with a true 3/8" bore throughout the valve.



#### **Comfortable Grip**

A rubberized handle makes it easier to use in wet and dirty environments.



#### Glows in the Dark

Light-activated paint illuminates, so you won't be left in the dark.



#### **Built-in Pressure Reminder**

A pressure reminder allows you to set the pressure ring and reference it later.



4-Valve Aluminum Manifold with Hoses 1839130

# 4-VALVE ALUMINUM MANIFOLD

Item Numbers/Product Descriptions					
Refrigerants	With 60" Hoses and Ball Valve Adapters	Without Hoses	Temp.	Pressure Range Low	Pressure Range High
R410A	1839109 4V410H	1839111 4V410	F/C	-30" HG/300/ 500 psi	0/800 psi
HP22-407C-410A (Heat Pump)	1839128 4V22407410	1839129 H 4V22407410		0/800 psi	0/800 psi
R22-404A-410A	1839130 4V22404410	1839132 H 4V22404410	F	-30" HG/300/ 500 psi	0/800 psi
Accuracy	Class	- 1% Accuracy (full	scale)		
Gauge Connection T	ype 1/8" I	PT Male Fitting			
Valve Type	pe Double O-ring Piston Style				
Valve Seat (Orifice)	Repla	aceable Stainless Steel (SAE-style straight thread with O-ring)			
Sight Glass	Bond	d steel with SAE-sty	steel with SAE-style straight thread with O-ring		
Vacuum Port	3/8"	full bore (quantity 1)			
Charge Ports	1/4" (	uantity 3)			
Hoses Included	1839	13 H60BVS4 60" H	oses with Ball	Valve Adapters - Se	et of 4
Dimensions					
Length Width Height Weight	8-7/8" 4" 7-1/8" without hook 7.1 lbs.	8-7/8" 4" 7-1/8" without hook 3.4 lbs.			



# **4-VALVE ALUMINUM MANIFOLD** WITH HOSES & DUAL READOUT THERMOMETER

Item Numbers/Product Descriptions						
Refrigerants		With 60" Hoses and Ball Valve Adapters		Pressure Range Low	Pressure Range High	
R410A	1839110	4V410HD	F/C	-30" HG/300/500 psi	0/800 psi	
R22-404A-410A	1839131	4V22404410HD	F	-30" HG/300/500 psi	0/800 psi	
Accuracy		Class 1 - 1% Accurac	y (full sca	ale)		
Gauge Connection T	уре	1/8" NPT Male Fittir	ıg			
Valve Type		Double O-ring Piston Style				
Valve Seat (Orifice)		Replaceable Stainless Steel (SAE-style straight thread with O-ring)				
Sight Glass		Bonded steel with SAE-style straight thread with O-ring				
Vacuum Port		3/8" full bore (quantity 1)				
Charge Ports		1/4" (quantity 3)				
Hoses Included		1839143 H60BVS4 60" Hoses with Ball Valve Adapters - Set of 4				
Thermometer Included		1839106 DROT2TCC Dual Readout Thermometer				
Two Thermocouples Included		1839108 TCC Thermocouple Clamp				
Dimensions						
Length 8-7/8" Width 4" Height 7-1/8" Weight 7.3 lbs	without hool	<b>‹</b>				

# 2-VALVE ALUMINUM MANIFOLD

The rough-and-tumble durability of our 4-Valve with the simplicity of a 2-Valve design.



#### **Extra Confidence**

Built to last with a forged aluminum body. Designed to be leak-resistant with replaceable stainless steel valve seats, SAE-style O-rings and a securely seated, large sight glass.



#### **Comfortable Grip**

A rubberized handle makes it easier to use in wet and dirty environments.



#### Easy to Read

Improved graphics and high-contrast colors deliver precise readings at a glance.



#### Glows in the Dark

Light-activated paint illuminates, so you won't be left in the dark.



#### **Built-in Pressure Reminder**

A pressure reminder allows you to set the pressure ring and reference it later.



A permanent location for the temperature clamps offers quick and convenient storage.



With a forged aluminum body, it can stand up to the roughest, toughest conditions.



Rubberized handles are optimally sized for easy turns.

2-Valve Aluminum Manifold 1839134

Item Numbers/Product Descriptions						
Refrigerants	ltem Numbers	Product Descriptions	Temp.	Pressure Range Low	Pressure Range High	
R22-134A-404A	1839126	2V22134404	F	-30" HG/120/350 psi	0/500 psi	
R22-404A-410A	1839134	2V22404410	F	-30" HG/300/500 psi	0/800 psi	
Accuracy		Class 1 - 1% Accur	acy (full so	cale)		
Gauge Connection Ty	ype 1/8" NPT Male Fitting					
Valve Type		Double O-ring Piston Style				
Valve Seat (Orifice)		Replaceable Stainless Steel (SAE-style straight thread with O-ring)				
Sight Glass		Bonded Steel with SAE-style straight thread with O-ring				
Charge Ports		1/4" (quantity 3)				
Dimensions						
Length Width Height Weight		8-7/8" 1-3/4" 7-1/8" without ho 2.5 lbs.	ok			

# 2-VALVE BASIC MANIFOLD

The hilmor 2-Valve Basic Manifold with 60" Hoses provides all the features you've come to expect from a standard manifold, and then some. It has a durable design, improved accessibility and smart functionality.

The 3-1/8" gauges have been optimized for greater readability with improved graphics, high-contrast color and glow-in-the-dark functionality. Sold with hilmor 60" hoses.



#### Easy to Read

Improved graphics and high-contrast colors deliver precise readings at a glance.



#### **Glows in the Dark**

Light-activated paint illuminates, so you won't be left in the dark.



#### **Comfortable Grip**


A rubberized handle makes it easier to use in wet and dirty environments.



#### **Product Specifications**

Item Numbers/Product Descriptions					
Refrigerants	With 60" H	<u> </u>	Temp.	Pressure Range Low	Pressure Range High
R410A	1839114	2VB410H	F/C	-30" HG/300/500 psi	0/800 psi
R22-404A-410A	1932650	2VB22404410H	F	-30" HG/300/500 psi	0/800 psi
Accuracy		Class 1 - 1% Accura	cy (full sca	le)	
Gauge Connection	Туре	1/8" NPT Male Fitti	ng		
Valve Type		Double O-ring Pisto	n Style		
Charge Ports		1/4" (quantity 3)			
Hoses Included	Hoses Included 1839153 H60S3 H		se 60" - S	et of 3	
Dimensions					
Length Width Height	Vidth 3" eight 6"				
Weight		3.9 lbs.			

1932650



#### **Replacement Parts**

Category	Item Numbers	Product C	Product Descriptions	
Manifolds	1932944	AMH	Analog Manifold Hook	1
Gauges	1932986	AGL	Analog Gauge Lens	2
Gauges	1932947	LAGBR	Low Side Analog Gauge Boot w/Ring	3
Gauges	1932948	HAGBR	High Side Analog Gauge Boot w/Ring	4
Manifolds	1932949	MVHB	Manifold Valve Handle - Blue	5
Manifolds	1932951	MVHY	Manifold Valve Handle - Yellow	6
Manifolds	1932950	MVHR	Manifold Valve Handle - Red	7
Manifolds	1932945	VSA2	2-Valve Seat Assembly (2-1/4")	8
Manifolds	1932946	VSA4	4-Valve Seat Assembly (3-1/4", 1-3/8")	9

# **DUAL READOUT THERMOMETER**



#### **Makes Calculations Easier**

The industry's only manifoldcompatible compact thermometer with two readings to help simplify the calculation of superheat and subcool.



#### **Superior Versatility**

Use it on any gauge set, or remove it and use it independently.



#### **Reads Temperatures Quickly**

Two easy-to-use, K-style tubeclamp thermocouples get you to the temperature reading quickly.



This thermometer is the first in the industry to attach to any manifold.

#### **Product Specifications**

Item Number	1839106
Product Description	DROT2TCC
Two Thermocouples Included	1839108 TCC Thermocouple Clamp
Batteries	AA x1 (included)
Battery Life	151 hours
Connection Type	K

Measurement	Range	Resolution	Accuracy
Temperature	-76°F to 999.9°F	.10° F/C	<b>+-2.0 C</b> °/+-3.6°F

Operating Temperature Range O°C to +50°C (LCD)

# Dimensions Length 1-3/4" Width 1-5/8" Height 3-7/8" Weight 11 oz.



# THERMOCOUPLE CLAMP

Get right to it on up to 1-1/8" tubing with hilmor's Thermocouple Clamp. A K-style connection offers a secure fit and is easy to use with other devices. It is a perfect pairing for the hilmor Dual Readout Thermometer. When the job is done, it is easy to stow it away. Simply wrap the thermocouple wire around the handle, and secure the plug into the clamp.



#### Fast, Precise Readings Gets right to the temperature

Gets right to the temperature reading up to 1-1/8" tubing.



#### Secure Connection

K-style connection provides a tight fit and easy use with other devices.



#### Secure Storage

Stow it away simply by wrapping the thermocouple wire around the clamp and securing the plug.



Protect the thermocouple plug when not in use by wrapping the cord around the handle and plugging into the side socket.

Item Number	1839108
Product Description	TCC
Connection Type	К
Accuracy	+-2.0°C/+-3.6°F
Operating Temperature (plastic)	-40°F to 250°F
Dimensions	
Length	5-1/4"
Width	7/8"
Height	3-1/4"
Weight	3 oz.



Attach K-style clamp to an easily accessible spot on the hilmor manifold.



K-style clamp securely attaches to tubing up to 1-1/8" for measurements on the double.



# FINALLY, THE BRAINS OF YOUR OPERATION CAN TAKE A BUMP TO THE HEAD.



# **ANALOG GAUGES**

You need accurate readings, and you need them at a glance. hilmor gauges were made for just that. Simply choose the gauge you need, and put it to work.



#### Easy to Read

Improved graphics and highcontrast colors deliver precise readings at a glance.



#### **Rugged and Durable**

High-impact protective boots and steel construction mean dropping it won't ruin your day.




Forget the flashlight. These gauges are equipped with glow-in-the-dark capabilities.



A pressure reminder allows you to set the pressure ring and reference it later.

Item Numbers/Product Descriptions						
Refrigerants	Low-side (Blue)	Pressure Range	High-side (Red)	Temp.	Pressure Range	
R410A	1839082 AG410L	-30" HG/300/500 psi	1839083 AG410H	F/C	0/800 psi	
R22-134A-404A	1839088 AG22134404L	-30" HG/120/350 psi	1839089 AG22134404H	F	0/500 psi	
HP22-407C-410A (Heat Pump)	1839090 AG22407410L	0/800 psi	1839091 AG22407410H	F	0/800 psi	
R22-404A-410A	1839092 AG22404410L	-30" HG/300/500 psi	1839093 AG22404410H	F	0/800 psi	
Accuracy	Class 1 - 1% Accuracy (full scale)					
Size	3-1/8" (80	)mm) Gauge				
Fitting	1/8" NPT N	1/8" NPT Male connection				
Included Parts	Protective boot and dial indicator ring					
Dimensions						
Depth Diameter Weight	1-3/4" 3-5/8" 6 oz.					

# THIS JOB TAKES SOME THICK SKIN. LUCKILY, OUR HOSES HAVE IT.



If you can stand the pressure, your hoses should, too. We've rethought and retooled the hoses you use every day with smart features like an extra abrasion-resistant layer for superior protection in tough conditions. All of our Hoses are rated for 800 PSI working pressure to work with the newest high-pressure refrigerants. Simply select the Hose and Ball Valves you need. You can choose from Hoses and Ball Valve Adapters individually, or buy them as a set.

# **REFRIGERATION HOSES**

hilmor 36" and 60" Hoses are designed with smart features including an extra abrasion-resistant layer for tough environments.



#### **Superior Protection**

An extra abrasion-resistant layer for the tough environments of HVAC/R.



#### **Handles High Pressure** Rated for 800 PSI working

pressure to work with highpressure refrigerants.



36" Vacuum Hose 1839159



#### **Product Specifications**

#### 60" Hoses

Item Numbers	Product Descriptions	Diameter
1839150	H60R Hose 60" - Red	1/4"
1839151	H60B Hose 60" - Blue	1/4"
1839152	H60Y Hose 60" - Yellow	1/4"
1839153	H60S3 Hose 60" - Set of 3	1/4"
1839154	H6038 Hose 60" - VAC	3/8"

Maximum Allowable

**Working Pressure** 800 PSI

3	
Burst Pressure	4000 PSI
Operating Temperature	-20°F to +180°F
End Connection	Straight by 45 degree
Dimensions	
Length	60"

8 oz.

#### 36" Hoses

Weight

Item Numbers	Product Descriptions	Diameter
1839156 1839158	H36B Hose 36" - Blue H36S3 Hose 36" - Set of 3	1/4" 1/4"
1839159	H3638 Hose 36" - VAC	., . 3/8"

Maximum Allowable

**Working Pressure** 800 PSI

**Burst Pressure** 4000 PSI

**Operating Temperature** -20°F to +180°F

**End Connection** Straight by 45 degree

**Dimensions** 

Length 36" Weight 6 oz.

#### **Replacement Parts**

Category	Item Numbers	Product Descriptions		Location #
Hoses	1932984	HGL	Hose Gaskets (3/8", Pack of 10)	1
Hoses	1932982	HGS	Hose Gaskets (1/4", Pack of 12)	2
Hoses	1932985	HTD	Hose Threaded Depressors, Pack of 6	3

# REFRIGERATION HOSES WITH BALL VALVE EXTENSIONS

Rated for 800 PSI working pressure to work with high-pressure refrigerants. Includes an easy-turn valve for added control of refrigerant loss.



#### **Superior Protection**

An extra abrasion-resistant layer for the tough environments of HVAC/R.



#### **Handles High Pressure**

Rated for 800 PSI working pressure to work with highpressure refrigerants.



60" Refrigeration Hoses with Ball Valve Extensions 1839143

Item Numbers	Product Descriptions	Length	Diameter	Weight
1839140	H60BVR Hose Ball Valve Ext - Red	60"	1/4"	15 oz.
1839141	H60BVB Hose Ball Valve Ext - Blue	60" e	1/4"	15 oz.
1839142	H60BVY Hose Ball Valve Ext - Yello	60" ow	1/4"	15 oz.
1839143	H60BVS4 Hose Ball Valve Ext - Set of 4	60"	1/4" & 3/8"	3.8 lbs.
1839144	H60BV38 Hose Ball Valve Ext - VAC	60"	3/8"	1.3 lbs.
1935930	H72BVS3 Hose Ball Valve Ext - Set of 3	72"	1/4"	3.0 lbs.
1936001	H72BVBV Hose Ball Valve Ext - VAC	72" ;	3/8"	1.5 lbs.
1936002	H72BVS4 Hose Ball Valve Ext - Set of 4	72"	1/4" & 3/8"	4.5 lbs.

Maximum Allowable Working Pressure	800 PSI
Burst Pressure	4000 PSI
Operating Temperature	-20°F to +180°F
Hoses End Connection	Straight by Straight
Ball Valve Extension Connection	Straight by 45 degree

# **BALL VALVE EXTENSIONS**

We all know that controlling refrigerant loss on the jobsite is a big deal. And the hilmor Ball Valve Extension is here to help. It is designed with an extra 6" of hose for additional length.



#### **Superior Protection**

An extra abrasion-resistant layer for the tough environments of HVAC/R.



#### **Handles High Pressure**

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



Knob turns quickly and easily to restrict flow from hoses.

#### **Product Specifications**

Item Numbers	Product Descriptions	Diameter
1839148	BVR Ball Valve Ext - Set of 3	1/4"
1839149	BVB Ball Valve Ext - VAC	3/8"

Maximum Allowable

Working Pressure 800 PSI

Burst Pressure 4000 PSI

Operating Temperature -20°F to +180°F

End Connection Straight by 45 degree

#### **Dimensions**

Length 8" Weight 4 oz.



# REFRIGERATION HOSES WITH BALL VALVE ENDS

Our retooled hoses includes an easy turn valve for added control of refrigerant loss. Features an extra abrasion-resistant layer for superior protection in tough conditions. All of our hoses are rated for 800 PSI working pressure to work with the newest high-pressure refrigerants.



#### **Minimize Refrigerant Loss**

Easy-turn valve for added control of refrigerant loss.



#### **Handles High Pressure**

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



#### **Small Space Capable**

A compact design allows it to be used even in cramped spaces.

#### **Product Specifications**

Item Number	Product Descriptions	Diameter
1935917	H48BVES3 Set of 3 - 48"	1/4"
1935918	H48BVEBV Vacuum - 48"	3/8"
1935924	H60BVES3 Set of 3 - 60"	1/4"
1935925	H60BVES4 Set of 4 - 60"	1/4" & 3/8"
1935926	H60BVEBV Ball Valve - 60"	3/8"
Maximum Allowable Working Pressure	800 PSI	
Burst Pressure	4000 PSI	
Operating Temperature	-20° F to 180° F	
End Connection	Straight by 45°	
Dimensions		

1.8 lbs.

1.0 lb.



Weight

Refrigeration Hoses with Ball Valve Ends 1935917

# STAINLESS STEEL EVACUATION HOSES

When pulling a vacuum, use hilmor Stainless Steel Evacuation Hoses to help prevent permeation and outgassing for a faster evacuation.

Item Numbers	Product Descriptions	Length D	iameter	Connections
1950568	14SSH36	36"	1/4"	1/4" x 1/4"
1950569	385SH36	36"	3/8"	1/4" x 3/8"
1950570	14SSH60	60"	1/4"	1/4" x 1/4"
1950651	385SH60	60"	3/8"	1/4" x 3/8"
Maximum Working Pressure		800PSI		
Burst Pressure		4000PSI		



# TAKES BRAINS AND BRAWN TO BEND TUBES.



Compact Bender Kit with Reverse Bending Attachment 1926598

# **COMPACT BENDER KITS**

# 1839032 Compact Bender Kit

Body and crossbar for 1/4" to 7/8", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8" mandrels.

# 1926598 Compact Bender Kit with Reverse Bending Attachment

Body and crossbar for 1/4" to 7/8", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8" mandrels and Reverse Bending Attachment.



# Simple Setup

Universal crossbar and color-coded mandrels make identifying and changing sizes quick and easy.



# **One-handed Operation**

A ratcheting mechanism and innovative release lever allow for bending with one hand.



# **Small Space Capable**

A compact design allows it to fit where others can't.



A reverse bending attachment for bends in the opposite direction.



A ratcheting lever gives you the brawn to bend tubes with one hand.

Item Numbers	1839032	1926598
<b>Product Descriptions</b>	СВК	CBKRB
Tube Sizes (O.D.)	1/4", 5/16"	
Dimensions		

Replacement Parts		
Item Numbers	Descriptions	Sizes
1839035	Compact Bender Mandrel	1/4"
1839036	Compact Bender Mandrel	5/16"
1839037	Compact Bender Mandrel	3/8"
1839035	Compact Bender Mandrel	1/2"
1839039	Compact Bender Mandrel	5/8"
1839040	Compact Bender Mandrel	3/4"
1839041	Compact Bender Mandrel	7/8"
Tube Materials	Soft Tubing Only, Copper, St Aluminum, Brass	eel,



A quick-release button allows you to free the tube with ease and without damage.



A locking slider keeps the bender compact for storage and transport.

# **TRI-TUBE BENDERS**

From start to final bend, the hilmor Tri-Tube Benders have you covered.



# **Precise Angles**

Calibrated markings for making accurate bends up to 180°.



# Comfortable Grip

Non-slip grip.



# **Lighten Your Load**

Constructed out of lightweight die-cast aluminum.



# **Indexing Handle**

Compact design for tight access. (1839026 only)

Item Numbers	1839026	1839027
Product Descript	ions TB31638	TB31612
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8"	3/16", 1/4", 3/8", 1/2"
Dimensions		
Length Width Height Weight	2-1/2" 6" 12-1/2" 1.8 lbs.	3-1/2" 7-1/2" 7" 2.5 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Al	



# **SPRING BENDERS**

Getting an accurate bend by hand isn't always easy. But, our Spring Benders can help simplify things. Four different benders are included to fit 1/4", 3/8", 1/2" and 5/8" tubing. Simply slip the Spring Bender over soft copper or aluminum tubing, and count on the spring to keep the tube from kinking.

Item Number	1839031			
Product Description	SB 4PC Se	et		
Tube Sizes (O.D.)	1/4"	3/8"	1/2"	5/8"
Dimensions				
Size Length Weight	1/4" 11-1/3" 5 oz.	3/8" 11-1/3" 5 oz.	1/2" 11-1/3" 5 oz.	5/8" 11-1/3" 5 oz.
Tube Materials	Soft Tubin Copper, St	ig Only teel, Alumir	ıum, Brass	



# GET IN. GET OUT. GET ON TO THE NEXT JOB.



Flaring and swaging is a big part of the job. That's why we made a big effort to guarantee you get a precise flare and swage every time. Convenience and comfort both come standard throughout hilmor's full line of flaring and swaging tools.

Simply choose the tool that fits your needs, and get ready to conquer your next job.



# ORBITAL FLARE

The hilmor Orbital Flare was designed to produce quality flares – again and again. A tube-stop arrow allows precise positioning and placement so you can keep that nickel in your pocket. Plus, a clutch mechanism stops the flare to eliminate cracking the tube.



## **Precise Flares, Every Time**

An off-center mounted cone spins on an axis to effectively produce quality flares.



## **No Cracked Tubes**

A clutch mechanism stops the flaring when the job is done.



## Simple Setup

A clothespin-inspired, spring-loaded block grips the tube securely.



## **Easy to Position**

A tube-stop arrow slides to set correct height and positioning while ball detents allow for easy flaring cone alignment.

# **Product Specifications**

Flare Type

Item Number	1838952
<b>Product Description</b>	FTO
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
Dimensions	
Length Width Height Weight	8-1/2" 4-5/8" 5-1/4" 3.8 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass

45 degree

A clutch mechanism stops the flare when the job is done to eliminate cracking the tube.



An off-center mounted cone helps to uniformly shape the tube.



# ORBITAL FLARE KIT AND DEBURRING TOOL

The hilmor Orbital Flare Kit comes with everything you need to produce quality flares – again and again. The kit includes hilmor's Large Diameter Tubing Cutter (item # 1885384) for easy kink-free cuts, a Pocket Size Deburring Tool (item # 1891258) to smooth things over and, of course, our industry-leading Orbital Flare (item # 1838952).



#### Storage

Kit included for convenient storage.



## **Precise Flares, Every Time**

An off-center mounted cone spins on an axis to effectively produce quality flares.



## **No Cracked Tubes**

A clutch mechanism stops the flaring when the job is done.



## **Accurate Cutting**

A unique, four-roller tracking system keeps the tube from threading.



## **Professional Deburring**

Conveniently deburr tubes and fittings 1/4" nominal and larger.

Orbital Flare Kit 1937685

# **Product Specifications**

Item Number	1937685
<b>Product Description</b>	FTOK
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
Tube Materials  Dimensions	Soft Tubing Only Copper, Steel, Aluminum, Brass
Length Width Height Weight	9" 12-1/2" 2-1/2" 5.8 lbs.

# **Kit Contents**

Orbital Flare, Large Diameter Tubing Cutter, Pocket Size Deburing Tool



# **LARGE BASIC FLARE**

The hilmor Large Basic Flare has all the advantages of hilmor flaring tools with the bulked-up size to handle 3/4" to 1-1/8" tubes. And it can fit into spaces other flaring and swaging tools can't.



#### Durable

The cast steel yoke and hardened flaring bar are made to be knocked around.



#### Control

Steel wing nuts make it easy to hold pipe secure.



# **Quality Flares**

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

# **Product Specifications**

Item Number	1838955
Product Description	FTL
Tube Sizes (O.D.)	3/4", 7/8", 1-1/8"
Dimensions	
Length Width Height Weight	7" 6" 5-1/4" 3.7 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
Flare Type	45 degree



Large Basic Flare 1838955

# **BASIC FLARE**

The hilmor flaring tools are the no-muss, no-fuss way to flare. Our Basic Flare handles 1/8" to 3/4" tubes.



#### Durable

The cast steel yoke and hardened flaring bar are made to be knocked around.



# Control

Steel wing nuts make it easy to hold pipe secure.



# **Quality Flares**

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

Item Number	1838956
Product Description	FT1834
Tube Sizes (O.D.)	1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
Dimensions	
Length Width Height Weight	8-3/4" 5-1/4" 4-1/4" 2.4 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
Flare Type	45 degree



# **QUICK-ENGAGE FLARE AND SWAGE KIT**

Extra appendages are hard to come by these days. Instead, opt for the all-new hilmor Quick-Engage Flare and Swage. Simple setup, precise positioning and a secure hold allow you to quickly conquer and move on to the next job.



#### **Less Work**

Allows for faster flares and swages because it requires fewer rotations.



#### **Simple Setup**

A clothespin-inspired, springloaded block grips the tube securely.



# **Easy to Position**

A tube-stop arrow slides to set correct height and positioning, while ball detents allow for easy flaring cone alignment.

# **Product Specifications**

Item	Number	1838947

**Product Description FS** 

Tube Sizes (0.D.) 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"

## **Dimensions**

Length	8-1/2"
Width	4-5/8"
Height	7-1/2"
Weight	3.5 lbs.

Tube Materials Soft Tubing Only

Copper, Steel, Aluminum, Brass

Flare Type 45 degree

# **Kit Contents**

1 Bar, 1 Quick-Engage Yoke, 1 Flare Cone 3/16" to 3/4", 5 Swage Heads





Ball detents ensure proper and precise alignment to guarantee a perfect flare or swage every time.



Push down the yoke and with fewer rotations, you get a precise flare or swage.



An innovative spring-loaded block holds the tube firmly in place.



# LARGE FLARE/SWAGE

When you need a precise, quality flare or swage, the hilmor Large Flare/
Swage delivers. Its compact design allows it to fit where others can't.
And, with a long handle for additional leverage, it can help give you a leg up on any job.



#### **Durable**

The cast steel yoke and hardened flaring bar are made to be knocked around.



#### Control

Steel wing nuts make it easy to hold pipe secure.



## **Small Space Capable**

A compact design allows it to be used even in cramped spaces.



# **Quality Flares**

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

# **Product Specifications**

Item Number	1838948
<b>Product Description</b>	FSL
Tube Sizes (O.D.)	3/4", 7/8", 1-1/8"
Dimensions	
Length Width Height Weight	7" 6" 6" 6.4 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
Flare Type	45 degree



Easily changeable swage heads are made for 3/4", 7/8" and 1-1/8" tubing.



Large Flare/Swage 1838948

# **BASIC FLARE / SWAGE KIT**

The hilmor Basic Flare/Swage Kit has the no-muss, no-fuss tools to flare AND swage tubes in a variety of sizes. The small Basic Flare bar handles 1/8" to 7/16" tubes, while the large Basic Flare bar helps you take on 1/2" to 3/4" tubes. Swage head attachments for sizes 1/8" to 3/4" make an entirely new tool for tube working.



## Durable

The cast steel yoke and hardened flaring bars are made to be knocked around.



#### Control

Steel wing nuts make it easy to securely hold tube.



## **Small Space Capable**

A compact design allows it to be used even in cramped spaces.



# **Quality Flares**

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

# **Product Specifications**

Item Number	1937684
Product Description	FSB
Tube Sizes (O.D.)	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4"
Tube Materials	Soft Tubing Only; Copper, Steel, Aluminum, Brass
Flare Type	45 degree
Dimensions	
Length Width Height Weight	9" 12-1/2" 2-1/2" 5.0 lbs.

# **Kit Contents**

2 Bars, 1 Basic Flare/Swage Yoke, 1 Flaring Head, 5 Swage Heads



Basic Flare/Swage Kit 1937684

# NO SWEAT. NO STRAIN. JUST PICTURE-PERFECT SWAGES.



At hilmor, we've built our swaging tools around the way you work. We've retooled the design to make swaging tools much more convenient and comfortable to use. And our tools deliver. Each one is made to be precise.



# **COMPACT SWAGE TOOL KIT**

The new hilmor Compact Swage Tool is taking swaging to the next level. It has the power to swage 2-1/8" tubing and the control to swage 1/4" tubing without a crack. With its small, pistol-shape design, it can fit in the smallest of spaces. This proprietary design can reduce on-the-job fatigue with its easy setup and one-handed operation made possible by an innovative hydraulic mechanism and release button. It's even equipped for multiple sizes.



#### **Picture-perfect Swaging**

Simply select the correct head, place it on the tool and make a quality swage.



## **Less Effort, More Control**

The power to swage 1-5/8" tubing and the control to swage 5/16" without splitting the tube.



#### **Small Space Capable**

A compact design allows it to be used even in cramped spaces.



#### One-handed Operation

The lever mechanism and release button allow for one-handed swaging without the fatigue.



Compact Swage Tool Kit 1839015

# **Product Specifications**

Compact Swage Tool Kit		
Item Number	1839015	
Product Description	CS	
Kit Contents	3/8", 1/2", 5/8", 3/4", 7/8" Expander Heads, Deburrer, Compact Swage Tool	
Tube Sizes (O.D.)	3/8", 1/2", 5/8", 3/4", 7/8"	
Dimensions		
Length	9"	
Width	1-3/4"	
Height	5"	
Weight	8.5 lbs	

Expander Heads & Replacement Parts
Item Numbers Descriptions
1964042 CSEH14 Expander H

CSEH14 Expander Head 1/4" 1839016 CSEH516 Expander Head 5/16" 1839017 CSEH38 Expander Head 3/8" 1/2" 1839018 CSEH12 Expander Head 1839019 CSEH58 Expander Head 5/8" 1839020 CSEH34 Expander Head 3/4" 1839021 CSEH78 Expander Head 7/8" 1839022 CSEH118 Expander Head 1-1/8" 1839023 CSEH138 Expander Head 1-3/8" 1839024 CSEH158 Expander Head 1-5/8" CSEH218 Expander Head 2-1/8" 1964043 1839025 CSB Compact Swage Body Kit N/A 1891258 **Pocket Size Deburring Tool** N/A Tube Materials Soft Tubing Only,

Sizes

Copper, Steel, Aluminum, Brass

Recommended Replacement Hydraulic Fluid HV-15

Recommended Expander Head Lubricant NLGI1 or NLGI2

# **DELUXE COMPACT SWAGE TOOL KIT**

Thoughtfully designed to fit into the smallest of spaces, the hilmor Compact Swage Tool can knock out the picture-perfect swage in just one shot. An innovative hydraulic mechanism and release button let you take care of any job single-handedly.



## **Picture-perfect Swaging**

Simply select the correct head, place it on the tool and make a quality swage.



# **One-handed Operation**

The lever mechanism and release button allow for one-handed swaging without the fatigue.

# **Product Specifications**

Deluxe Compact Swage Tool Kit		
Item Number	1964041	
Product Description	DCS	
Deluxe Kit Contents	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8", 1-3/8", 1-5/8" Expander Heads, Pocket Size Deburring Tool, Compact Swage Tool	
Tube Sizes (O.D.)	1/4", 5/16", 3/8", 1/2", 5/8", 3/4",7/8", 1-1/8", 1-3/8", 1-5/8"	

Dimensions	
Length	9"
Width	1-3/4"
Height	5"
Weight	8.5 lbs

# **Additional Expander Heads**

Item Numbers	Descriptions	Sizes
1964042	CSEH14 Expander Head	1/4"
1964043	CSEH218 Expander Head	2-1/8"



# **PUNCH SWAGE SET**

Get the sizes you need, right when you need them, with the hilmor 5-piece Punch Swage Set. Punches are available in a set with 1/4", 5/16", 3/8", 1/2" and 5/8".



# **Product Specifications**

Item Number	18390	08			
Product Description	S1458				
Tube Sizes (O.D.)	1/4"	5/16"	3/8"	1/2"	5/8"
Dimensions					
Size Diameter Height	1/4" 1/2" 3"	5/16" 2/3" 3"	3/8" 2/3" 3"	1/2" 7/8" 3-3/4"	5/8" 7/8" 3-3/4" 3 oz.
Weight	3 oz.	3 oz.	3 oz.	3 oz.	J UZ.

# **MULTI-SWAGE PUNCH**

One punch. Multiple tube sizes. The hilmor Multi-Swage Punch is designed to fit 1/4" to 5/8" tubes. Made of steel and chrome-coated for a durable design with less friction against the tube.

1839008



The Multi-Swage Punch tool is intelligently designed with a broader base to reduce missed hits.

Item Number	1839009
Product Description	MS
Tube Sizes (O.D.)	1/4" to 5/8" (1/4", 5/16", 3/8", 1/2", 5/8")
Dimensions	
Diameter Height Weight	7/8" 5-1/4" 6 oz.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass



# CUTTIME, HARD WORK AND EXCESS TUBING.



Trim back on the unnecessary complexities of the job with hilmor's new line of tubing cutters. They're ruggedly durable and designed to slice through copper, PEX and PVC tubing like it's their job. Whether you're up on a ladder or stuck in a crawl space, hilmor tubing cutters will perform time and time again.



# SMALL DIAMETER TUBING CUTTERS

When you're in a tight space, this tool can definitely cut it. hilmor's ruggedly durable Small Diameter Tubing Cutters offer precision cuts with minimal burrs.



## **Rugged and Durable**

An ergonomic, cast-zinc body and shock-resistant steel wheel reduce burrs while increasing life and durability.



# **Small Space Capable**

Compact design allows this tool to fit where others can't.



## **Maximum Protection**

A full-stop threading system offers maximum protection for cutting wheels.



# **Precision Flare Cutting**

A flare-cutting groove allows for precision removal of material. Item 1885383 only.



## **Spare Blade Storage**

A bonus blade comes with the tool and can be stored easily in the handle. Items 1885382 & 1885383 only.

# **Product Specifications**

Item Numbers	1885381	1885382
<b>Product Descriptions</b>	TC1858	TC181
Diameters	1/8" - 5/8"	1/8" - 1"
Dimensions		
Length Width Height Weight	1-3/8" 3/4" 1-3/4" 4 oz.	1-3/4" 3/4" 2-3/8" 6 oz.

Item Number	1885383
Product Description	TC18118 TC
Diameter	1/8" - 1-1/8"
Dimensions	



Small Diameter Tubing Cutters 1/8"- 5/8", 1/8"- 1", 1/8"- 1-1/8" 1885381, 1885382, 1885383



# **LARGE DIAMETER TUBING CUTTERS**

This cutter can talk the talk without walking the walk. hilmor's Large Diameter Tubing Cutters feature a four-roller tracking system to keep the tube from threading. All the while, a shock-resistant steel wheel cuts through the tube like a knife through butter.



## **Rugged and Durable**

An ergonomic, cast-zinc body and shock-resistant steel wheel reduce burrs while increasing life and durability.



## **Precision Flare Cutting**

A flare-cutting groove allows for precision removal of material.



#### **Maximum Protection**

A full-stop threading system offers maximum protection for cutting wheels.



## Spare Blade Storage

A bonus blade comes with the tool and can be stored easily in the handle.



## **Accurate Cutting**

A unique, four-roller tracking system keeps the tube from threading.



# **Professional Deburring**

Conveniently deburr tubes with a replaceable machinist's reamer.



# Quick on the Job

Quick-action ratcheting helps you get the job done in a snap. Item 1885385 only.

# **Product Specifications**

Item Numbers	1885384	1885385
<b>Product Descriptions</b>	TC18138	TC18134
Diameters	1/8" - 1-3/8"	1/8" - 1-3/4"
Dimensions		
Length Width Height Weight	2-3/4" 1-3/4" 6-1/4" 1.4 lbs.	3" 1-3/4" 7-7/8" 1.7 lbs.

Accessories	
Item Number	1885386
Product Description	Small Tubing Cutter Wheels 2PK Fits hilmor Tubing Cutters: 1885381, 1885382
Item Number	1885387
Product Description	Tubing Cutter Wheels 2PK Fits hilmor Tubing Cutters: 1885383, 1885384, 1885385
Item Number	21024TCD
Product Description	Replacement Deburrer for 1885384 and 1885385



Large Diameter Tubing Cutters 1/8"-1-3/8" and 1/8"-1-3/4" 1885384, 1885385

# **PLASTIC TUBING CUTTER**

We've cut out the unnecessary complexity so you can cut plastic. hilmor's Plastic Tubing Cutter gets the job done with ease. Simple design and intuitive features allow you to get a handle on any cut.



# **Rugged and Durable**

An ergonomic, cast-aluminum body and stainless steel blade increase life and durability.



# **Comfortable Grip**

A rubberized handle makes it easier to use in wet and dirty environments.



# Easy to Open and Close

A conveniently positioned locking latch allows for true one-handed operation.

# **Product Specifications**

Item Number	1885388
<b>Product Description</b>	PTC Plastic Tube Cutter
Diameter	1-5/16" MAX OD
Dimensions	

Replacement Blade	
Item Number	1885390
Product Description	PTCRB Plastic TC Rep Blade



A stainless steel blade gives you the strength and precision for any cut.



# **RATCHETING PLASTIC TUBING CUTTERS**



# **Rugged and Durable**

An ergonomic, cast-aluminum body and stainless steel blade increase life and durability.



## **Comfortable Grip**

A rubberized handle makes it easier to use in wet and dirty environments



# Easy to Open and Close

A conveniently placed release button allows for true onehanded operation, while a locking tab secures the blade in place.

# **Product Specifications**

Item Number	1885393
Product Description	RPTC158
Diameter	1-5/8" MAX OD
Dimensions	
Length Width Height Weight	9" 1-1/8" 4-1/8" 1.0 lbs.

Replacement Blade
-------------------

Item Number 1885394

Product Description RPTC158RB Rat TC Rep Blade





# **Rugged and Durable**

An ergonomic, cast-aluminum body and high-carbon steel blade increase life and durability.



# Easy to Open

Simply pull both handles apart to quickly start the next cut.



Item Number	1885395
<b>Product Description</b>	RPPTC238
Diameter	2-3/8" MAX OD
Dimensions	
Length Width Height Weight	13-1/8" 1-1/3" 6" 2.5 lbs.

Replacement Blade	
Item Number	1885396
Product Description	RPTC238RB Rat TC Rep Blade

# ALL THE TOOLS IT TAKES TO TACKLE DUCT WORK.



Whether you need to bend, crimp, pierce or cut sheet metal or duct work, our family of Sheet Metal and Duct Tools are up for the challenge.

# **POCKET BRAKE**

The hilmor Pocket Brake is a portable sheet metal scoring tool that permits quick and precise, on the job, sheet metal fabrication.



# Flexibility & Speed

Save time by performing onsite sheet metal fabrication.



# **Jobsite Fabrication**

Ambidextrous design with twin metal scoring wheels provides a stable and accurate sheet metal scoring tool.



# **Ergonomic Design**

Ergonomic design permits ambidextrous use.

# **Product Specifications**

Item Number	HPB1701
Product Description	НРВ
Dimensions	
Length Width Height Weight	4.33" 2.90" 2.85" 1.53"



Pocket Brake HPB1701

# **AVIATION SNIPS**

Cut sheet metal, duct, stainless steel.
Oh, and time. hilmor Aviation Snips
feature color-coded handles that make
finding the right tool quick and easy.
Plus, they have a comfortable grip and
durable blades.



# Rugged and Durable

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



# **Quick Identification**

Color-coded handle inserts and splines make identification simple.



# **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



Bulldog Aviation Snip 1891136

Aviation Snips				
Item Nun	nbers 1891133	1891134	1891135	1891172
Product I	Descriptions SNIPAL	SNIPAR	SNIPAS	SNIPASLR
Capacity CRS SS	18ga 22ga	18ga 22ga	18ga 22ga	18ga 22ga
Dimensions				
Width Height	10-3/8" 3-1/2" 7/8" 1.1 lbs.	10-3/8" 3-1/2" 7/8" 1.1 lbs.	10-3/8" 3-1/2" 7/8" 1.1 lbs.	10-3/8" 9-1/2" 9-1/2" 3.3 lbs.
Cutting E	Direction	*	<b>*</b>	3PC Set

Bulldog & Offset Aviation Snips			
Item Numbers	1891136	1891137	1891138
Product Descriptions	SNIPAB	SNIPOL	SNIPOR
Capacity CRS SS Dimensions	16ga 20ga	18ga 22ga	18ga 22ga
Length Width Height Weight	9-1/2" 3-1/2" 7/8" 1.0 lbs.	10-1/4" 3-1/4" 1" 1.1 lbs.	10-1/4" 3-1/4" 1" 1.1 lbs.
Cutting Direction	*	4	*



Color-coded handle inserts for quick identification.



Lock for quick and easy storage.

# **TINNER SNIPS**

Straight cuts. Curved cuts. Left and right. That's what a rubberized handle and hot-drop forged steel blades can do for you. The hilmor Tinner Snips get it done.



#### Rugged and Durable

Precision-formed, hot-drop forged steel blades increase life and durability.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



# **Product Specifications**

Item Numbers	1891175
Product Descriptions	SNIP12T
Sizes	12"
Capacity CRS SS	20ga 22ga
Dimensions	
Length	12-3/8"

**Cutting Direction** 

Width

Height

Weight



1891173

Aluminum Handle Snip

4-3/8" 1/2"

1.5 lbs.



# **ALUMINUM HANDLE SNIP**

If longer, cleaner cuts are your thing, this pair of snips is for you. It's lightweight, aluminum composition makes this tool easy to handle and comfortable in your hands.



# **Rugged and Durable**

Lightweight aluminum construction and replaceable blades increase life and durability.



# **Less Work**

A 3-1/2" cut length requires fewer cuts to complete the job.



# **Added Versatility**

Use either right or left hand to easily make cuts.

Item Number	1891173		
Product Description	SNIP13AH		
Capacity CRS SS	24ga 28ga		
Dimensions			
Length Width Height Weight	13" 4" 1/2" 1.2 lbs.		
Cutting Direction	<b>*</b>		
Replacement Blade	Replacement Blade		
Item Number	1891174		
Description	SNIP13AHRB 13" AL HAND REP BLADE		

# PIPE DUCT CUTTER

The hilmor Pipe Duct Cutter offers rugged steel blades and a reinforced spring to cut through up to 18-gauge sheet metal and 22-gauge stainless steel with ease.



## **Rugged and Durable**

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



#### **Pipe Duct Cutter**

For cutting metal pipe and duct.

# **Product Specifications**

Item Number	1891189
Product Description	SMTPDC
Capacity CRS SS	18ga 22ga
Dimensions	



Pipe Duct Cutter 1891189

# **V-NOTCHER**

This tool puts the V-notch in HVAC/R. It's perfect for making clean 30° V-shaped cuts in sheet metal without distorting or crimping the material.



## **Rugged and Durable**

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



#### **V-Notcher**

Cuts V-shaped notch in sheet

# **Product Specifications**

Item Number	1891180
Product Description	SMTVN1
Capacity CRS SS	18ga 22ga
Dimensions	



V-Notcher 1891180

# **SNAP LOCK PUNCH**

You've heard the saying. A screw is temporary, but the Snap Lock Punch is forever. This tool can join sheet metal, duct or pipe in a snap for a hold that lasts a lifetime.



# **Rugged and Durable**

Stainless steel blades and a reinforced chrome silicon spring increase life and durability.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



# **Snap Lock Punch**

For joining sheet metal, duct and pipe.

# **Product Specifications**

Item Number	1891182
Product Description	SMTSLP
Capacity CRS SS	18ga 22ga
Dimensions	
Length Width Height Weight	8-7/8" 3" 7/8" 1.1 lbs.



Snap Lock Punch 1891182

# **HAND CRIMPERS**

A crimping tool that won't cramp your style. Or your hand. hilmor Hand Crimpers come standard with contoured rubber grips that fit comfortably in your hands. Happy crimping!



## Rugged and Durable

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



# **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



# **Hand Crimper**

For crimping round metal pipe.

Item Numbers	1891186	1891187
Product Descriptions	SMTCTTT	SMTBC5
Capacity CRS SS	18ga 22ga	18ga 22ga
Dimensions		
Length Width Height	9-3/4" 3" 7/8"	9-3/4" 3" 7/8"



# **HAND SEAMERS**

They can bend sheet metal. Flatten it. And flat-out get the job done. 1/4" depth marks ensure an accurate bend, and a reinforced spring stands the test of time.



# Rugged and Durable

Stainless steel blades and a reinforced chrome silicon spring increase life and durability.



# Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



# **Quick Identification**

1/4" depth marks on the blades allow for quick bends.



## Seamer

For bending and flattening sheet metal.

Item Numbers	1891185	1891183	1891184
Product Descriptions	SMTHS3	SMTHS03	SMTHS6
Sizes	3"	3" Offset	6"
Capacity CRS SS	18ga 22ga	18ga 22ga	18ga 22ga
Dimensions			
Length Width Height Weight	9-3/4" 3-1/8" 7/8" 1.5 lbs.	8-1/4" 5" 3-1/4" 1.4 lbs.	10" 6" 3-1/2" 2.2 lbs.



1/4" depth marks on the blades allow for quick bends.



Locking latch.



# **FOLDING TOOLS**

This tool can fold without folding on the job. From end caps to folds for drive cleats, hilmor Folding Tools can handle it all. Strength meets precision with sight holes for depth alignment.



# **Folding Tool**

Built for both 3/8" (10mm) and 1" (25mm) folds.



## **Accurate Folding**

Equipped with sight holes for proper depth alignment.

# **Product Specifications**

Item Numbers	1891146	1890985	1890986
Product Descriptions	SMTFT12	SMTDT18	SMTFT24
Capacity CRS	18ga	18ga	18ga
Dimensions			
Length	12"	18"	24"
Width	3-1/4"	3-1/4"	3-1/4"
Height	1/5"	1/5"	1/5"
Weight	1.4 lbs.	2.1 lbs.	2.8 lbs.



12", 18" & 24" Folding Tools 1891146, 1890985, 1890986

# **DUCT STRETCHER**

Two ducts. One hand. Bring it all together with the hilmor Duct Tool. Large gaps are no match. Its sleek aluminum body maintains a low profile to get into tight spaces.



## **Rugged and Durable**

An all-aluminum body increases life and durability.



## **Small Space Capable**

Features a low profile for use in tight spaces.



## **Added Versatility**

Additional spacing holes allow wheels to be adjusted for use on large gaps.



# **Comfortable Grip**

A cushion grip for reduced hand fatigue.

# **Product Specifications**

Item Number	1890987
<b>Product Description</b>	SMTDS
Dimensions	
Length Width Height Weight	16" 1/4" 1-1/2" 11 oz.

# **Replacement Wheels**

Product Description SMTDSRW Rep Wheels 2PK



# **HOLE CUTTERS**

Power and precision. Cut holes in sheet metal like a knife through butter, and make them precise with metric and standard scales. Handles 2" to 20" holes.



# **Rugged and Durable**

Includes a lightweight aluminum frame, with a milled bit for life and durability.



# **Added Versatility**

Get two-in-one capabilities with both inch and metric scales.



#### **Perfect Fit**

Fits into any corded or cordless drill with a 1/4" or larger chuck.

# **Product Specifications**

Item Numbers	1891191	1891192
Product Descriptions	SMTHC212	SMTHC220
Sizes	2" to 12"	2" TO 20"
Dimensions		
Length Width Height Weight	7" 3" 1" 1.1 lbs.	11" 3" 1" 1.5 lbs.
Replacement Part		
Item Number	1891193	
Description	SMTHCRB Rep Bit 1 Pack	

2" to 12" & 2" to 20" Hole Cutters 1891191, 1891192



# **DUCT SLITTING TOOL**

Don't let its unassuming design fool you. The Duct Slitting Tool can pierce, slit or scribe with the best of them.



#### **Comfortable Grip**

Over-molded handle reduces hand fatigue and won't slip or twist.



#### **Extra Versatility**

Designed to scribe lines or pierce and enlarge holes in sheet metal.

Item Number	1890990
<b>Product Description</b>	SMTDR
Dimensions	
Length Width Height Weight	9-3/8" 1-1/4" 1-1/4" 6 oz.



# **DUCT KNIFE**

It's time to cut ties with your old knife. The hilmor Duct Knife's hardened stainless steel blade can cut through duct board with silky, smooth precision.



#### **Rugged and Durable**

A hardened stainless steel blade increases life and durability.



#### **Comfortable Grip**

Over-molded handle reduces hand fatigue and won't slip or twist.



#### **Added Versatility**

Serrated and standard cutting edges made to cut duct board and flexible duct.



## **Simple Storage**

A puncture-resistant nylon sheath with a belt loop allows for quick and easy storage.

# **Product Specifications**

Item Number	1891331
Product Description	SMTDK
Dimensions	
Length Width Height Weight	11-5/8" 5/8" 1-3/8" 10 oz.



# **CABLE TIE TENSIONING TOOL**

The hilmor Cable Tie Tensioning Tool can relieve the stress of the job. It seamlessly tightens heavy and lightweight cable, and cuts excess material with its easy-to-use lever.



#### Versatility

Works with both light and heavyduty nylon cable ties.



#### Clean Cut

Easy-to-use cutting lever allows for flush cutting of excess material.


# **Product Specifications**

Item Number	1891190
<b>Product Description</b>	SMTCTTT
Dimensions	
Length Width Height Weight	7-5/8" 3-7/8" 5/8" 10 oz.

Cable Tie Tensioning Tool 1891190



# TOOLS TO HELP YOU KICK IT OFF OR DRIVE IT HOME.



When it comes to tightening and loosening fasteners, you want tools that can get the job done fast without damaging the screw. Same for the next job and the job after that. That's why our line of Screwdrivers, Nut Drivers, Nutsetters and Hex Keys are built for the long haul.

# **FAST CONNECT MAGNETIC NUT DRIVER SET**

The nut driver has evolved. The set features a 3" and 6" hilmor Fast Connect Magnetic Nut Driver. The name alone says it all. They're lightning fast and allow for one-handed quick release for fast and easy bit changes.



## Simple Setup

A quick-change mechanism allows for easy change-out of standard bits with 1/4" hex shank.



## **Added Versatility**

Set includes both stubby and 4" handles, ensuring you have the right size tool for the job.



## Secure Hold

A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.



## **Reduced Stripping**

Designed to drive fasteners on the side instead of on the corners, reducing breakage and stripping.



## **Quick Identification**

A color-coded band makes size identification simple.



## **Convenient Storage**

Soft storage pouch with additional bit storage keeps everything organized.

# **Product Specifications**

Item Number 1937912

Product Description SBSFC

## **Kit Contents**

2-1/2" Fast Connect Bit Extension for 1/4" 1-7/8" Magnetic Nutsetters for 1/4", 5/16", 3/8"

#1 x 2" Phillips Impact Bit

#2 x 2" Phillips Impact Bit

#1 x 2" Square Impact Bit

#2 x 2" Square Impact Bit

4-5 x 2" Slotted Impact Bit

6-8 x 2" Slotted Impact Bit

## **Dimensions**

Length 4"
Width 4"
Height 1-3/4"
Weight 11 oz.



## **FAST CONNECT SCREWDRIVER BIT SET**

Fumbling around with bits is a waste of time. The hilmor Fast Connect Screwdriver Bit Set is definitely not. The set features the Fast Connect Bit Extension that's impact driver ready. Quickly swap out bit sizes in seconds flat.



## **Impact Compatible**

Extension and bits are specially manufactured for use with impact drivers.



### 1/4" Shank

The 1/4" quick-change shank is designed for use in impact drivers and rotary drills.



### **Secure Fit**

Precision tip geometry allows for a better fit and reduced stripping.



### Secure Hold

A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.



## **Reduced Stripping**

Designed to drive fasteners on the side instead of on the corners, reducing breakage and stripping.



## **Convenient Storage**

Compact kit box included for quick and easy storage.

Fast Connect Screwdriver Bit Set 1937912

## **Product Specifications**

Item Number 1937912

Product Description SBSFC

## **Kit Contents**

2-1/2" Fast Connect Bit Extension for 1/4"

1-7/8" Magnetic Nutsetters for 1/4", 5/16", 3/8"

#1 x 2" Phillips Impact Bit

#2 x 2" Phillips Impact Bit #1 x 2" Square Impact Bit

#2 x 2" Square Impact Bit

#2 x 2" Square Impact Bit

4-5 x 2" Slotted Impact Bit 6-8 x 2" Slotted Impact Bit

Dimensions

Length 4"
Width 4"
Height 1-3/4"
Weight 11 oz.



## **MAGNETIC NUTSETTERS**

Choose a size. Lock in your bit. And get right to it. The hilmor Magnetic Nutsetters can do work in seconds flat. They feature magnetic tips and a lobular design to grab any bit.

## **Product Specifications**

Item Numbers	Product Descriptions	Sizes	Length	Width	Height	Weight
1937872	MNS146	1/4"	<u>-</u>	 3/8"	<u>-</u>	2 oz.
1937873	MNS5166	5/16"	6"	5/16"	5/16"	2 oz.
1937874	MNS386	3/8"	6"	1/2"	1/2"	3 oz.
1885435	MNS14178	1/4" - Set of 3	1-7/8"	3/8"	3/8"	2 oz.
1885436	MNS516178	5/16" - Set of 3	1-7/8"	5/16"	5/16"	3 oz.
1885437	MNS38178	3/8" - Set of 3	1-7/8"	1/2"	1/2"	3 oz.
1937871	MNS1783	1/4", 5/16", 3/8"	1-7/8"	NA	NA	3 oz.
1937875	MNS63PS	1/4", 5/16", 3/8"	6"	NA	NA	2 oz.



## **Secure Hold**

A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.



## **Impact Compatible**

Bits are specially manufactured for use with impact drivers.



### Quick ID

A color-coded band makes size identification simple.



## **Reduced Stopping**

Designed to drive fasteners on the side instead of on the corners, reducing breakage and stripping.



## 1/4" Shank

The 1/4" quick-change shank is designed for use in impact drivers and rotary drills.



## **Rugged and Durable**

Bits are built to last, manufactured from cold-forged, high-grade steel and coated with black oxide to resist corrosion.



## **MAGNETIC NUT DRIVERS**

All sizes to conquer jobs big and small. The hilmor Magnetic Nut Drivers give you a secure hold when and where you need it.

## Co

### **Secure Hold**

A magnetic tip keeps fasteners firmly in place.



### **Quick Identification**

A color-coded insert makes size identification simple.



### **More Torque**

A slip-resistant grip and wrench flats allow for maximum leverage. Wrench flat items 1839076 and 18839077 only.



## **Big Bolt Capable**

A hollowed shaft allows for use on long bolts.



## **Rugged and Durable**

Designed to last with a durable chrome-vanadium steel construction.

## Sizes

1-1/2" Shaft Magnetic Nut Drivers: Available in 1/4" and 5/16" sizes or as a 2-piece set.

3" and 6" Shaft Magnetic Nut Drivers: Sold individually, or choose our full 7-piece set or our handy 2-piece set.

18" Shaft Magnetic Nut Drivers: Available in 1/4" and 5/16" sizes.

1-1/2" Magnetic Nut Drivers					
Item Numbers	1839055	1839056	1839057		
Product Descriptions	SHSM14	SHSM516	SHSM2PC		
Sizes	1/4"	5/16"	Set of 2 1/4" & 5/16"		
Colors	Red	Yellow	Red & Yellow		
Dimensions					
Length Width Height Weight	3-1/2" 1-1/4" 1-1/4" 2 oz.	3-1/2" 1-1/4" 1-1/4" 2 oz.	3-1/2" 1-1/4" 1-1/4" 2 oz.		

18" Magnetic Nut Drivers				
Item Numbers	1839076	1839077		
Product Descriptions	XLHSM14	XLHSM516		
Sizes	1/4"	5/16"		
Colors	Red	Yellow		
Dimensions				
Length Width Weight	22" 1-1/4" 6 oz.	22" 1-1/4" 6 oz.		



## MAGNETIC NUT DRIVERS

3" Magnetic Nut Drivers						
Item Numbers	1839059	1839060	1839063	1839066	1839065	
Product Descriptions	HSM14	HSM516	HSM716	HSM2PC	HSM7PC	
Sizes	1/4"	5/16"	7/16"	Set of 2 1/4" & 5/16"	Set of 7	
Colors	Red	Yellow	Brown	Red & Yellow	Multi	
Dimensions						
Length	6-7/8"	6-7/8"	7-1/4"	6-7/8"	6-7/8" 7-1/4"	
Width	1-1/4"	1-1/4"	1-3/8"	1-1/4"	1-1/4" 1-3/8"	
Height	1-1/4"	1-1/4"	1-3/8"	1-1/4"	1-1/4" 1-3/8"	
Weight	3 oz.	3 oz.	6 oz.	6 oz.	1.7 lbs.	





## MAGNETIC NUT DRIVERS

6" Magnetic Nut Drivers				
Item Numbers	1839068	1839069	1839074	1839075
Product Descriptions	LHSM14	LHSM516	LHSM2PC	LHSM7PC
Sizes	1/4"	5/16"	Set of 2 1/4" & 5/16"	Set of 7
Colors	Red	Yellow Red &	& Yellow	Multi
Dimensions				
Length	9-7/8"	9-7/8"	9-7/8"	9-7/8" 10-1/4"
Width	1-1/4"	1-1/4"	1-1/4"	1-1/4" 1-3/8"
Height	1-1/4"	1-1/4"	1-1/4"	1-1/4" 1-3/8"
Weight	3 oz.	3 oz.	6 oz.	1.9 lbs.





## REVERSIBLE MAGNETIC NUT DRIVERS

The hilmor Reversible Magnetic Nut Drivers incorporate a high performance socket design that drives the fastener from the flats, not the corners, minimizing slippage. The most fun you can have without stripping!

## **Product Specifications**

Item Numbers	Product Descriptions	Sizes	Weight
1937881	RMAGND275	2-3/4"	0.1 lbs
1937882	RMAGND4	4"	0.2 lbs
1937883	RMAGND6	6"	0.22 lbs



## **Reduced Stripping**

High performance socket design drives the fastener from the flats, not the corners, minimizing slippage.



## Tapered Design

Tapered socket design for improved access in tight spaces. or twist.

## Sizes

2-3/4" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)

4" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)

6" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)



2-3/4", 4" and 6" Reversible Magnetic Nut Drivers 1937881, 1937882, 1937883



Quick-Change Magnetic Nut Driver 1/4" & 5/16" Shaft Length 3" 1839054

## **QUICK-CHANGE MAGNETIC NUT DRIVERS**

It's as if 1/4" to 5/16" had an HVAC/R baby. The hilmor Quick-Change Magnetic Nut Driver is two tools in one, so you can switch from 1/4" to 5/16" with ease. A color-coded handle makes for quick identification. A magnetic tip keeps fasteners firmly in place.



### **Secure Hold**

A magnetic tip on both ends keeps fasteners firmly in place.



## **Added Versatility**

Quickly switch between 1/4" and 5/16", the two most common sizes.



## **Quick Identification**

A color-coded insert on the bands and bottom makes size identification simple.



## **Big Bolt Capable**

A hollowed shaft allows for use on long bolts.



## **Rugged and Durable**

Designed to last with a durable chrome-vanadium steel construction.

## **Product Specifications**

1/4" and 5/16" Quick-Change Magnetic Nut Drivers					
Item Numbers	1937818	1839054	1891260		
Product Descriptions	QCNDS	QCND	QCND6		
Shaft Length	1-1/4"	3"	6"		
Sizes	1/4" & 5/16"	1/4" & 5/16"	1/4" & 5/16"		
Dimensions					
Length Width Height Weight	3-1/4" 1-1/4" 1-1/4" 3 oz.	7-1/2" 1-1/3" 1-1/3" 6 oz.	10-3/8" 1-1/3" 1-1/3" 6 oz.		



Quick-Change Magnetic Nut Drivers 1-1/4", 3" & 6" 1937818, 1839054, 1891260

## RATCHETING 9 IN 1 MULTI-TOOL

A simple twist of the hand can drive a screw, nut or bolt in no time. Nine different bits are at your disposal. A ratcheting mechanism and an ergonomic rubber grip comes standard.



## Rugged and Durable

Designed with a high-torque ratcheting mechanism and thick shaft walls for long life and less stripping.



## **More Torque**

A slip-resistant grip allows for maximum leverage.



## Simple Setup

Easily change between forward, reverse and locked positions.

TR91
1 & #2 Phillips, 3/16" & 1/4" lotted, #2 Square, 1/4", 5/16", nd 3/8" Nut Drivers, and Valve ore Remover.
-1/2" 1/4" 1/4"
ַ



Features 9 driving bits, including a Valve Core Remover.



## 9 IN 1 MULTI-TOOL

When you've got a lot of jobs but not a lot of time, the 9 in 1 Multi-Tool from hilmor can save the day. It features a slip-resistant grip for more torque and a thick-walled shaft for more durability.



## **Rugged and Durable**

Designed with thick shaft walls for long life and less stripping.



## **More Torque**

A slip-resistant grip allows for maximum leverage.

## **Product Specifications**

Weight

Item Numbers	1839053	1937819
<b>Product Descriptions</b>	9IN1SV	MT9IN16
Bit Sizes	#1 & #2 Phillips, 3/16" & 1/4" Slotted, #2 Square, 1/4", 5/16", and 3/8" Nut Drivers, and Valve Core Remover.	
Dimensions		
Length Width Height	7-1/4" 1-1/3" 1-1/3"	10-1/2" 1-1/8" 1-1/8"



7 oz.

10 oz.

## **6 IN 1 STUBBY MULTI-TOOL**

Small spaces come standard in HVAC/R. That's why you need the hilmor 6 in 1 Stubby Multi-Tool. Its compact design fits right in, giving you the necessary torque to tighten or loosen a screw or nut.



## Small Space Capable

A compact design allows for use in tight spaces.



### **More Torque**

A slip-resistant grip allows for maximum leverage.



## **Simple Setup**

Easily change between six different drivers - 3/16" and 1/4" Slotted, #1 and #2 Phillips, 1/4" and 5/16" Nut Drivers.

1891351
MTS
3/16" and 1/4" Slotted, #1 and #2 Phillips, 1/4" and 5/16" Nut Drivers.
4-7/8"



## **IMPACT FASTENER BITS**

Small but mighty. hilmor Impact Fastener Bits are built to stand the test of time. They fit right in with the aggressive nature of impact drivers. Heavy-duty, high-grade steel will withstand extremely high torque output.



## **Impact Compatible**

Bits are specially manufactured for use with impact drivers.



## Rugged and Durable

Bits are built to last, manufactured from high-grade steel and coated with black oxide to resist corrosion.



### **Secure Fit**

Precision tip geometry allows for a better fit and reduced stripping.



## 1/4" Shank

The 1/4" quick-change shank is designed for use in impact drivers and rotary drills.

## **Product Specifications**

ltem Numbers	Product Descriptions	Bit Size
1937913	PB12	#1 Phillips
1937914	PB22	#2 Phillips
1937915	SQB12	#1 Square Bit
1937916	SQB22	#2 Square Bit
1937917	SLB452	4-5 Slotted Bit
1937918	SLB682	6-8 Slotted Bit

## **Dimensions**

Length	7/8"		
Height	1/4"		
Width	1/4"		
Weight	1 oz.		

## #1 Phillips 1937913



## #1 Square Bit 1937915



## 4-5 Slotted Bit 1937917



## #2 Phillips 1937914



## #2 Square Bit 1937916



## 6-8 Slotted Bit 1937918



## **FAST CONNECT BIT EXTENSION**

Built for serious impact. And impact drivers. The hilmor Fast Connect Bit Extension gives you more versatility and maximum durability. All it takes is one hand to quickly release the bit and move on to the next job.



## **Impact Compatible**

Extension is specially manufactured for use with impact drivers.



## 1/4" Shank

Jaw design is compatible with all 1/4" hex shank accessories, including insert bits, while the 1/4" Fast Connect shank is designed for use in impact drivers and rotary drills.



## **Protection**

A black oxide coating resists corrosion.

Item Number	1937919
Product Description	FCE25
Dimensions	
Length Width Height Weight	2-1/4" 3/4" 3/4" 2 oz.



## KEYSTONE TIP DEMOLITION SCREWDRIVERS

It's a screwdriver on steroids.

Pounding, prying, chiseling – no problem. A metal strike cap and through shaft can handle just about everything you put in front of it.



## **Rugged and Durable**

Designed to last with a heattreated, chrome-plated through shaft and metal strike cap.



## **More Torque**

A slip-resistant grip allows for maximum leverage.



### **Secure Fit**

A machined tip allows for a better fit.

## **Product Specifications**

Item Numbers	1891395	1891396
Product Descriptions	SDSLKTDEM0144	SDSLKTDEMO5167
Shaft Length Tip Type/Size	4" 1/4"	7" 5/16"
Dimensions		
Length Width Height Weight	8" 1" 1" 6 oz.	11-1/8" 1-1/8" 1-1/8" 6 oz.



Metal strike cap.



1/4" Keystone Tip Demolition Screwdriver 4" 1891395

## **KEYSTONE TIP & CABINET TIP SCREWDRIVERS**

Driven to perform. Everything about these screwdrivers says get work done. They're designed to last with a heat-treated, chrome-plated shaft, yet they wouldn't dare strip out your screws.



### **More Torque**

A slip-resistant grip allows for maximum leverage.



## **Quick Identification**

Easy-to-read tip markings on the handle make identification quick and easy.



## **Rugged and Durable**

Designed to last with a heattreated, chrome-plated shaft.





KEYSTONE TIP	SCREWDRIVERS				
Item Numbers	1891355	1891352	1891356	1891358	1891286
Product Descriptions	SDSLKTRS14112	SDSLKTSS144	SDSLKTRS144	SDSLKTRS5166	SDSLKTRS388
Shaft Length Tip Type/Size		4" 1/4"	4" 1/4"	6" 5/16"	8" 3/8"
Dimensions					
Length Width Height Weight	3-1/2" 1-1/4" 1-1/4" 2 oz.	8-1/8" 1" 1" 4 oz.	8" 1-1/8" 1-1/8" 4 oz.	10-1/2" 1-1/4" 1-1/4" 6 oz.	12-1/2" 1-3/8" 1-3/8" 8 oz.

CABINET TIP S	CREWDRIVERS		
Item Numbers	1891287	1891288	1891289
Product Descriptions	SDSLCTRS3163	SDSLCTRS3166	SDSLCTRS146
Shaft Length Tip Type/Size	3" 3/16"	6" 3/16"	6" 1/4"
Dimensions			
Length Width Height Weight	6-1/2" 1" 1" 3 oz.	9-1/2" 1" 1" 3 oz.	10-1/4" 1" 1" 4 oz.

## TERMINAL BLOCK SCREWDRIVER

A unique screw calls for a unique screwdriver. The Terminal Block Screwdriver is one-of-a-kind with a heat-treated shaft and supercomfortable grip.



### **More Torque**

A slip-resistant grip allows for maximum leverage.



### **Quick Identification**

Easy-to-read tip markings on the handle make identification quick and easy.



## **Rugged and Durable**

Designed to last with a heattreated, chrome-plated shaft.



### **Secure Fit**

A machined tip allows for a better fit.

## **Product Specifications**

Item Number	1891397
<b>Product Description</b>	SDTB4
Shaft Length Tip Type/Size	4" Terminal Block
Dimensions	



## PHILLIPS TIP SCREWDRIVERS

Forget screws that won't strip. You need a screwdriver that won't strip them. Introducing the hilmor Phillips Tip Screwdriver featuring machined tips for a precise fit. A rugged shaft and comfortable handle round out this tool nicely.



## **More Torque**

A slip-resistant grip allows for maximum leverage.



## Quick Identification

Easy-to-read tip markings on the handle make identification quick and easy.



## **Rugged and Durable**

Designed to last with a heattreated, chrome-plated shaft.



## **Secure Fit**

A machined tip allows for a better fit.

Item Number 1891290	rs 1891391	1891392	1891393	1891394
Product Desc SDPHRS13		SDPHRS24	SDPHRS27	SDPHRS36
Tip Type/Siz #1PH Shaft Length 3"	#2PH	#2PH 4"	#2PH 7"	#3PH 6"
Dimensions				
Dimensions Length 6-1/2" Width	3-1/2"	8"	11"	10-1/2"
Length 6-1/2" Width 1"	3-1/2" 1-1/4"	8" 1"	11" 1"	10-1/2" 1-1/4"
Length 6-1/2" Width				



## PRECISION SCREWDRIVER SET

When the job calls for precision, reach for hilmor. The Precision Screwdriver Set features machined tips and rotating heads. Plus, a convenient storage pouch keeps you organized.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



## **Maximum Precision**

A rotating head allows for precise adjustments while giving you greater control.



### **Quick Identification**

Easy-to-read tip markings on the handle make identification quick and easy.



### **Storage**

Pouch included for quick and easy storage.

## **Product Specifications**

Item Number	1891089
<b>Product Description</b>	SDPS
Includes	1/16" x 2" Slotted #0 x 3" Phillips 3/32" x 3" Slotted 1/8" x 4" Slotted 1/8" x 6" Slotted

## **Dimensions**

Length	10-1/4"
Width	5"
Height	1/8"
Weight	10 oz.



Includes storage pouch.



Tip markings for quick identification.



## **SCREWDRIVER SETS**

Tip markings on the handle for quick ID. Heat-treated shafts for extra durability. There are thousands of screwdrivers to choose from, but only one set says hilmor. Available in 5-piece or 7-piece sets.



## **More Torque**

A slip-resistant grip allows for maximum leverage.



## **Quick Identification**

Easy-to-read tip markings on the handle make identification quick and easy.



## **Rugged and Durable**

Designed to last with a heattreated, chrome-plated shaft.



## Secure Fit


A machined tip allows for a better fit.

## **Product Specifications**

Item Numbers	1891087	1891088
Product Descriptions	SD5PC	SD7PC
Includes 5-piece Set	#2 Phillips Tip Roo 3/16" Cabinet Tip 1/4" Cabinet Tip R 1/4" Keystone Tip 5/16" Keystone Ti	Round Shank 6" ound Shank 6"
7-piece Set	#1 Phillips Tip Rou #2 Phillips Tip Rou 3/16" Cabinet Tip 3/16" Cabinet Tip 1/4" Cabinet Tip R 1/4" Keystone Tip 5/16" Keystone Ti	und Shank 4" Round Shank 3" Round Shank 6" ound Shank 6"
Dimensions		
Length Width Height	10-1/4" 1-1/4" 1-1/4"	10-1/2" 1-1/4" 1-1/4"

1.7 lbs.

1.4 lbs.



Weight

## **HEX KEY SETS**

Hex head screws have nowhere to hide. hilmor Hex Key Sets have standard and metric sizes covered. They're slipresistant so you never lose your grip and always keep your cool.

Ball End Hex Key Set Metric 1937816

Ball End Hex Key Set Inch 1839049



## **Product Specifications**

Item Numbers	1839049	1937816
Product Descriptions	HKSS Ball End Hex Key Set Inch	HKSBEM Ball End Hex Key Set Metric
Sizes	.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1.5mm, 2mm, 2.5 mm, 3mm, 4mm, 5 mm, 6 mm, 8 mm, 10 mm
Dimensions		
Length	7-1/4"	7"
Width	2-3/4"	2-1/2"
Height	3/4"	3/4"
Weight	13 oz.	12 oz.

You don't fold on the job. Luckily, this set does for easy, convenient storage. Available in inch and metric.



## **Product Specifications**

Item Numbers	1839048	1891472
Product Descriptions	HKFS Folding Hex Key Set Inch	HKFSM Folding Hex Key Set Metric
Sizes	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm
Dimensions		
Length Width Height Weight	4-1/4" 7/8" 1-5/8" 5 oz.	4-1/4" 7/8" 1-5/8" 5 oz.

Folding Hex Key Set Metric 1891472 Folding Hex Key Set Inch 1839048

## **T-HANDLE HEX KEY SET**

T for toughness. The hilmor T-Handle Hex Key Set features hardened, nickel chrome-plated shafts, yet ergonomic handles make sure this tool isn't too tough on your hands.



## **Rugged and Durable**

Hardened, nickel chromeplated shafts increase life and durability.



### **Comfortable Grip**

Ergonomic molded handles reduce hand fatigue and won't slip or twist.



## **Quick Identification**

Easy-to-read size markings make identification simple.




## **Added Versatility**


A 6" shaft works well in tight spaces, while the 1/2" shaft gives you more leverage.


Item Numbers	1891471	1937817
Product Descriptions	HKTH T-Handle Hex Key Set Inch	HKTHT-Handle Hex Key Set Metric
Sizes	3/32", 5/32", 7/64", 3/16", 1/8", 7/32", 9/64", 1/4", 5/16", 3/8"	2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm
Dimensions		
Length Width Height Weight	8-3/4" 7-3/4" 5-3/8" 2.8 lbs.	8" 6-3/4" 5-1/4" 2.2 lbs



Easy-to-read size markings.







# TOOLS THAT ARE AS DURABLE AS YOU.



Cutting, gripping, stripping and crimping. Our family of Pliers, Wrenches and Wire Strippers let you do all that and more, while each tool's comfortable grip is a treat for your hands.



## DIGITAL ADJUSTABLE TORQUE WRENCH

Tightening to true torque when working on mini-splits is serious business. Under tightening could result in refrigerant leaks, while overtightening could mean burst tubing. That's why the hilmor Digital Adjustable Torque Wrench is critical to perfecting torque time and time again. The 9 factory memory settings make it quick to set common torque values, while the digital display shows the amount of force applied to the flare nut. And if that didn't make the job easy enough, lights and buzzers illuminate and sound when the desired torque is achieved.



## **Lighten Your Load**

Adjustable jaw eliminates the need to carry around extra heads.



## Easy To Use

Nine programmable memory settings allow for quick access to the most common torque levels.



### **Precise Readings**

Digital adjustments help ensure torque measurement accuracy.



### **Extra Confidence**

LED lights and buzzer indicate that desired torque has been reached.



Digital Adjustable Torque Wrench

1963826

## **Product Specifications**

Item Number	1963826	
Product Description	DAJTW	
Jaw Capacity	1/4" (5mm) to 1-1/16" (27mm) to accommodate up to 5/8" flare nuts	
Accuracy	+/3%	
Batteries	AA (x2)	
Dimensions		
Length	17"	
Width	2-3/8"	
Weight	2 lbs	
Specifications		
Warranty: 2 Year Limited		

## **Technical Specifications**

Torque Range (N-m)	6.8 - 135
Torque Range (Ft-lbs)	5 - 99.5
Torque Range (In-lbs)	60 - 1,195
Torque Range (kg-cm)	69 - 1,378
Battery Saver	Automatic Shutdown after 4 Minutes of Inactivity
Measurement Increments	0.1 (N-m, Ft-lb)
Operation Modes	Track, Peak
Memory Presets	9
Operating Temperature	14°F to 140°F
Dimensions	17" x 2-3/8"

## **ADJUSTABLE WRENCHES**

Take your pick of imperial or metric scales. They come standard on all of our Adjustable Wrenches. They're made to fit in your hand with ergonomic grips and made to last by hilmor.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



## **Added Versatility**

Get two-in-one capabilities with both inch and metric scales.

1885369	1885370	1885421	1885422
AW6	AW8	AW10	AW12
6"	8"	10"	12"
1"	1-1/8"	1-1/4"	1-1/2"
6-3/8" 1-3/4"	8-1/4" 1"	10" 2-5/8"	12-1/8" 2-7/8"
1/2" 6 oz.	5/8" 12 oz.	3/4" 1.1 lbs.	3/4" 1.7 lbs.
	AW6 6" 1" 6-3/8" 1-3/4" 1/2"	AW6 AW8 6" 8"  1" 1-1/8"  6-3/8" 8-1/4" 1-3/4" 1" 1/2" 5/8"	AW6 AW8 AW10 6" 8" 10" 1" 1-1/8" 1-1/4" 6-3/8" 8-1/4" 10" 1-3/4" 1" 2-5/8" 1/2" 5/8" 3/4"



## **MULTI-FUNCTION PLIERS**

The hilmor Multi-Function Pliers bring 5 tools into one! They feature a long nose for grabbing and looping wire. The stripper portion can strip 8 AWG to 18 AWG. The curved cutting blade effectively and efficiently cuts through larger wire sizes. The forged alloy steel provides maximum tool strength and durability and the hotrivited joint ensures a smooth action and reduced hand wobble.

### Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



### Strong Hold

Forged alloy steel with hot rivet joint provides maximum tool strength and smooth action.



## **Stays Sharp**

Wire stripper strips 8 AWG to 18 AWG (solid wire), 10 AWG to 20 AWG (stranded wire).

Item Number	1885391
Product Description	НМР
Screw Sizes (Shearing)	6-32, 8-32
<b>Dimensions</b> Depth Width	10.1" 3.05"
<b>Dimensions</b> Depth	10.1"



## **QUICK-ADJUSTING TONGUE & GROOVE PLIERS**

We've made an adjustment to standard pliers. Our Quick-Adjusting Tongue and Groove Pliers feature a simple push button to give you a quick precision grip on pipes, fasteners and more.

## Simple Sizing

A push button allows for quick adjustments while multiple grooves guarantee precise positioning.



## **Comfortable Grip**

Over-molded handle reduces hand fatigue and won't slip or twist.



### Strong Hold

Machined jaws increase grip on the material every time.

Item Numbers	1890996	1890997	1890998
Product Descriptions	PBTGP8	PBTGP10	PBTGP12
Length	8"	10"	12"
Jaw Capacity	1-1/2"	1-3/4"	2-3/16"
Dimensions			
Length Width Height Weight	8-1/4" 5/8" 1-3/4" 9 oz.	10-1/8" 3/4" 2-1/4" 13 oz.	12-1/4" 3/4" 2-1/2" 1.4 lbs.



## **TONGUE & GROOVE PLIERS**

Like a snapping turtle, these pliers grab hold and won't let go. Machined jaws guarantee a lock-tight grip, and over-molded handles won't slip or twist. 12" model adjusts to a 2-1/16" jaw capacity.



## Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



## Strong Hold

Machined jaws increase grip on the material every time.

## **Product Specifications**

Item Numbers	1885366	1885367	1885368
Product Descriptions	GJP8	GJP10	GJP12
Sizes	8"	10"	12"
Jaw Capacity	1"	1-11/16"	2-1/16"
Dimensions			
Length Width Height Weight	8" 2-1/2" 3/4" 10 oz.	10-1/4" 3-1/4" 3/4" 1.1 lbs.	12" 3-1/4" 7/8" 1.5 lbs.



8", 10" and 12" Tongue & Groove Pliers 1885366, 1885367, 1885368

## **LINEMAN'S PLIERS**

Grab. Twist. Cut. Repeat. Over and over again. A laser-hardened cutting edge stays sharp longer, and crosscut knurled jaws guarantee a strong grip time after time. hilmor Lineman's Pliers will last.



### **Stays Sharp**

A laser-hardened cutting edge will stay sharper for longer.



## Strong Hold

Cross-cut knurled jaws increase grip on the material every time.



## Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.

## **LONG NOSE PLIERS**

It's tough to beat a good pair of pliers. A laser-hardened cutting edge, crosscut knurled jaws and over-molded handles make hilmor Long Nose Pliers pretty darn tough to beat.



### **Stays Sharp**

A laser-hardened cutting edge will stay sharper for longer.



### Strong Hold

Cross-cut knurled jaws increase grip on the material every time.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.

## **Product Specifications**

Item Numbers	1885399	1885411
Product Descriptions	LP85	LP95
Sizes	8-1/2"	9-1/2"
Dimensions		
Length	8-3/4"	9-1/2"



Item Numbers	1885397	1885398
Product Descriptions	LNP6	LNP8
Sizes	6"	8"
Dimensions		
Length Width Height Weight	6-7/8" 2-1/8" 5/8" 4 oz.	8-5/8" 2-1/8" 3/4" 8 oz.



## **DIAGONAL CUTTING PLIERS**

What's our angle? To make a great pair of pliers. The Diagonal Cutting Pliers stay sharp as a samurai sword with a laser-hardened cutting edge.



### **Stays Sharp**

A laser-hardened cutting edge will stay sharper for longer.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.

## **Product Specifications**

Item Numbers	1885412	1885362	1885363
Product Descriptions	DCP6	DCP7	DCP8
Sizes	6"	7"	8"
Dimensions			
Dillielisiulis			



## **CRIMPING TOOL**

Crimp. Cut. We've got you covered. The hilmor Crimping Tool handles both insulated and non-insulated terminals. Over-molded handles and a hardened cutting edge come standard, too.



## **Stays Sharp**

A hardened cutting edge will stay sharper for longer.



### Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.

## **Product Specifications**

Item Number	1885429
Product Description	FC10
Size	10"
Capacity Wire Insulated Terminals Non-Insulated Terminals	10-22AWG 10-22AWG 10-22AWG

Length       9-7/8"         Width       2-1/4"         Height       3/4"	Dimensions		
weight i.i ibs.	Width	2-1/4"	

10" Crimping Tool 1885429



## **WIRE STRIPPERS**

The hilmor Wire Strippers feature easy-to-read size markings, which means you can strip wires with ease and without damage. Electrical work is no laughing matter, and these Wire Strippers are no joke.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



## Quick ID

Easy-to-read size markings on the jaws make identification simple.



## **Bolt Cutting**

Cuts 4-40, 5-40, 6-32, 8-32, 10-24, 10-32 bolts and screws to desired size.\*1885424 Only.

## **Product Specifications**

Item Numbers	1885427	1885426	1885424
Product Descriptions	WS6	WS7	WS8
Sizes	6"	7"	8"
Capacity	10-20AWG	10-20AWG	10-22AWG
Dimensions			
Length Width Height Weight	6-1/2" 2-1/4" 5/8" 5 oz.	7-1/4" 2-1/8" 5/8" 6 oz.	8" 2-5/8" 5/8" 8 oz.

8" Wire Stripper 1885424

7" Wire Stripper 1885426



6" Wire Stripper 1885427

## **SELF-ADJUSTING WIRE STRIPPER**

All wire strippers are not created equal. These come with the ability to crimp insulated and non-insulated terminals 10-22AWG. Plus, clearly marked indicators mean you can strip without damage.



## **Added Versatility**

Crimp insulated and noninsulated terminals 10-22 AWG.



## **Comfortable Grip**

Over-molded handles reduce hand fatigue and won't slip or twist.



## **Maximum Control**

An adjustable stop controls the length of wire being stripped.



## **Precise Stripping**

A micro-adjusting knob allows for stripping down to 30 AWG and up to 8 AWG.



## **Self-Adjusting**

Automatically adjusts to strip and cut wire 10-24 AWG.

Item Number	1885423
Product Description	WSSA
Sizes	Self-adjusting
Capacity Wire Insulated Terminals Non-Insulated Terminals	10-24AWG 10-22AWG 10-22AWG

8-3/8" 3-1/2"
5/8" 13 oz.




Adjustable stop and micro-adjusting knob.



## STAY SHARP ON THE JOB.



Sure, you have knives. But you don't have these knives. hilmor's new line of Utility Knives can definitely cut it. They're ruggedly durable and seriously sharp. Plus, they come with all the safety features you need to keep you in one piece.



## RETRACTABLE UTILITY KNIFE

This is a great knife to have by your side. Quick cuts come standard with a unique trigger grip. Plus, you've got a few spare blades in the handle when you need them.



## **Rugged and Durable**

An all-metal body increases life and durability.



## **Secure Storage**

Conveniently store up to five extra blades in the handle.



## Easy to Change

Change your blade quickly and easily without the use of a separate tool.



## Easy to Cut

Get easier cutting on the pull with a unique trigger grip.

## **Product Specifications**

Item Number 1885434

**UKHR** 

Product Description U

## **Dimensions**

Length 1-3/4"
Width 1"
Height 6-3/4"
Weight 6 oz.

## **Utility Knife Blades**

Item Number 1885432

Product Description UKB

Utility Knife Blades 5PK



Store up to five blades in the handle.



## **FOLDING UTILITY KNIFE**

hilmor's Folding Utility Knife stands up to the test with an all-metal body. It's your new knife.



## **Rugged and Durable**

An all-metal body increases life and durability.



## **Securely Locks Blade**

A blade-locking mechanism prevents the blade from coming out during use.



## **One-handed Operation**

A liner-lock for one-handed operation and extra safety.



## **Superior Versatility**

A built-in wire-stripping channel for up to 10-gauge wire is there when you need it.



## **Belt Clip**

A belt clip keeps knife close for easy access.

## **Product Specifications**

Height

Weight

Item Number	1885433
Product Description	UKHF
Dimensions	
Length Width	1-1/2" 3/4"

Utility Knife Blades	
Item Number	1885432
Product Description	UKB Utility Knife Blades 5PK

5 oz.



You won't fold on the job. With a liner lock, this knife won't either. Until you want it to.



# THE REWARD IS IN THE DETAIL.



If you like to set the bar high, you need service tools that do the same. These will help you tend to every last detail, so you can get the job done right.

## **LINESET CLEANER**

The hilmor Lineset Cleaner uses a pressurized source to launch a foam puck into the line set to wipe the pipe clean of contaminants and remaining refrigerants.



## Picture-Perfect Cleaning

Simply connect the correct nozzle, chamber the corresponding pig size, connect to a regulated compressed Nitrogen source, and pull the trigger for a perfectly clean lineset.



## Twice the Versatility

One tool that has the ability to effectively wipe contaminants and remaining oil from linesets ranging from 3/8" to 7/8".



## **Premium Care**

The rinseable/reusable foam cleaning pigs are specially formulated and manufactured to flow through normal lineset configurations and most deformations.

## **Product Specifications**

	Item Number	HLCOO7	
--	-------------	--------	--

Product Description HLC

## Dimensions

Length 16"
Width 3.716"
Height 14"
Weight 1.02 lb.

Item Numbers HLP038 HLP012 HLP058 HLP034 HLP078

Product Description 3/8" 1/2" 5/8" 3/4" 7/8"
FOAM FOAM FOAM FOAM FOAM
PIG PIG PIG PIG PIG

 PIG
 PIG
 PIG
 PIG
 PIG

 Sizes
 3/8"
 1/2"
 5/8"
 3/4"
 7/8"

Item Number HLP099

**Product Description ASSORTED FOAM PIG** 

Quantity 2 of each size



Foam Pigs HLP038, HLP012, HLP058, HLP034, HLP078



# **INSPECTION MIRRORS**

Leaks can't hide anymore with hilmor Inspection Mirrors. With handles that extend, the telescoping inspection mirrors truly do go above and beyond.

Item Number	M-1	M-2	M-3	M-5
Product Descriptions	1-1/4" Circular Telescoping Mirror	2-1/4" Circular Telescoping Mirror	2-1/8" x 3-1/2" Rectangular Telescoping Mirror	1" x 2" Oval Telescoping Mirror
Handle Extends	6-1/4" to 18-1/4"	10" to 14"	11-1/4" to 15-1/4"	8" to 21"
Dimensions				
Length	10"	12-1/2"	14-1/2"	9.75"
Width	1/4"	1/4"	1/2"	0.75"
Height	2-1/2"	3-1/4"	4.00"	2.25"
Weight	3.2 oz.	2.2 oz.	3.8 oz.	3.2 oz.



# FIN STRAIGHTENING TOOLS

A condensor should work as efficiently as you. These tools make it easy to remove debris and straighten fins.

Item Number	T-100	T-101	T-300	T-400	T-412	T-417	T-418
Product Description	Fin Tool Kit	Fin Tool Kit	Fin Tool	Set of 6	Fin Comb	Fin Comb	Fin Comb
Sizes	8, 9, 10, 11, 12, 14 FPI	13, 15, 16, 17, 18, 20 FPI	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI	8 & 10, 9 &15, 11 & 13, 12 & 14, 16 & 17, 18 & 20 FPI	12 & 14 FPI	16 & 17 FPI	18 & 20 FPI
Dimensions							
Length Width Height	5-3/4" 2" 1-1/2"	5-3/4" 2" 1-1/4"	12-1/4" 4" 1-1/2"	7-1/2" 2-3/4" 1-1/4"	8-3/4" 2-1/4" 1/2"	8-3/4" 2-1/4" 1/2"	8-1/2" 2-1/4" 1/2"



# **DEBURRING TOOL**

Whether they're inside or outside, copper or plastic, hilmor Deburring Tool can smooth things over. Our Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.

Item Number	1891258
Product Description	DBURPS
Sizes	1/4" and up
Dimensions	
Length Width Height Weight	5-1/2" 3/8" 3/8" 7 oz.



# **TUBE PREP BRUSHES**

You do the job right or you don't do it at all. This tool lets you easily remove loose copper and other debris from joints so you can solder and braze with the best of them.



### **Rugged and Durable**

High-carbon steel bristles and a plastic handle increase life and durability.



### **Quick Identification**

Easy-to-read size markings make identification simple.

Item Numbers	1891474	1891475	1891462
<b>Product Descriptions</b>	TPB12	TPB34	TPB1
Sizes	1/2"	3/4"	1"
Dimensions			
Length Width Height Weight	6-3/8" 1-1/4" 3/4" 1 oz.	6-3/8" 1-1/4" 1/2" 1 oz.	6-3/8" 1-1/4" 1" 1 oz.



# **SERVICE WRENCHES**

Smart features that save your knuckles and your time. Our Straight Service Wrench makes changing sizes quick and easy. Our Offset Service Wrench makes maneuvering around cramped spaces second nature. The reversible Ratchet Wrench has square openings of 1/4" and 3/16" on one end and 3/8" and 5/16" on the other end. And, when it comes to accessing liquidand suction-based valves, reach for our Hex Key Adapter. It works on 3/16" and 5/16" hex valves.



### **Product Specifications**

### **Hex Key Adapter**

Item Number	1839046
Product Description	SWHKA
Hex Valve Sizes	3/16" and 5/16"
Dimensions	

ce LR ' Hex ' SQ



# **LOCKING PLIERS PINCH-OFF TOOL**

The hilmor Locking Pliers Pinch-Off Tool is rugged and durable – a lot like you. Made from high-grade, heat-treated alloy steel, this tool is built to handle whatever you throw at it. The pinch-off mechanism locks on to tubing so your hands are free to get the real job done.



### **Rugged and Durable**

Pliers are built to last, manufactured from high-grade, heat-treated alloy steel for durability.



### **Added Versatility**

Designed to pinch off and lock on to 1/8" to 5/8" diameter tubing, leaving both hands free to do other work.

### **Product Specifications**

Item Number	1937673
<b>Product Description</b>	LPPOT
Sizes	1/8" to 5/8"
Dimensions	
Length Width	7-1/4" 2-1/4"



Locking Pliers Pinch-Off Tool 1937673

# REFRIGERANT RECOVERY TOOL

Smart features that save refrigerant and time. Our Refrigerant Recovery Tool makes evacuation equipment quick and easy.



### **Added Convenience**

Self-adjusting for 1/4" and 1/2" lines.



### Secure Fit

Securely locks and seals.



### **Rugged and Durable**

Stainless Steel Piercing Valve. Made from high carbon, heat treated steel jaws.

Refrigerant Recovery Tool RRT100

Item Number	RRT100
Product Description	RRT
Dimensions	
Length Width Height Weight	1-1/2" 5" 11-1/2" 0.55 lbs.



# **LIQUID CHARGER**

Liquid low side charging adapter. For use with all CFC, HCFC and HFC refrigerants on 1/2 ton and larger units. 1/4" female SAE flare inlet, 1/4" male SAE flare outlet.



### **Less Work**

Eliminates the need to heat the refrigerant.

### **Product Specifications**

Item Number	LC500
Product Description	LC
Dimensions	
Length Width Height Weight	4.4" 1" 1" 0.65 lbs.



Liquid Charger LC500

# **NITROGEN PURGE TOOL**

The hilmor Nitrogen Purge Tool is rugged and durable - a lot like you.



### **Regulates Nitrogen Flow**

Designed to regulate flow with 50 psi inlet pressure. Maximum pressure of 200 psi.



### **Quick Change Dial**

No flow indicator valve needed. Purge setting = 25-35 scfh @ 50 PSI, Braze setting = 3-6 scfh @ 50 PSI.

### **Product Specifications**

Item Number	HMNPT01
Product Description	NPT
Dimensions	
Length Width Height Weight	2" 3" 2" 1 lb.



Nitrogen Purge Tool HMNPT01

# STAY BRIGHT ON THE JOB.



# **WORK LIGHT**

Just because you could do it with your eyes closed, doesn't mean you should have to. Bring light to the HVAC/R problems at hand so you can do what you do best, solve them.



### **Two Power Modes**

1200 Lumens (3 Hrs) 600 Lumens (5 Hrs)



Lithium Ion Rechargeable Battery



Magnetic Stand for Secure Positioning



**Adjustable Joints** 

# **MINI WORK LIGHT**

A little light goes a long way when you're working under a tricky unit. Small but mighty, our Mini Work Light gives you 600 and 1200 lumens for dark and darker conditions.



### **Two Power Modes**

600 Lumens (1.5 Hrs) 300 Lumens (3 Hrs)



### **Magnetic Base**



Adjustable Joint For Different Angles



Rechargeable Li-Ion Battery

### **Product Specifications**

Item Number HMWL1200

Product Description WL1200

Dimensions

Length 7"
Width 7"
Height 8-1/2"
Weight 3.9 lbs.



### **Product Specifications**

Item Number HMMWL600

Product Description MWL600

### Dimensions

Diameter 3" Height 2" Weight 0.3 lbs.



# **PORTABLE WORK LIGHT**

You're always on the move but your light source must be steady. Designed to prevent shadows and hotspots, the Portable Work Light offers precise light dispersal for the perfect view of whatever moving target you're hitting.



### **Two Power Modes**

1200 Lumens (4 Hrs) 600 Lumens (8 Hrs)



**Wide Circular Beam** 



**Secure Hold** 



**Rechargeable Battery** 

# **PIVOTING WORK LIGHT**

For light here, there and everywhere you want it. The Portable Work Light lets you shine light on the problems at hand ... without the use of your hands. Because let's face it, your hands are busy.



240 Lumen Array



**Pivoting Work Light** 



Magnetic Attachment Points on Back and Base



3 AA Batteries Included

### **Product Specifications**

Item Number HMPWL1200

Product Description PWL1200

### Dimensions

Length 10-1/4" Width 2" Height 1-1/2" Weight 1.35 lbs.



### **Product Specifications**

Item Number HMPWL240

Product Description PWL240

### Dimensions

Length 8-1/5"
Width 2-1/4"
Height 2"
Weight 9.6 oz.



# **COMPACT WORK LIGHT**

Bright light. Small work space. Designed to fit in your pocket and stick to metal, you can see whatever you need to with ease when you have this little number.



150 Lumens Array



3 AAA Batteries Included



Rotating Hook for Hands-Free Use



Magnetic Base for Precise Positioning

# **POCKET WORK LIGHT**

You need light and possibly a third hand. That's why we'll skip giving you another thing to hold. The Pocket Work Light lives and works right on your pocket to illuminate any and all things HVAC/R.



180 Lumens



180° Swivel Magnetic Clip



3 AAA Batteries Included

### **Product Specifications**

Item Number HMCWL150

Product Description CWL150

Dimensio	ns	
Length Width	5-1/5" 1-1/2"	
Height	2-1/2"	
Weight	1.0 oz.	



Item Number		HMPWL180
Product Description		PWL180
Dimension	ıs	
Length Width Height Weight	6-1/4" 1" 3/4" 2.4 oz.	



# IN THE DARK, DIRTY AND DOWNRIGHT CRAMPED, YOU GOTTA KEEP IT TOGETHER.



We're not just revolutionizing your HVAC/R equipment, we're also retooling the way you store it. We offer a wide array of smart storage and transport solutions for all your valuable tools. It's another way we help you conquer from one job to the next. And keep your cool no matter the climate.

# **HVAC/R TOTE**

The hilmor HVAC/R Tote is your go-to tool storage and transport solution. It includes 27 exterior and interior pockets, 18 bands and clips for your keys so you can store your tools safely and find them quickly.



### **Keep Organized**

27 pockets and 18 bands. 14 exterior pockets and 13 interior pockets.



### **Rugged and Durable**

Designed to last with water-resistant bottom and reinforced rivets.



### **Secure Storage**

Stow your meter away safely in the padded pocket in the interior of the tote. Use the tape measure clip, key clip and tape holder loop to secure the rest of the items you need.



### Helps with the Heavy Lifting

This tote has room for multiple tools and is tested up to 50 lbs. The padded shoulder strap makes carrying more comfortable.

### **Product Specifications**

Item Number	1839078
<b>Product Description</b>	HT
Number of Pockets Interior Exterior	13 14
Extra Features	Key Clip; Tape Loop; Shoulder Strap
Dimensions	
Length Width Height	7-1/2" 7-1/2" 13"



HVAC/R Tote 1839078

# **BACKPACK TOOL BAG**

The hilmor Backpack Tool Bag is your jobsite sidekick with 19 exterior and interior pockets. Its sturdy rubber, water-resistant bottom means rain or shine, the contents inside won't be damaged. And while it's spacious enough to hold up to 50 lbs., padded shoulder straps and a back air vent make hauling it a little more comfortable and leave your hands free to safely climb a ladder.



### **Secure Storage**

Stow your meter away safely in either of the two padded zipper pockets on the exterior sides of the tote.



### **Superior Versatility**

Hang your manifold from the bag's metal loop for easy transport to the jobsite.



### Helps with the Heavy Lifting

This bag has room for multiple tools and is tested up to 50 lbs. The padded shoulder straps and air vent back make carrying more comfortable.

### **Product Specifications**

ltem Number	1839080
<b>Product Description</b>	ВКВ
Number of Pockets Interior Exterior	11 8

### **Extra Features**

Clear Vinyl ID Window Pocket; Shoulder Strap; Double-grip Handles; Steel "U" Ring; Airflow Ventilator Pads

Dimensions	
Length	6"
Width	14"
Height	16"
Weight	4.5 lbs.



Backpack Tool Bag 1839080

19 exterior and interior pockets allow you to store tools safely and find them quickly.



A metal loop gives you an easy way to transport your manifold.



Two padded, zippered side pockets provide safe storage for your meter.

# **TOOL CENTER BAG**

The hilmor Tool Center Bag is your total tool storage solution. It includes 24 exterior and interior pockets and three zippered pouches so you can store your tools safely and find them quickly.



### **Keep Organized**

24 pockets and three zippered pouches.



### **Secure Storage**

Stow your meter away safely in either of the two padded pockets on the exterior sides of the tote.



### Helps with the Heavy Lifting

This bag has room for multiple tools and is tested up to 50 lbs. The padded shoulder strap makes carrying more comfortable.



### Rugged and Durable

Designed to last with a hard plastic, water-resistant bottom and a padded aluminum carrying handle.

### **Product Specifications**

Item Number 1839079

**Product Description TCB** 

Number of Pockets

Interior 13; 18 Tool Loops

Exterior 11

### **Extra Features**

Clear Vinyl ID Window Pocket; Shoulder Strap; Cover Flap

### **Dimensions**

Length	13-1/2"
Width	8-1/2"
Height	9"
Weight	4.5 lbs.



Three zippered pouches and two padded side pockets provide safe storage for your meter.



# HVAC/R REFRIGERANT TANK & UTILITY BACKPACK

Give yourself a hand with the Utility Backpack. Comfortably carry refrigerant or recovery tanks, or up to 50 lbs. of whatever the job calls for.



### **Superior Versatility**

Can carry up to 30-lb. refrigerant or recovery cylinders and serves as a knapsack to transport other materials to and from the jobsite.



### **Secure Transport**

A drawstring with a cord lock and flap with latch securely hold your materials in place during transport.



### Stay Organized

8-carabiner loops, a seethrough pocket to display OSHA refrigerant labels and a pocket keep you together.



### Helps with the Heavy Lifting

Padded shoulder straps and back pads allow you to comfortably carry up to 50 lbs.



### **Rugged and Durable**

Designed to last with heavy-duty nylon thread, and puncture and abrasion-resistant nylon fabric.

### **Product Specifications**

Item Number 1891628

Product Description HVACBP

### **Extra Features**

External Pocket; See-Through Pocket; 8 Carabiner Loops

### **Dimensions**

 Length
 20"

 Width
 12"

 Height
 12"

 Weight
 2.4 lbs.



Designed to carry 30-lb. refrigerant and recovery cylinders.



Serves as a knapsack to transport other materials.



HVAC/R Refrigerant Tank & Utility Backpack 1891628

# **HVAC/R CARRYING STRAP**

Let this Strap do some of your lifting. Clip on and carry refrigerant or recovery tanks comfortably and easily.



### **Rugged and Durable**

Heavy-duty nylon fabric and slipresistant padding helps prevent the strap from sliding.



### **Less Wasted Time**

Steel carabiners easily clip to carry refrigerant or recovery cylinders and other essential materials to save trips and give you an extra arm.



Helps with the Heavy Lifting Shoulder strap is designed and tested to hold up to 50 lbs.

Item Number	1891625
<b>Product Description</b>	HVACSCS
Dimensions	
Length Width Height Weight	50-1/2" 3-3/4" 1/2" 14 oz.



Easily hooks to refrigerant and recovery cylinders.



Attach the HVAC/R Carrying Strap to the two durable hoist points on all hilmor Vacuum Pumps.



# **ZIPPER POUCH**

The hilmor Zipper Pouch is your best bet for keeping track of all the small stuff on the jobsite – from small tools and accessories to receipts and other paperwork.



### **Keep Organized**

The hilmor Zipper Pouch can conveniently fit many hilmor tools, including the Punch Swage Set or Dual Readout Thermometer with two Thermocouple Clamps.



### **Rugged and Durable**

Designed with an inner liner to protect from water damage and a rivet on the outside so it can be clipped where it's needed.

Item Number	1839081
Product Description	ZP
Number of Pockets Interior	1
Dimensions	



# **HVAC/R GENERAL PURPOSE GLOVES**

No matter what the task, get a grip and protect your hands with these ruggedly reinforced gloves made to take on any job.



### **Rugged and Durable**

Stands up to HVAC/R applications with a breathable-fabric design, featuring a reinforced thumb, palm and fingertips to increase life and durability.



### **Extra Comfort**

A wrist strap easily adjusts for comfort while a form-fitting design provides fit and flexibility.

### **Product Specifications**

Item Numbers	1891606	1891607	1891624
Product Descriptions	GLOVEHVACM	GLOVEHVACL	GLOVEHVACXL
Sizes	MED	LG	XL
Dimensions			
Length Width Height Weight	9-3/4" 4-3/8" 1/2" 5 oz.	9-7/8" 4-7/16" 1/2" 5 oz.	10" 4-5/8" 1/2" 5 oz.



HVAC/R General Purpose Gloves 1891624

# **HVAC/R SHEET METAL GLOVES**

We don't need to tell you sheet metal can be sharp. Shield your hands from cuts with these gloves that are as tough as they are comfortable.



### **Rugged and Durable**

Stands up to sheet metal with cut-resistant fabric featuring a reinforced thumb, palm and fingertips to increase life and durability.



### **Extra Comfort**

A wrist strap easily adjusts for comfort while a form-fitting design provides fit and flexibility.

Item Numbers	1891463	1891469	1891592
Product Descriptions	GLOVESMM	GLOVESML	GLOVESMXL
Sizes	MED	LG	XL
Dimensions			
Length Width Height	9-3/4" 4-3/8" 1/2"	9-7/8" 4-7/16" 1/2" 5 oz.	10" 4-5/8" 1/2" 5 oz.



# THESE TOOLS ARE BUILT FOR HVAC/R. JUST LIKE YOU.



hilmor's HVAC/R Starter Kit includes some of the most revolutionary new tools on the market. Tools to help you handle superheat and subcool with no sweat. Tools to help you flare and swage tubes without needing a third arm. All with the goal of helping you get in, get out and get on to the next job. Not to mention, get your foot in the door.

# **HVAC/R STARTER KIT**

Get started on the right foot with a few of hilmor's most forward-thinking tools.

### **Dual Readout Thermometer 1839106**

hilmor's Dual Readout Thermometer is the industry's first to offer two digital readouts to help simplify the calculation of superheat and subcool.

### 2-Valve Aluminum Manifold 1839134

This ruggedly durable Aluminum Manifold features a forged aluminum body and high-impact gauge boots.

### 60" Hose Set of 3 1839153

Our hoses are bulked up with an extra abrasion-resistant layer and designed to work with the newest high-pressure refrigerants.

### Quick-Engage Flare and Swage 1838947

Finally, a flaring tool that doesn't require a third arm. Two hands are all it takes to flare or swage in seconds.

### Tri-Tube Bender 1839027

From start to final bend, the hilmor Tri-Tube Bender has you covered. Color-coded sizing makes it simple to bend 1/4", 3/8" and 1/2" tubes.

### **Service Wrenches 1839042, 1839046**

Smart features that save your knuckles and your time. Plus, a Hex Key Adapter for liquid- and suction-based valves.

### **Product Specifications**

ltem Number	1890995
Product Description	KITHVACR
Dimensions	
Length Width Height Weight	20" 15-1/4" 16-1/2" 21.7 lbs.

### Folding Hex Key Set 1839048

Get full socket contact with our slip-resistant Folding Hex Key Set. Sizes include 5/64" to 1/4".

### **Inspection Mirror 1839051**

Leaks can't hide anymore. With a handle that extends from 7-3/4" to 21-1/2", this telescoping mirror goes above and beyond.

### 3" Quick-Change Magnetic Nut Driver 1839054

Don't get driven nuts. Just drive them. This Nut Driver lets you quickly switch between 1/4" and 5/16", the two most common sizes.

### 9 in 1 Multi-Tool 1839053

Tackle any on-the-job challenge with square, hex and Phillips bits. Not to mention a handy valve core remover.

### Backpack Tool Bag 1839080

The hilmor Backpack Tool Bag includes 19 exterior and interior pockets. Plus, its sturdy, water-resistant bottom holds up in any climate.



## LIMITED WARRANTY

At hilmor, we have put the highest priority on thoughtful product design and manufacturing quality. That is why we guarantee our products to be free of material and workmanship defects for a period of time from purchase (see chart below). We get the tough conditions in which you work and have designed products to stand up to those challenges. Unfortunately, this warranty does not apply to product that has been damaged as a result of improper maintenance, accident or other misuse, or which fails to operate due to normal wear and tear.

Product Line	Time Period from Purchase
Power Tool Accessories, Deburring Tools, Gloves, Drill Bits,	
Tube Brushes, Cutting Wheels and Blades	Limited 90 Days
Refrigeration Scales	Limited One Year
Analog Gauges	Limited One Year
Recovery Machine	Limited One Year
Hoses	Limited One Year
Valve Core Removal Tools	Limited One Year
Vacuum Gauges	Limited Two Years
Vacuum Pumps	Limited Two Years
Digital Adjustable Torque Wrench	Limited Two Years
Electronics	Limited Three Years
Manifold Bar	Limited Lifetime
Bending Tools	Limited Lifetime
Flaring Tools	Limited Lifetime
Swaging Tools	Limited Lifetime
Tubing Cutters	Limited Lifetime
Sheet Metal and Duct Tools	Limited Lifetime
Driving Tools	Limited Lifetime
Pliers, Wrenches and Wire Strippers	Limited Lifetime
Utility Knives	Limited Lifetime
Service Tools	Limited Lifetime
Fin Tools	Limited Lifetime
Inspection Mirrors	Limited Lifetime
Tool Storage Bags	Limited Lifetime

All products, that are subject to warranty claims should be returned to the place of purchase along with proof of purchase showing the date of purchase. The distributor from whom the product was purchased will contact hilmor for next steps, which could include field scrap or return to the factory for analysis, and work with you on a repair, replacement or credit. Please contact hilmor Technical Services for general technical questions related to products or this warranty policy: 1-800-995-2222.

HILMOR MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE. IN NO EVENT SHALL HILMOR AND ITS AFFILIATES, SUCCESSORS AND ASSIGNS) BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES (OR LOST PROFITS), REGARDLESS OF THE NATURE OF THE CLAIM.

# PRESSURE – TEMPERATURE CHART

ALL PRESSURES SHOWN ARE IN PSIG: RED PRINT = VACUUM (INCHES OF MERCURY)

_ [	D 40	D 00	D 40 44	R-404A R-407C			D 4484	D 500		
F	R-12	R-22	R-134A	Vapor	Liquid	Vapor	Liquid	R-410A	R-502	C
-40	11	1	15	5	4	3	4	12	4	-40
-35	8	3	13	8	7	5	1	15	7	-37
-30	6	5	10	11	10	8	2	19	9	-34
-25	2	7	7	14	13	11	4	23	12	-32
-20	1	10	4	17	16	14	7	27	15	-29
-15	2	13	1	21	19	18	9	32	19	-26
-10	5	17	2	25	23	21	13	37	23	-23
-5	7	20	4	29	28	25	16	43	27	-21
0	9	24	7	34	32	30	20	49	31	-18
5	12	28	9	39	37	35	24	55	36	-15
10	15	33	12	45	42	40	28	62	41	-12
15	18	38	15	51	48	46	33	70	47	-9
20	21	43	18	57	55	52	38	78	52	-7
25	25	49	22	64	61	58	44	87	59	-4
30	29	55	26	71	68	65	50	97	66	-1
35	33	62	30	79	76	73	56	107	73	2
40	37	69	35	97	84	81	63	118	81	4
45	42	76	40	106	93	89	71	130	89	7
50	47	84	46	116	103	98	79	142	97	10
55	52	93	51	127	113	108	87	155	107	13
60	58	102	58	138	123	118	97	170	116	16
65	64	111	64	150	135	129	106	185	127	18
70	70	121	71	163	147	141	117	201	138	21
75	77	132	79	176	159	153	128	217	149	24
80	84	144	87	190	173	166	140	235	161	27
85	92	156	95	205	187	180	153	254	174	29
90	100	168	104	221	202	195	166	274	187	32
95	108	182	114	237	218	210	180	295	201	35
100	117	196	124	255	234	226	195	317	216	38
105	127	211	135	273	252	243	210	340	232	41
110	136	226	147	292	270	261	226	365	248	43
115	147	243	159	313	289	280	243	391	265	46
120	158	260	171	318	310	300	261	418	283	49
125	169	278	185	339	331	321	280	446	301	52
130	181	297	199	362	353	342	300	476	321	54
135	194	317	214	385	377	365	321	507	341	57
140	207	337	229	410	401	389	342	539	363	60
145	220	359	246	436	426	412	365	573	391	63
150	234	382	263	463	453	438	389	608	415	66









1-800-995-2222

hilmor.com

© 2022 hilmor H1026J