



INNOVATION. EVERYDAY

We strive every day to deliver innovative solutions for your maintenance needs. Helping you get your job done faster, and easier is our main goal. If we're missing the mark, we want to hear about it.



TOP NOTCH ASSEMBLY

Our on-site production team works hard to ensure durable, high performance equipment is being delivered to our customers every time. Whether it's assembling each CoilJet by hand or testing the quality of our products--it's the little details that make the biggest difference.



EXCELLENT SUPPORT

From pre-sales questions to technical support regarding our products, our team is here to help. SpeedClean has your back with proven results; 100% guaranteed.

Table of Contents


Coil/Surface Cleaning

Dry Steam Coil and Surface Cleaner... 3

Coil Cleaning

| Coil Cleaning |
|------------------------------------|
| CoilJet® CJ-200E 4 |
| CoilJet® CJ-125 5 |
| Mini-Split Bib® Kit 6-7 |
| Mini-Split Bib® Kit-XL 6-7 |
| Mini-Split Cassette Bib® Kit 8 |
| FlowJet TM 9 |
| CoilShot® Condenser |
| Coil Cleaning Tool 10 -11 |
| CoilShot® Condenser |
| Coil Cleaning Wand 10 -11 |
| CoilShot® Coil Cleaning Tablets 12 |
| Condenser Needle™ 13 |
| Descaling |
| Bucket Descaler® 15 |
| Chemicals |
| SpeedyFoam® |
| SpeedyBright® 16 |
| Accessories |
| Accessories 17-19 |

SpeedClean is a registered trademark of © DiversiTech All Rights Reserved.



Standard hose connector for continuous water supply.

Product Specifications

Part Number CJ-200E **Output Pressure** 220 PSI (15.1 BAR) **Output Flow** 0.5 GPM Capacity (Water) 3.375 Gallons Capacity (Chemicals) 0.4375 Gallons 30:1 - 4:1 Chemical Ratio Range Onboard or **Water Source External** Pump Type Diaphram 0.2 HP Motor Input Power 115V, 60Hz, 1.5A Power Cord Length 15 Ft. **Dimensions** 18" x 10" x 19" Weight (Dry) 20 Lbs Weight (Full) 55 Lbs Warrantv 1-Year



Note: Supports all CoilJet® Accessories *Includes*: 2 standard spray nozzles, spray gun with quick connect, 15' power cord, and shoulder strap.



Part Number CJ-125 **Output Pressure** 125 PSI (8.5 BAR) Output Flow 0.7 GPM 3.375 Gallons Capacity (Water) 0.4375 Gallons Capacity (Chemicals) Chemical Ratio Range 30:1 - 4:1 **Water Source** Onboard Pump Type Diaphram 0.2 HP Motor **Battery** 12V 15Ah **Dimensions** 18" x 10" x 19" Weight (Dry) 20 Lbs 55 Lbs Weight (Full) Warranty 1-Year

Rechargeable

Convenient strap for easy transport battery lasts all day

Includes: 2 standard spray nozzles, spray gun with quick connect, smart charger, recharaeable battery, and shoulder strap.





Part Number MSB-KIT
Fits Duct Fan Units Up to 44 in. Wide
Drain Line Length 8 Ft.
Bib Material Thickness 4 Mil
Dimensions 36" x 16"
Weight 1.5 Lbs



Product Specifications

Part Number MSB-KIT-XL
Fits Duct Fan Units 44 - 66 In. Wide
Drain Line Length 8 Ft.
Bib Material Thickness 4 Mil
Dimensions 52" x 16"
Weight 1.5 Lbs

Mini-Split Bib[®]Kit

Clean In-place Solution for Easy Servicing.

The fastest way to clean ductless mini split coils, fans, and more. Safely clean virtually any mini split system 30" to 44" the correct way—using pressurized water on coils and fans. This patented technology keeps water away from walls and other surroundings while directing it into the 5 gallon bucket for disposal.

FEATURES:

- Fully assembled, quick set-up and easy to move from job-to-job
- Includes 8' drain line for high mounted evaporators
- XL Bib fits virtually any commercial brand ductless fan unit 45" to 60" wide.
- Keeps walls and floors safe from water and over spray.

Mini-Split Bib[®] Kit-XL

Too Big? We have it covered.

The Mini-Split Bib® Kit XL is a fast way to clean larger commercial ductless minisplit coils, blower wheels and more. The patented technology fits ductless units 45" to 60" and keeps water away from walls and other surroundings and directs it into the 5 gallon bucket for disposal, so it's clean and safe all around.

Complete kits include: Bib, adjustable mounting brackets, 1 roll of protective tape, 2 deflector plates (XL Kit includes 3) and 5 gallon bucket.



Part Number MSB-360-KIT
Fits Duct Fan Units Up to 44 In. Wide
Drain Line Length 8 Ft.
Bib Material Thickness 4 Mil
Dimensions 36" x 16"
Weight 1.5 Lbs

Mini-Split Bib®Kit 360

Clean In-place Solution for Easy Servicing.

The Mini-Split Bib Kit 360 is the most complete way to clean ductless mini-split coils, blower wheels and more. This kit allows you to safely and quickly clean virtually any mini-split system the correct way using pressurized water on coils, blower wheels and more. The patented technology keeps water away from walls, ceilings and other surroundings and directs it into the 5 gallon bucket for disposal, so it's clean and safe all around.

Mini-Split Bib Kit 360 protects the walls, ceilings and surroundings from water and overspray

Quick set up and easy to move from job-to-job.

Reusable bib system is a lower cost per use

Includes 8 foot drain line for high mounts.

FEATURES:

- Complete kit: 360 Bib, adjustable mounting brackets, 5 gallon bucket (18.9 L)
- Fits virtually any brand ductless fan unit up to 44" (111.7 cm) wide.
- Keeps walls and surroundings safe from water and cleaning chemicals.
- Quick to set up and easy to move from job-to-job.

Mini-Split Cassette Bib® Kit

ough Cleaning Made Easy.

Cleaning ductless ceiling cassettes is a daunting task, but we've just made it a whole lot easier. Using pressurized water and coil cleaner is the key to a good coil cleaning. Our ductless cassette bib kit installs in seconds and quickly creates a funnel where all your water and cleaner is safely deposited into a bucket. Super easy to use and incredibly effective.

FEATURES:

- Six access points to clean coils
- Includes 10' drain line
- Optional stand available

Product Specifications

Part Number SC-CB

Fits Ductless Fan Units Upto 48 In. Wide

Drain Line Length 10 Ft.
Bib Material Thickness 4 Mil

Dimensions 48" x 48" Weight 1.1 Lbs

Optional Equipment

Cassette Bib Stand SC-CB-STAND
Carrying Bag CSB-010

Complete kit includes: Cassette bib, adjustable bungee cord, mounting hooks and a five gallon bucket.







Part Number FlowJet-60 400 PSI (27.2 BAR) **Output Pressure** Output Flow 2.2 GPM **Water Source** External 2.5 GPM Max. Inlet Water Pressure 100 PSI (6.8 BAR) Max. Inlet Water Tempera-125° F (52° C) ture Max. Amblent 104° F (40° C) Operational Temperature 10:1 Soap Siphon Dilution Ratio Axial Pump Type .75 HP Motor **Input Power** 115V, 60Hz, 12.5A **Power Cord Length** 251 14-3 GFCI Plug Type 30" x 12" x 13" **Dimensions**

Weight (Dry)

Warranty

35 Lbs

1-Year

Water hose connection for continuous cleaning



Chemical siphon tube

FEATURES:

- Optional 90° spray nozzle forces dirt and debris back in the direction it entered
- 12' hose with additional lengths available

Includes: FlowJet, 2 standard spray nozzles, 12' hose, 25' power cord with GFCI protection, spray gun, and 18" lance assembly.





 Part Number
 SC-CS-100

 Output Pressure
 Upto 70 PSI

 Output Flow
 Upto 3 GPM

 Water Source
 External

 Dimensions
 10" x 2.25" x 8"

 Weight (Dry)
 1 Lbs

 Warranty
 90-Days

Includes: CoilShot, quick connect foaming nozzle, and one original formula tablet.



*Original formula only.

CoilShot® Condenser Coil Cleaning Tool

The Future of Coil Cleaning.

Tablet based system saves wasted coil cleaner and space over bulky coil cleaner bottles. One pack of tablets replaces an entire case of coil cleaner*. Use with CoilShot wand for best results – to help get behind coils for superior cleaning every time.

FEATURES:

- Attaches to standard garden hose
- Uses pre-measured, CoilShot® tablets
- Switches from foaming cleaner to water with easy mixing valve
- Quickly connect attachments

CoilShot®

Use only with genuine CoilShot® Coil Cleaner Tablets





SPECS:

Part Number: SC-CS-WAND Weight (dry): 1 lb

CoilShot® Condenser Coil Cleaning Wand

Increase Performance

3 ft. wand is specially designed to quickly connect to CoilShot cleaning tool. 90° nozzle creates powerful cleaning spray to clean coils from the inside out. The wand features a slim profile that fits between the grate so you don't have to remove the top fan and housing.

FEATURES:

- Quick connect fitting
- · Heavy-duty aluminum wand
- Unique wand tip to backflush coils

CoilShot® Coil Cleaner Tablets Pre-measured Tablet eliminates guesswork. CoilShot® Coil Cleaner Tablets CoilShot® Coil Cleaner Tablets Pre-measured Tablet eliminates guesswork.



Part Number: Contents:

U.S. Patent:

SC-CS-TABS 8 CoilShot tablets per 7 oz box D765,828 and other Patent Pending The revolutionary CoilShot Cleaning Tablets are designed to offer fast and easy cleaning of residential and commercial single-pass HVAC coils without the strain and bulkiness of using liquid coil cleaners.

FEATURES:

- Each tablet is equal to approximately 1/2 gallon of coil cleaner*
- Eliminates the need for bulky liquid coil cleaners
- Safe for all coils and is plant friendly, non acidic and non-caustic*
- HD tablet degreases and brightens coils for heavy-duty applications
- HD tablet has powerful lift for extra-dirty condensers

Refer to SDS for proper usage and safety information prior to use.

^{*}Original formula only.





Swivel handle easily adjusts direction of water jet without damaging delicate fins, using
Condenser Needle. Designed to clean from the
backside of the coil, Condenser Needle reaches
inside units and quickly cleans the entire coil bed.

FEATURES:

- · Attaches to a standard garden hose
- 36" wand easily handles most units
- Exclusive spray tip delivers 90° spray pattern up to 3+ gallons per minute
- Adjustable chemical injection hosev

3' aluminum wand

90° nozzle creates powerful cleaning spray to clean coils from the inside out



For best results, use with SpeedyFoam®

Product Specifications

Part Number CN-03 **Output Pressure** 100 PSI (6.9 BAR) **Output Flow** 3.3 GPM Water Source External Max. Inlet Water Pressure 100 PSI (6.8 BAR) **Chemical Ratios** 0-16:1 Spray Wand Length 36" Spray Wand Tlp 900° **Dimensions** 48" x 3" x 3" 5 Lbs Weight (Dry) Warranty 1-Year





For best results, circulate with SpeedyBright®

Eliminate limescale and other deposits from water passages in just minutes. The BucketDescaler features a durable acid-proof pump and fittings, extra-long hoses, and optional re-circulation valve kit. Perfect for tankless and tanked water heaters and other small heat exchangers.

FEATURES:

Part Number

- 6' inlet and outlet hoses
- Purge valve to reduce cleanup time

Product Specifications

| Inlet Hose Length | 6 Ft. |
|--------------------|----------------------|
| Outlet Hose Length | 6 Ft. |
| Output Flow | 3.0 GPM |
| Capacity | 4 Gallons |
| Maximum Head | 69 Ft. |
| Temperature Range | 0° F - 130° F (54° C |
| Pump Type | Diaphram |
| Motor | .17 HP |
| Input Power | 115V,60Hz, 1A |
| Power Cord Length | 12 Ft. |
| Dimensions | 19" x 14" |
| Welght (Dry) | 11 Lbs |
| Warranty | 1-Year |
| | |



clean and sparkling!

surfaces killing bacteria, fungus, mold, mildew and other microorganisms on

contact leaving coils and other surfaces

| i loddol opcollications | | |
|---------------------------|------------------|--|
| Part Number | SC-VSC-7000 | |
| Steam Flow Regulation | Manual | |
| Output Pressure | 65 PSI (4.5 BAR) | |
| Steam Production | 0.43 Gallon/Hr | |
| Boller Capacity | 0.7 Gallons | |
| Max. Temperature @ Nozzle | 235° F (113°C) | |
| Steam Hose Length | 10 Ft. | |
| | 115 V, 13.5 | |
| Input Power | Amps, | |
| | 60Hz, 1550 Watts | |
| Power Cord Length | 13 Ft. | |
| Dimensions | 13" x 13" x 19" | |
| Welght | 15.6 Lbs (Dry) | |
| Warranty | 1-Year | |

FEATURES:

- Easy-fill tank Quick refills
- Stainless steel boiler Quality construction
- 1500W power High performance
- Full accessory kit Cleans variety of surfaces

APPLICATIONS:

- Coil cleaning
- Exhaust hoods and fans
- Appliances and Surfaces



SPECS:

Part Number:

SC-FCC-1

Size:

1 gallon (available

Concentrated::

in 5 gal) Mix with water before use Foaming, non-acid, non-fuming, and water soluble. SpeedyFoam cleaner and degreaser removes grime, oil, and grease from condenser and evaporator coils, mechanical equipment, and air filters. Non-caustic and safe for all metals, including aluminum.

SpeedyBright® Safely Dissolve Limescale.

SPECS:

Part Number: Sizes: SPDYBRT-CS

2 x .5 gallons (also available 5 gallon pails and 55 gallon

drums)

Concentrated:

Dilute based on application

Scientifically formulated to dissolve all types of limescale, rust, and calcium carbonate deposits from water passages and heating elements. SpeedyBright improves operating efficiency in tankless water heaters, gas/electric water heaters, and other water heating/heat exchange systems. Extend the usable life of cleaned equipment by quickly and safely removing energy robbing contaminants. Phosphoric acid based cleaner classified by UL to NSF/ANSI Standard 60.


CoilJet Mini-Split Accesssory Kit



CoilJet Mini-Split Accessory Kit

CJ-MSB-ACC-KIT

Mini-Split Cassette Bib®



Mini-Split Cassette Bib Stand:

Expand your reach! The portable Cassette Bib Stand keeps your bib in place when cleaning high ceilings.

SC-CB-STAND



Carrying Bag

Make carrying your Bib Stand easier, in this durable canvas bag.

CSB-010

FlowJet™



36" Two Piece Extendable Wand with 90° Spray Tip SC-WWSS-HF

BucketDescaler®



Recirculation Valve Kit

Increase descaling power for larger water heaters SC-DS-5-VLV-KIT



(2) 6' Extension Hoses SC-DS-5-EXTHOSE

CoilShot®



CoilShot 3' Coil Cleaning Wand SC-CS-WAND







Quick Disconnect Adapters



Foaming Nozzle



0° Pinpoint Replacement Nozzles



Replacement Nozzles

| · | | | |
|--|-----------------|--|--|
| DESCRIPTION | PART NO. | | |
| 90° Spray Wand | 24″ 8945-24 | | |
| | 36″ 8945 | | |
| | 48″ 8945-48 | | |
| | 60″ 8945-60 | | |
| 3 ft Sectional Stainless Steel 90° Spray Wand | CJ-WWSS | | |
| 16" Extension for CJ-WWSS | CJ-WWSS-EXT | | |
| 0° Spray Flex Wand 12" | 8945-0-DEG-FW12 | | |
| 0° Spray Flex Wand 24" | 8945-0-DEG-FLEX | | |
| 90° Spray Flex Wand 24" | 8945-FLEX-24 | | |
| Extension Lance Assembly | 24" CJ-9656 | | |
| | 36" CJ-9657 | | |
| | 48" CJ-9658 | | |
| | 60" CJ-9659 | | |
| 45° Quick Disconnect Adapter | CJ-QDN-45 | | |
| 90° Quick Disconnect Adapter | CJ-QDN-90 | | |
| Foaming Nozzle Assembly | CJ-9619 | | |
| 0° Pinpoint Replacement Nozzle for CJ-125 | CJ-QDN-0004R | | |
| 15° Replacement Nozzle for CJ-125 | CJ-QDN-1504Y | | |
| 25° Replacement Nozzle for CJ-200E (green) | CJ-QDN-2508G | | |
| 15° Fan Replacement Nozzle for CJ-200E (yellow) | CJ-QDN-15025Y | | |



Replacement Charger



Battery Charger





Battery and Charger Kit



12V Replacement Deep Cycle Lead Acid Battery



Vehicle Adapter Kit



SpeedyFoam Coil Cleaner

| | DESCRIPTION | PART NO. |
|---|--|--------------|
| | Battery Charger, Plug into Unit for CJ-125 | CJ2-24 |
| | Battery Charger with Lugs to Charge CJ-125 Battery Outside of Unit | CJ2-25 |
|) | Battery Charger Kit for CJ-125 | CJ125-KIT-SB |
| | 12V Replacement Deep Cycle Lead Acid Battery for CJ-125 | CJ-9613 |
| | Vehicle Adapter for Battery Charger | 8944 |
| | SpeedyFoam: | |
| | Coil Cleaner, One Gallon | SC-FCC-1 |
| | SpeedyFoam: Case of 4, One Gallon | SC-FCC-4X1 |
| | SpeedyFoam: 5 Gallon Pail | SC-FCC-5 |



Load a tablet into the CoilShot® unit, turn on the water and produce a powerful foaming coil cleaner that's non-toxic and plant-friendly. Use one or two tablets per job—no mess, no leftover, and no customer complaints to deal with.

Smaller, lighter and safer, CoilShot® is your best shot. Fire away.

SPEEDCLEAN®

LEARN MORE. www.speedclean.com

Distributed by:



Hit it with your best shot.

DiversiTech Corporation Duluth, GA 30097 www.speedclean.com