

Product Catalog2025

PUMPS | SWITCHES
DRAIN PANS | TREATMENTS
INSTALLATION COMPONENTS





Providing best-in-class HVAC/R service and support is what you do, and relying on dependable product solutions is critical to getting the job done right — and to your customer's satisfaction. We understand that preventing water damage due to condensate overflow is a top concern, made even more challenging with the variety of installation situations and the ongoing need for maintenance to keep the condensate system clear from blockages.

Meet Asurity® brand of condensate management products that provide a complete system of pumps, switches, drain pans, and treatments supported by highly trained technical support when you need it. At Asurity, we do more than create complete system solutions, we create peace of mind.

Table of Contents

Asurity® System	3
The Asurity Promise	4
Selecting the Right System	5
Pumps	6-12
Switches	12-17
Installation Components	18-19
Drain Pans	20-21
Treatments	22-25
Product Listing	26-27

Getting the job done isn't enough. It needs to be done right.

We get that. That's why Asurity® products are part of a complete system of condensate management solutions designed to work together. Why piece a system together when Asurity offers everything you need to install a superior condensate management solution for your customer?

We offer a full range of pumps from standard, high-temperature, flow, or lift applications in standard height and low-profile configurations. Our switches complement our range of pumps. Whether installed in a primary pan, secondary pan, inline, or for flood detection, we have a switch to meet the needs of your installation. Secondary drain pans are a critical component of an installation, providing additional peace of mind if the primary pan overflows, water damage won't occur. The Asurity line offers a full range of metal, plastic, and specialty drain pans. Our full range is complete with treatments to neutralize acid condensate, and pan strips and tablets to keep the system free from blockages.

asurityhvacr.com



YOUR COMPLETE SYSTEM FOR CONDENSATE MANAGEMENT

The Asurity® Promise

Tired of callbacks from water damage?

That's why we make it easy to protect your customers and your reputation with added protection on your condensate management install and coverage against water damage. Receive 2 years of protection for water damage claims up to \$2,500 when you install an Asurity system following our guidelines. And for unbeatable protection, choose our 4-year coverage when you add a 3-year maintenance agreement for protection from water damage claims up to \$2,500. Register your Asurity products on the Asurity App for easy access to protection details for each install.

For full coverage details visit asurityhvacr.com/promise



ADDED PROTECTION WHEN YOU REGISTER YOUR INSTALL



Up to \$2500 coverage against water damage claims




Extended Coverage Up to \$2500 with 3-year maintenance agreement

Helping You Select the Right Condensate Management System

We make condensate management easy with useful resources at your fingertips. We offer quality products and helpful resources to answer your questions. Understanding how to optimally install a condensate management system with proper checks and balances is made even easier with descriptive infographics. You will find that our website and Technical Support Team are valuable resources.

Water damage is a key homeowner worry. Why chance it?






Visit http://www.asurityhvacr.com - See the many different application scenarios and to register for the Asurity Promise.

Techs Helping Techs

We take our responsibility to answer your questions seriously, which is why we have trained HVAC/R technicians providing you support. Techs who have dealt with the real-life situations that you deal with every day are here to help you every step of the way whether it's helping select the right product, answering installation questions, or troubleshooting.

For Technical Support: (800) 995-2222





Tank Pumps

Pumps with extra features, adding even more condensate performance and protection.





T = Includes Tubing 20' Clear Vinyl 3/8" Tubing

ULTRAIQP Condensate Pump

- Most Advanced, Intelligent Condensate Pump Available
- TMR Sensor Technology (Tunneling Magnetoresistance)
 Senses Water Flow and Automatically Adjusts Motor
 Speed allowing for Quiet Operation Minimize Pump
 Noise.
- Self-cleaning. Detects potential line blockages and automatically. Increases Water Pressure and Pulses to Quickly Clear the Clog.
- Equipped with "End-Of-Season" Mode, after 30-days of Not Detecting Water, the Pump Automatically Drains Water from the Tank.
- Built-In Safety Overflow Switch with Translucent Tank for Easy & Fast Inspection

ULTRAIQP	120 VAC 60 Hz	22 ' LIFT
ULTRAIQP-230	230 VAC 60 Hz	22 ' LIFT
ULTRAIQP-T	120 VAC 60 Hz	22 ' LIFT
ULTRAIQP-T-230	230 VAC 60 Hz	22 ' LIFT

Condensate Pumps



T = Includes Tubing 20' Clear Vinyl 3/8" Tubing

ULTRACP-22 Condensate Pump

FEATURES:

- Translucent Tank for Easy & Fast Inspection
- Removable Check Valve for Easy Cleaning
- · LED Indicators Confirm Pump Status
- Built-in Safety Overflow Switch
- Handles Condensate up to 160° F

ULTRACP-22	120 VAC 60 Hz	22 ' LIFT
ULTRACP-22-230	230 VAC 60 Hz	22 ' LIFT
ULTRACP-22T	120 VAC 60 Hz	22 ' LIFT
ULTRACP-22T-230	230 VAC 60 Hz	22 ' LIFT



PROCP-225 Condensate Pump

- Handles Condensate up to 160° F
- · Built-in Safety Overflow Switch
- Sturdy Metal Hang Tabs

PROCP-22S	120 VAC 60 Hz	22 ' LIFT
PROCP-22S-230	230 VAC 60 Hz	22 ' LIFT
PROCP-22ST	120 VAC 60 Hz	22 ' LIFT
PROCP-22ST-230	230 VAC 60 Hz	22 ' LIFT



Condensate Pump Pro PROCP-16

PROCP-16 Condensate Pump

FEATURES:

- · Handles Condensate up to 160° F
- Sturdy Metal Hang Tabs

PROCP-16	120 VAC 60 Hz	16 ' LIFT
PROCP-16-230	230 VAC 60 Hz	16 ' LIFT



CP-22LP Low Profile Condensate Pump

FEATURES:

- Reduced Height for Restricted Spaces
- LED Indicators Confirm Pump Status
- · Built-in Safety Overflow Switch
- · Handles Condensate up to 160° F
- Sturdy Metal Hang Tabs

CP-22LP	120 VAC 60 Hz	22 ' LIFT
CP-22LP-230	230 VAC 60 Hz	22 ' LIFT



CP-22LP-P Low Profile Plenum Rated Condensate Pump

- Reduced Height for Restricted Spaces
- LED Indicators Confirm Pump Status
- · Built-in Safety Overflow Switch
- · Handles Condensate up to 160° F
- Sturdy Metal Hang Tabs

CP-22LP-P	120 VAC 60 Hz	22' LIFT
CP-22LP-230-P	230 VAC 60 Hz	22 ' LIFT

Condensate Pumps



FP-22 Condensate Pump Acidic & High Temperature

FEATURES:

- Handles Acidic and Non-Acidic Condensate up to 190° F
- Stationary PVC Pipe Inlets for Easy Tank Access
- LED Indicators Confirm Pump Status
- · Built-In Safety Overflow Switch
- Remove Check Valve Without Tools for Easy Cleaning



PROCP-46 Condensate Pump Acidic, Max Temp. & High Lift

- Handles Acidic and Non-Acidic Condensate up to 212° F
- Large 1-Gallon Tank Instantly Reduces Temperature of Boiler & Steam Humidifier Discharge
- Flow Rate up to 190 Gallons Per Hour
- Quarter-Turn Removable Check Valve
- Built-In Safety Overflow Switch

PROCP-46	120 VAC 60 Hz	49 ' LIFT
PROCP-46-230	230 VAC 60 Hz	49 ' LIFT



Ductless

A variety of convenient and long-lasting ductless pumps designed for a wide variety of applications.



Condensate Pump DuctlessStandard Applications


FEATURES:

- Ultra Quiet Piston Pump, (19 dBA)
- · Compact Design for Mini-Splits
- Built-In Safety Overflow Switch
- Easy Installation & Maintenance
- · Anti-Vibration Mounts
- Built-In Check Valve Preventing Backflow
- Max Output 24,000 BTU/h, 7 kW

QUIETMINI-I

115 - 230 VAC 60 Hz

26' LIFT



Condensate Pump Ductless Standard Applications

FEATURES:

- Undermount Pump for Ductless System
- Ultra Quiet (21dBA)
- Removable Reservior for Easy Maintenance
- Built-in Safety Overflow Switch
- Max Unit Output 54,000 BTU/h, 16kW

QUIETMINI-M

115 - 230 VAC 60 Hz

26' LIFT

Condensate Pumps



Condensate Pump Ductless

Standard Applications

FEATURES:

- Variable Speed for Silent Operation (19.0 Decibels)
- · Suction Lift 6.5'
- For Equipment up to 120K BTU/h
- Built-in Safety Overflow Switch with Alarm & Run Contacts
- · LED Indicators Confirm Pump Status
- · Includes Installation Accessories
- Floatless Sensor Technology

CVMINI

120 - 240 VAC 60 Hz

35' LIFT



Switches


Our switches are the brains of the operation. Designed to detect problems and shut the entire system off in case of water overflow or a clog in the condensate drain line, our switches add another layer of protection.





Inline Switches









Leak Detector

The Asurity® Leak Detector is designed to prevent flooding, damage to carpets, walls, furniture, and ceilings. Turns system off when detecting moisture due to condensate or drain leaks. When water is detected, it turns system off, alerting the homeowner or service person to potential moisture problems.

FEATURES:

- Innovative 3D textured base disrupts surface tension for faster water detection and reset times
- LED Indicators Confirm System Status, (Power, Moisture Detected)
- Connect Multiple Switches to Expand Protection Area
- Flexible Placement Options
- Can Be Connected to Multiple Pieces of Equipment
- Self-Resetting Once Moisture is Removed

LD-1



Switches







Connected Wet Switch® Smart Wi-Fi Enabled Flood Detector

The Asurity® WS-1C Wet Switch® Connected Flood Detector is a smart Wi-Fi enabled switch that communicates directly to the homeowner, contractor or building manager that the switch has been tripped alerting them to a potential problem, via text or email. The Connected Wet Switch is designed to prevent flooding, damage to carpets, walls, furniture, and ceilings. It turns the system off when detecting moisture due to condensate or drain leaks and includes a built-in test and reset button. One or two drops is all it takes to turn system off, immediately sending a text or email alert to the homeowner or service person about potential moisture problems.

FEATURES:

- Texts and Emails the Contact Provided to Ensure Immediate Action is Taken
- Turns Off Equipment with As Few As 1-2 Drops of Water Detection
- LED Indicators Confirm System Status
- · Connect Multiple Switches to Expand Protection Area
- Flexible Placement Options
- Can Be Connected to Multiple Pieces of Equipment
- Label for Contractor Information

WS-1C



Wet Switch Flood Detectors



Wet Switch® Original and Dual Voltage Flood Detectors

WS-1/WS-2DV FEATURES:

- Turns Off with as Few as 1-2 Drops of Water Detection
- LED Indicators
- Connect Multiple Switches to Expand Protection Area
- · Flexible Placement Options

WS-2DV SPECIFIC FEATURES:

- 12 Volt: Integrates into Building Automation Systems and Transmits Alarm Signal with as Few as 1-2 Drops of Water Detection
- · 24 Volt: Works with All HVAC Systems

WS-1	Plenum Rated
WS-2DV	Plenum Rated

Float Switches





Latching Float Switch

FEATURES:

- Prevents Short Cycling that Can Lead to Equipment Damage
- · Less Intermittent or False Tripping
- · Float Latches When Tripped
- · Checks and Measures Water Levels
- 2 Adapters Included

BG-301+





Latching Secondary Pan Float Switch

FEATURES:

- This Switch Shuts Down the HVAC System to Prevent Flood Damage
- Prevents Short Cycling that Can Lead to Equipment Damage
- · Works on Both Metal and Plastic Drain Pans

BG-101







Latching Secondary Pan Float Switch


FEATURES:

- · Latching Float Switch for Preventing Drain Pan Overflow
- Prevents Short Cycling
- · Designed for Metal Drain Pans

BG-110







Treatment Cartridge



PRO-TREAT® In-Line Switch and **Slow Release Treatment System**

Asurity® PRO-TREAT® In-Line BG-402 is an inline latching condensate safety switch with a patent-pending auto-dosing treatment delivery system. As the condensate water passes through the switch and over the treatment tablets, the condensate line is constantly dosed with treatment to keep the lines clear and flowing properly, for up to 6 months.

FEATURES:

- · Auto-Dosing Treatment Keeps Drain Lines Clean, Saving Time and Money by Preventing Buildup
- · Treatment Formulated with Copper and Zinc to Eliminate Odors
- · Safe, Non-Corrosive and 100% Soluble Condensate Line Treatment
- · Switch Shuts Down the HVAC System to Prevent Flood Damage, until Manually Reset
- · Latching Switch Prevents Short Cycling that Can Lead to Equipment Damage
- · Includes one treatment cartridge; replacement cartridges sold separately (BG-40R)

BG-402





Condensate Safety Overflow Switch

FEATURES:

- · LED Illuminates When Condensate Line is Blocked
- Built-In Protection Against Power Surges Provides Increased Reliability
- Three Installation Configurations for Increased Flexibility
- For Standard & Plenum Rated Installations in Primary or Auxiliary Lines

CS-1 Plenum Rated

CS-1-BULK50

Plenum Rated



For Large Installs, Available in a Bulk Pack of 50



Condensate Safety Overflow Switch

FEATURES:

- · LED Illuminates When Condensate Line is Blocked
- Built-In Protection Against Power Surges Provides Increased Reliability
- For Standard & Plenum Rated Installations in Primary or Auxiliary Lines

CS-2

Plenum Rated



CS-2-BULK50

Plenum Rated



For Large Installs, Available in a Bulk Pack of 50



Condensate Safety Overflow Switch

FEATURES:

- · Adjustable Activation Height
- · Position Anywhere Along the Drain Pan
- For Standard Rated Installations in Primary or Secondary Drain Pans

CS-3

Plenum Rated



CS-3-BULK50

Plenum Rated



For Large Installs, Available in a Bulk Pack of 50



Condensate Safety Overflow Switch

FEATURES:

- Position Anywhere Along Drain Pan
- · Adjustable Activation Height Minimum 1.5"
- Sensor Assembly Swivels to Accommodate Drain Pans with Sloped Sides
- Clamps Easily Over the Edge of All Drain Pan Types, Including Formed Plastic and Galvanized Sheet Metal

CC-1



Condensate Safety Overflow Switch

FEATURES:

- Position Anywhere Along Drain Pan
- Clamps Easily Over the Edge of All Secondary Drain Pans
- Rotate Housing to Adjust to Pan Angle
- Translucent Design for Easy & Fast Inspection
- LED Indicator Illuminates when Switch is Activated
- For Standard Rated Installations in Secondary Drain Pans

CS1200



Condensate Safety Overflow Switch

FEATURES:

- Fits Over 3/4" Standard Plastic Pipe without Cutting Drain Line
- Float Free Design, Ideal for Drier Environments
- · Switch Orientation Adjusts Sensitivity
- Includes Easy to Attach Primary Drain Pan Fitting
- For Standard Rated Installations in Primary or Auxiliary Lines

SOS-1



Installation Components









Waterless Trap

FEATURES:

- Prevents Unwanted Air Leakage from Condensate Line
- · Will Not Freeze or Dry Out
- · Eliminates Sludge Buildup
- For Negative Pressure Applications

WTRAP



A/C Easy Tee & Service Tool

Flexible & Cost Effective Condensate Line Maintenance

FEATURES:

- Quickly Clear Condensate Lines
- · Never Cut Condensate Lines Again
- · Complies with Code 307.2.5

ET75 A/C Easy Tee Cleanout Port

ST75 A/C Easy Tee Service Tool Set



Universal Alarm

FEATURES:

- Works with Asurity Float and Safety Switches on 24 VAC Control Circuits
- Two Wire Connections for Easy Hook Up
- · Low Voltage Alarm

UA-1



Drain Trap Kit u Trap

- · Easy Installation and Troubleshooting
- Schedule 40 PVC Fittings
- Cleanout Tee
- Fits 3/4" PVC; 1" Drop

DTK113	
DTK113B	

Installation Components



Drain Trap Kit With Safety Overflow Switch

Deep U Trap, Cleaning Brush, Float Switch

FEATURES:

- · Easy Installation and Troubleshooting
- Schedule 40 PVC Fittings
- Cleanout Tee
- Fits 3/4" PVC; 3" Drop

DTK205



Drain Trap Kit With Safety Overflow Switch

U Trap, Cleaning Brush, Float Switch, Cross

FEATURES

- · Easy Installation and Troubleshooting
- Schedule 40 PVC Fittings
- Cleanout Tee
- Fits 3/4" PVC; 1" Drop

DTK207



Drain Trap Kit With Safety Overflow Switch

U Trap, Cleaning Brush, Float Switch

FEATURES:

- · Easy Installation and Troubleshooting
- Schedule 40 PVC Fittings
- Cleanout Tee
- Fits 3/4" PVC; 1" Drop

DTK210



Drain Trap Kit with Safety Overflow Switch

U Trap, Cleaning Brush, Float Switch

FEATURES:

- · Easy Installation and Troubleshooting
- Schedule 40 PVC Fittings
- · CS-2 Safety Switch
- · Cleanout Tee
- Fits 3/4" PVC; 1" Drop

DTK626





		OUTLET	BOTTOM DIMS.
Plastic Drain Pan	6-1838L	Long Side	18" x 38"
Rolled Edges, Ribbed Bottom, Reinforced Corners	6-1838S	Short Side	18" x 38"
PVC Fittings Included	6-2424L	Long Side	24" x 24"
 No Seams, No Rust, No Leakage 	6-2626L	Long Side	26" x 26"
Compulies with Couthour Duilding Code	6-2739L	Long Side	27" x 39"
Complies with Southern Building Code	6-2748L	Long Side	27" x 48"
	6-2763L	Long Side	27" x 63"
	6-3030L	Long Side	30" x 30"
	6-3050L	Long Side	30" x 50"
	6-3060L	Long Side	30" x 60"
	6-3060S	Short Side	30" x 60"
	6-3263L	Long Side	32" x 63"
	6-3263L-F	Long Side	32" x 63"
	6-3636L	Long Side	36" x 36"
	6-3660L	Long Side	36" x 60"
	6-3660S	Short Side	36" x 60"
Furnace Pan			
Heavy Duty Construction	6-HK3364FUR	Long Side	33" x 64"
 Installation Kit Provided (Condensate Safety Overflow Switch, Heat Pump Risers, Fitting) 	6-HK3378FUR	Long Side	33" x 78"

		OUTLET	BOTTOM DIMS.
High Rise Pan [™]	6-HK2748	Long Side	27" x 48"
Position AV Pads Where You Want Them	6-HK2748-1	Long Side	27" x 48"
• Full 5" Rise from Bottom of Pan	6-HK2766	Long Side	27" x 66"
Heavy Reinforcement Throughout Water Flavor Towards Sides	6-HK2766-1	Long Side	27" x 66"
Water Flows Towards SidesInstallation Kit Provided	6-HK3050	Long Side	30" x 50"
(Condensate Safety Overflow Switch,	6-HK3050-1	Long Side	30" x 50"
Anti-Vibration Pads, Fitting)	6-HK3060	Long Side	30" x 60"
	6-HK3060-1	Long Side	30" x 60"
Meets Requirements for Florida Building Code (307.23 A	uxiliary and Secon	dary Drain Systems)	
Heavy Duty High Rise Pan™			
• Full 4.25" Rise from Bottom of Pan	6-HK3050HD	Long Side	30" x 50"
Heavy Reinforcement Throughout	6-HK3060HD	Long Side	30" x 60"
 Suitable for Hanging Applications Water Flows Towards Sides Installation Kit Provided (Condensate Safety Overflow Switch, 	6-HK3070HD	Long Side	30" x 70"
Anti-Vibration Pads, Fitting)			
Seamless Metal Drain Pan	6-M2748	Long and Short Side	27" x 48"
Single-Piece Design	6-M2763	Long and Short Side	27" x 63"
• Rolled Edge	6-M3030	Long and Short Side	30" x 30"
• Two Outlets	6-M3050	Long and Short Side	30" x 50"
Fittings Included	6-M3060	Long and Short Side	30" x 60"
	6-M3263	Long and Short Side	32" x 63"
Specialty Plastic Drain Pans			
Mini-Split Systems	230-DPPL	Large Pan	16.75" x 38"
UV-Stabilized and Reinforced PolypropylenePowder-Coated SteelComes with Mounting Hardware and Drain Pan Outlet	230-DPPM	Medium Pan	16.75" x 32.25"
Condensate Pump Pan	CP-PAN		10.5" x 15.5" x 2.5"
 Provides Redundant Protection from Water Overflows Fits Condensate Pump with CS-3 Switch No Seams, No Rust, No Leakage 	OI TAIL		10.0 X 10.0 X 2.0
Humidifier Drain Pan	HM-PAN		7.05" x 16.65" x 2.68"
 Safely Capture Overflow & Debris CS-3 Condensate Safety Overflow Switch Included for Extra Protection 	Tim LAN		7.00 X 10.00 X 2.00
Easy Installation with Included Hardware	CASUTES		
	UM		Supplied Self
230-DPPL	CP-PAN		HM-PAN

Pump not included.

Treatments

High-efficiency furnaces and on-demand water heaters are great for the environment, but their acidic condensate is not. Asurity® condensate treatments neutralize the condensate eliminating corrosive damage. Wet environments can cause slime and sludge build-up, leading to blockages.

Our range of pan treatment products protect the condensate system reducing maintenance between visits.



PRO-TREAT® In-Line Slow Release Treatment System

Asurity® PRO-TREAT® In-Line Slow Release Treatment System is an inline, patent-pending auto-dosing treatment delivery system. As the condensate water passes through and over the treatment tablets, the condensate line is constantly dosed with treatment to keep the lines clear and flowing properly, for up to 6 months.

FEATURES:

- Auto-Dosing Treatment Keeps Drain Lines Clean, Saving Time and Money by Preventing Buildup
- Triple-Defense Treatment Includes PRO-TREAT®, FLOW PLUS® & Zinc Tablets
- Formulated with Copper & Zinc to Eliminate Odors
- Simple Installation & Self-Regulating
- Comes with one treatment cartridge; replacement cartridges sold separately (BG-40R)

BG-400





PRO-TREAT® In-Line Slow Release Treatment Replacement Cartridge

Asurity® PRO-TREAT® In-Line BG-40R is the replacement cartridge for the auto-dosing treatment delivery system in BG-402 and BG-400.

FEATURES:

- Triple-Defense Treatment Includes PRO-TREAT[®], FLOW PLUS[®] & Zinc Tablets
- Replacement Window Makes It Easy to Check Status

BG-40R

Contains 2 per Package



Pro-Treat® Condensate Pan Treatment

- · Controls Odor and Pan Overflows
- · Combats Sludge, Slime, Fouling
- · Helps Maintain Clean Drain Pan
- Approved for Computer Room Use

PROTREAT-151*	100 Tablets	1 Tablet - 3 Tons/Mo.
PROTREAT-152	12 King Size Tablets	1 Tablet - 3 Tons/3Mo.
PROTREAT-161	100 Tablets	2 Tablet - 3 Tons/Mo.
PROTREAT-200	200 Tablets	2 Tablet - 3 Tons/Mo.
PROTREAT-217	200 Thin Tablets	3 Tablet - 3 Tons/Mo.



Flow-Plus® Condensate Pan Treatment

- · Maintains Condensate Flow and Prevents Drain Pan Overflow
- · Activated When Condensate Flows Over Surface
- Deodorizes
- · Stays in Place
- · No Residue

FLOW-PLUS-200	200 Mini Tabs	For 1/3 to 3 Ton Units	
FLOW-PLUS-25	25 Mini Tabs	For 1/2 to 3 Ton Units	
FLOW-PLUS-6	Light Tonnage	For 3 to 5 Ton Units	
FLOW-PLUS-10	Medium Tonnage	For 5 to 20 Ton Units	
FLOW-PLUS-125	High Tonnage	For 20 to 50 Ton Units	
FLOW-PLUS-CP	6 Pump Treatment Tablets		
SCM-185-8	Flow Plus® Polymer Pan Treatment	(1) - 8lb Tub	







Pro-Treat® Condensate Pan Treatment

- · Kills Odor-Causing Bacteria
- · Controls Odor and Pan Overflows
- · Combats Sludge, Slime, Fouling, and Algae Growth

PS-01	For Equipment From 1 to 2 Tons	10 Applications
PS-03	For Equipment From 3 to 5 Tons	6 Applications
PS-07	For Equipment From 7 to 12 Tons	2 Applications
PS-20	For Equipment From 10 to 25 Tons	1 Application
PS-40	For Equipment From 40 to 50 Tons	1 Application

EPA Registered

Each Pan Strip is a 6-Month Treatment

Condensate Neutralization





Horizontal Condensate Neutralizer

FEATURES:

- Suitable for 400,000 BTU/h at 93% Efficiency
- Prevents Acidic Condensate from Corroding Drains and Sewer Systems
- Helps Maintain a Neutral Environment for Bacteria in Septic Systems
- Suitable for Use on All Types of Natural Gas and Propane Appliances
- Includes Initial Charge of Neutralization Media

CNH-4K

CNH-4K INCLUDES:

- · Corrosion Resistant Capsule
- Two Base/Wall Mounting Clips
- Two 3" Fill/Access Openings
- 3/4" NPT Threaded Inlet and Outlet
- Two 3/4" MNPT To 3/4" FNPT Unions
- Two 3/4" MNPT To 3/4" FPVC Socket Adaptor
- Neutralization Media



CNHK-4K (Horizontal Condensate Neutralizer Kit)

CNHK-4K KIT INCLUDES:

- Corrosion Resistant Capsule
- Two Base/Wall Mounting Clips
- Two 3" Fill/Access Openings
- 3/4" NPT Threaded Inlet and Outlet
- Two 3/4" MNPT To 3/4" FNPT Unions
- Three 3/4" NPT To 1/2" Hose Barb Fittings
- 6 Hose Clamps
- 10' of Tubing
- 1/2" Barbed Y Fitting
- Neutralization Media



Vertical Condensate Neutralizer

- Suitable for 400,000 BTU/h at 93% Efficiency
- Prevents Acidic Condensate from Corroding Drains and Sewer Systems
- Helps Maintain a Neutral Environment for Bacteria in Septic Systems
- Suitable for Use on All Types of Natural Gas and Propane Appliances
- · Float System Indicates if Unit has Become Plugged
- Integral Bypass Feature Prevents Condensate Backflow into Appliance
- 3/4" FNTP Inlet and Outlet Connections
- Includes Initial Charge of Neutralization Media

CNV-4K



Neutralization Tank

- Suitable for 3 Million BTU/h at 93% Efficiency
- Prevents Acidic Condensate from Corroding Drains and Sewer Systems
- Helps Maintain a Neutral Environment for Bacteria in Septic Systems
- Suitable for Use on All Types of Natural Gas and Propane Appliances

CNT-3M

Neutralization Media

Prevents Acidic Condensate from Corroding Drains and Sewer Systems

CNM-4K	CNV-4K CNH-4K CNHK-4K
CNM-BULK	CNV-4K CNH-4K CNHK-4K
CNM-3M	CNT-3M

Replacement For



Product Listing

Item Number	Product Description	UOM	Order Multi.	Page No.
Pumps				
CP-22LP	Cond. Pump, 120V, 22', Low Profile	EA	6	9
CP-22LP-230	Cond. Pump, 230V, 22', Low Profile	EA	6	9
CP-22LP-230-P	Cond. Pump, 230V, 22', Low Profile, Plenum	EA	6	9
CP-22LP-P	Cond. Pump, 120V, 22', Low Profile, Plenum	EA	6	9
CVMINI	Cond. Pump, Ductless, 120/240V, 35'	EA	6	13
FP-22	Cond. Pump, 120V, 22'	EA	6	9
FP-22-230	Cond. Pump, 230V, 22'	EA	6	9
IQP-120	Cond. Pump, ClearVue", 120V, 22'	EA	6	9
IQP-120T	Cond. Pump, ClearVue", 120V, 22', Tubing	EA	6	9
PROCP-16	Cond. Pump, Pro, 120V, 16'	EA	6	10
PROCP-16-230	Cond. Pump, Pro, 230V, 16'	EA	6	10
PROCP-22S	Cond. Pump, Pro, 120V, 22'	EA	6	11
PROCP-22S-230	Cond. Pump, Pro, 230V, 22'	EA	6	11
PROCP-22ST	Cond. Pump, Pro, 120V, 22', Tubing	EA	6	11
PROCP-22ST-230	Cond. Pump, Pro, 230V, 22', Tubing	EA	6	11
PROCP-46	Cond. Pump, 120V, 49'	EA	6	11
PROCP-46-230		EA	6	11
QUIETMINI-M	Cond. Pump, 230V, 49' Cond. Pump, Ductless, 115/230V, 26'	EA	10	12
QUIETMINI-M	Cond. Pump, Ductless, 113/230V, 26 Cond. Pump, Ductless, 115/230V, 26'	EA	10	12
ULTRACP-22		EA	6	8
	Cond. Pump, Ultra, 120V 22'			
ULTRACP-22-230	Cond. Pump, Ultra, 230V, 22'	EA	6	8
ULTRACP-22T	Cond. Pump, Ultra, 120V, 22', Tubing	EA	6	8
ULTRACP-22T-230	Cond. Pump, Ultra, 230V, 22', Tubing	EA	6	8
ULTRAIQP	Cond. Pump, Ultra, 120V 22'	EA	6	7
ULTRAIQP-230	Cond. Pump, Ultra, 230V, 22'	EA	6	7
ULTRAIQP-T	Cond. Pump, Ultra, 120V, 22', Tubing	EA	6	7
ULTRAIQP-T-230	Cond. Pump, Ultra, 230V, 22', Tubing	EA	6	7
Switches				
BG-301+	Latching Primary Pan Float Switch	EA	30	15
BG-101	Latching Secondary Pan Float Switch	EA	20	15
BG-110	Latching Secondary Pan Float Switch	EA	20	15
BG-402	PRO-TREAT® In-Line Switch and Slow Release Treatment System	EA	20	15
BG-400	PRO-TREAT® In-Line Slow Release Treatment System	EA	20	22
BG-40R	PRO-TREAT® In-Line Slow Release Treatment Replacement Cartridge	EA	20	22
CC-1	Condensate Safety Overflow Switch	EA	12	17
CS-1	Condensate Safety Overflow Switch, Tee	EA	10	16
CS-1-BULK50	Condensate Safety Overflow Switch, Tee, Bulk	EA	50	16
CS-2	Condensate Safety Overflow Switch, Elbow	EA	10	16
CS-2-BULK50	Condensate Safety Overflow Switch, Elbow, Bulk	EA	50	16
CS-3	Condensate Safety Overflow Switch, Drain Pan Clip	EA	10	16
CS-3-BULK50	Condensate Safety Overflow Switch, Drain Pan Clip, Bulk	EA	50	16
CS1200	Condensate Safety Overflow Switch	EA	12	17
DTK113	Drain Trap Kit	EA	1	18
DTK113B	Drain Trap Kit with Brush	EA	1	18
DTK205	Drain Trap Kit with Condensate Safety Overflow Switch	EA	1	19
DTK207	Drain Trap Kit with Condensate Safety Overflow Switch	EA	1	19
DTK210	Drain Trap Kit with Condensate Safety Overflow Switch	EA	1	19
DTK626	Drain Trap Kit with Condensate Safety Overflow Switch	EA	1	19
ET75	A/C Easy Tee®	EA	20	18
LD-1	Leak Detector	EA	1	13
SOS-1	Condensate Safety Overflow Switch	EA	1	17
ST75	A/C Easy Tee® Service Tool	EA	6	18
UA-1	Universal Alarm	EA	1	18
WS-1	Wet Switch® Flood Detector	EA	1	14
VV-0-1				
	Connected Wet Switch® Smart Wi-Fi Enabled Flood Detector	FA	1	14
WS-1C WS-2DV	Connected Wet Switch® Smart Wi-Fi Enabled Flood Detector Wet Switch® Flood Detector Dual Voltage	EA EA	1	14

Drain Pans				
6-1838L	Drain Pan, Plastic, 18x38 L, 5PK	EA	5	20
6-1838S	Drain Pan, Plastic, 18x38 S, 5PK	EA	5	20
6-2424L	Drain Pan, Plastic, 24x24 L, 5PK	EA	5	20
6-2626L	Drain Pan, Plastic, 26x26 L, 5PK	EA	5	20
6-2739L	Drain Pan, Plastic, 27x39 L, 5PK	EA	5	20
6-2748L	Drain Pan, Plastic, 27x48 L, 5PK	EA	5	20
6-2763L	Drain Pan, Plastic, 27x63 L, 5PK	EA	5	20
6-3030L	Drain Pan, Plastic, 30x30 L, 5PK	EA	5	20
6-3050L	Drain Pan, Plastic, 30x50 L, 5PK	EA	5	20
6-3060L	Drain Pan, Plastic, 30x60 L, 5PK	EA	5	20
6-3060S	Drain Pan, Plastic, 30x60 S, 5PK	EA	5	20
6-3263L	Drain Pan, Plastic, 32x63 L, 5PK	EA	5	20
6-3263L-F	Drain Pan, Plastic, Flex 32x63 L, 5PK	EA	5	20
6-3636L	Drain Pan, Plastic, 36x36 L, 5PK	EA	5	20
6-3660L	Drain Pan, Plastic, 36x60 L, 5PK	EA	5	20
6-3660S	Drain Pan, Plastic, 36x60 S, 5PK	EA	5	20
6-HK2748	High Rise Drain Pan, 27x48, w/Kit, 5PK	EA	5	21
6-HK2748-1	High Rise Drain Pan, 27x48, w/Kit, 1PK	EA	1	21
6-HK2766	High Rise Drain Pan, 27x66, w/Kit, 5PK	EA	5	21
6-HK2766-1	High Rise Drain Pan, 27x66, w/Kit, 1PK	EA	1	21
6-HK3050	High Rise Drain Pan, 30x50, w/Kit, 5PK	EA	5	21
6-HK3050-1	High Rise Drain Pan, 30x50, w/Kit, 1PK	EA	1	21
6-HK3050HD	Heavy Duty High Rise Pan, 30x50, w/Kit, 5PK	EA	5	21
6-HK3060	High Rise Drain Pan, 30x60, w/Kit, 5PK	EA	5	21
6-HK3060-1	High Rise Drain Pan, 30x60, w/Kit, 1PK	EA	1	21
6-HK3060HD	Heavy Duty High Rise Pan, 30x60, w/Kit, 5PK	EA	5	21
6-HK3070HD	Heavy Duty High Rise Pan, 30x70, w/Kit, 5PK	EA	5	21
6-HK3364FUR	Drain Pan, Furnace, 33x64, w/Kit	EA	5	20
6-HK3378FUR	Drain Pan, Furnace, 33x78, w/Kit	EA	5	20
6-M2748	Drain Pan, Metal, 27x48, 5PK	EA	5	21
6-M2763	Drain Pan, Metal, 27x43, 51 K	EA	5	21
6-M3030	Drain Pan, Metal, 30x30, 5PK	EA	5	21
6-M3050	Drain Pan, Metal, 30x50, 5PK	EA	5	21
6-M3060	Drain Pan, Metal, 30x60, 5PK	EA	5	21
6-M3263	Drain Pan, Metal, 32x63, 5PK	EA	5	21
230-DPPL	Mini-Split Plastic Drain Pan, Wall Mount	EA	1	21
230-DPPM	Mini-Split Plastic Drain Pan, Hanging	EA	1	21
CP-PAN	Condensate Pump Pan, Plastic	EA	24	21
HM-PAN	Humidifier Drain Pan	EA	6	21
Treatments	Hamana Brain Fair	E/C	v	21
CNH-4K	Horizontal Condensate Neutralizer	EA	1	24
CNHK-4K	Horizontal Condensate Neutralizer Kit	EA	1	24
CNM-3M	Neutralizing Media, for Tank	EA	1	25
CNM-4K	Neutralizing Media, for Cartridge	EA	1	25
CNM-BULK	Neutralizing Media, Bulk	EA	1	25
CNT-3M	Neutralization Tank	EA	1	25
CNV-4K	Vertical Condensate Neutralizer	EA	1	25
FLOW-PLUS-10	Flow-Plus®, Medium Tonnage	EA	18	23
FLOW-PLUS-125	Flow-Plus®, High Tonnage	EA	8	23
FLOW-PLUS-200	Flow-Plus®, 200 Mini Tabs	EA	4	23
FLOW-PLUS-25	Flow-Plus®, 25 Mini Tabs	EA	12	23
FLOW-PLUS-6	Flow-Plus®, Light Tonnage	EA	12	23
FLOW-PLUS-CP	Flow-Plus® Pump Treatment Tablets	EA	36	23
PROTREAT-151	Pro-Treat® 151, 100 Tab/Jar	EA	12	22
PROTREAT-152	Pro-Treat® 152, 12 Tab/Jar	EA	6	22
PROTREAT-161	Pro-Treat® 161, 100 Tab/Jar	EA	12	22
PROTREAT-200	Pro-Treat® 200, 200 Tab/Jar	EA	1	22
PROTREAT-217	Pro-Treat® 217, 200 Tab/Jar	EA	12	22
PS-01	Pro-Treat® Strip, 1-2T	PK	1	23
		DI		22
PS-03	Pro-Treat® Strip, 3-5T	PK	1	23
PS-03 PS-07	Pro-Treat® Strip, 3-5T Pro-Treat® Strip, 7-12T	PK PK	1	23
PS-07	Pro-Treat® Strip, 7-12T	PK	1	23





BUY HVAC/R PRODUCTS, GET REWARDED

ENROLL

Sign Up at ContractorRewards.com

Scan for Details



UPLOAD

Upload receipts for purchases of DiversiTech products.

GET REWARDED

Shop the extensive online REWARDS catalog.

IT'S THAT EASY!





©2024 DiversiTech® Corporation
Asurity® is a registered trademark of DiversiTech Corporation.
www.asurityhvacr.com

1124 LIT-CAT-ASURITY