



PRODUCT CATALOG

The work takes you from superheat to freezing cold. And requires you get really comfortable in the dark, dirty and downright cramped. You gotta find a way to keep your cool even when the customer has been without hers for 27 hours. The tools in your truck are the only help you've got. And that's the kicker. Because while the work keeps getting more complex, the tools haven't evolved much at all. UNTIL NOW.



Table of Contents

VACUUM PUMPS

Vacuum Pump Family	3
Vacuum Pumps	4
Battery Powered Vacuum Pump	5
Vacuum Pump Oil	6
Vacuum Gauges	7-8

RECOVERY MACHINE

Recovery Machine	9
------------------	---

LEAK DETECTORS

Heated Diode Leak Detector	10
Infrared Leak Detector	11

REFRIGERANT SCALES

Wired/Wireless Refrigerant Scales	12
-----------------------------------	----

VALVE CORE REMOVAL TOOLS

Valve Core Removal Tools	13
--------------------------	----

LINESET CLEANER

Lineset Cleaner	14
-----------------	----

MANIFOLDS

Manifold Family	15
Digital Manifold	16
4-Valve Aluminum Manifold	17-18
2-Valve Aluminum Manifold	19
2-Valve Basic Manifold	20
Replacement Parts	21

ELECTRONIC TOOLS

Dual Readout Thermometer	22
Thermocouple Clamp	23

GAUGES

Gauge Family	24
Analog Gauges	25

HOSES

Hose Family	26
Refrigeration Hoses	27
Refrigeration Hoses with Ball Valve Extensions	28
Refrigeration Hoses with Ball Valve Ends	29
Ball Valve Extensions	30
Ball Valve Ends	30

BENDING TOOLS

Bender Family	31
Compact Bender Kits	32
Tri-Tube Benders	33
Spring Benders	33

FLARING TOOLS

Flare Family	34
Orbital Flare	35
Orbital Flare Kit	36
Flaring Tools	37
Quick-Engage Flare and Swage Kit	38
Large Flare/Swage	39
Basic Flare/Swage Kit	40

SWAGING TOOLS

Swage Family	41
Compact Swage Tool Kit	42
Deluxe Compact Swage Tool Kit	43
Punch Swage Set	44
Multi-Swage Punch	44

TUBING CUTTERS

Tubing Cutters Family	45
Small Diameter Tubing Cutters	46
Large Diameter Tubing Cutters	47
Plastic Tubing Cutter	48
Ratcheting Plastic Tubing Cutters	49

SHEET METAL & DUCT TOOLS

Sheet Metal & Duct Tools Family	50
Advanced Folding Tools	51
Folding Tools	51
Aviation Snips	52
Aluminum Handle Snip	53
V-Notcher	53
Snap Lock Punch	54
Hand Crimpers	54
Hand Seamers	55
Pocket Brake	56
Hole Cutters	56
Duct Stretcher	57
Duct Slitting Tool	57
Duct Knife	57

At hilmor, we're revolutionizing the HVAC/R world by creating tools that are a step ahead. Every tool we make is designed to give you all the features you need and none of the ones you don't. We're determined to deliver smart, innovative solutions when and where you need them most. So, you'll be fully equipped to retool and conquer.

Table of Contents

DRIVING TOOLS		SERVICE TOOLS	
Driving Tools Family	58	Fin Straightening Tools	85
Reversible Magnetic Nut Drivers	59	Deburring Tool	85
Magnetic Nutsetters	59	Inspection Mirrors	86
Fast Connect Magnetic Nut Driver Set	60	Cable Tie Tensioning Tool	86
Fast Connect Screwdriver Bit Set	61	Service Wrenches	87
Magnetic Nut Drivers	62-63	Locking Pliers Pinch-Off Tool	88
Quick-Change Magnetic Nut Drivers	64	Refrigerant Recovery Tool	88
Ratcheting 9 in 1 Multi-Tool	64	Liquid Charger	89
9 in 1 Multi-Tool	65	Nitrogen Purge Tool	89
6 in 1 Stubby Multi-Tool	65		
Keystone Tip Demolition Screwdrivers	66	WORK LIGHTS	
Keystone Tip & Cabinet Tip Screwdrivers	67	Work Light	90
Terminal Block Screwdriver	68	Mini Work Light	90
Phillips Tip Screwdrivers	68	Portable Work Light	91
Precision Screwdriver Set	69	Pivoting Work Light	91
Screwdriver Sets	70	Compact Work Light	92
		Pocket Work Light	92
PLIERS, WRENCHES & WIRE STRIPPERS		WORKSITE STORAGE	
Hex Key Sets	71	Worksite Storage Family	93
T-Handle Hex Key Set	72	HVAC/R Tote	94
Pliers, Wrenches & Wire Strippers Family	73	Tool Center Bag	95
Digital Adjustable Torque Wrench	74	Backpack Tool Bag	96
Adjustable Wrenches	75	Foam Storage Trays	97
Multi-Function Pliers	76	HVAC/R Carrying Strap	98
Quick-Adjusting Tongue & Groove Pliers	76	Zipper Pouch	98
Tongue & Groove Pliers	77	HVAC/R General Purpose Gloves	99
Lineman's Pliers	78	HVAC/R Sheet Metal Gloves	99
Long Nose Pliers	78		
Diagonal Cutting Pliers	79	KITS	
Crimping Tool	79	Mini-Split Install Tools Kit	100
In-Line Wire Strippers	80	HVAC/R Starter Kit	101
Wire Strippers	81		
Self-Adjusting Wire Stripper	82	WARRANTY	
UTILITY KNIVES		Limited Warranty	102
Retractable Utility Knife	83		
Folding Utility Knife	84		

YOUR DAYS OF MESSING AROUND WITH CLUNKY, UNRELIABLE PUMPS ARE OVER.



The first thing you'll notice is how two durable hoist points allow you to transport your Vacuum Pump with ease. Simply attach the hilmar HVAC/R Carrying Strap, throw it over your shoulder and get to work. Several innovative features also help make changing oil easier. The front of the pump where the oil is stored is sloped downwards, creating a natural path for oil to drain faster. A large sight glass allows oil to be checked more easily and an oversized oil fill port makes pouring in new oil easier. These vacuum pumps have been retooled to make evacuation as easy as possible.

VACUUM PUMPS



Your days of messing around with clunky, unreliable pumps are over. These two-stage rotary vane vacuum pumps have been retooled with features to make pulling vacuum down to 25 microns a breeze.



Hands-Free Carry

Two durable hoist points make transporting the vacuum pump easier. Compatible with the hilmer HVAC/R Carrying Strap.



Drains Oil Quickly

A sloped and channeled housing helps oil drain fast.



Extra Confidence

A leak-proof blank-off valve isolates the pump from the system for accurate vacuum readings and easy oil change without losing a vacuum.



Easy To Check Oil

Quickly identify oil level and detect oil contamination through a large sight glass.



Quick, Easy Access

Easy access to a large oil fill port.

Product Specifications

Item Nos.	1947970	1948121	1948122	1950532
Product Descriptions	VP3	VP5	VP9	VP12
CFM	3	5	9	12
Motor HP	1/3	1/2	1	1
Pump Design	2-Stage	2-Stage	2-Stage	2-Stage
Power Reqs.	4.5A, 120v 60hz	7.5A, 120v 60hz	5.5A, 120v 60hz	7.6A, 120v 60hz
Motor Speed	1720 RPM	3440 RPM	1720 RPM	2500 RPM
Intake Fitting	1/4", 3/8"	1/4", 3/8", 1/2"	1/4", 3/8", 1/2"	1/4", 3/8", 1/2"
Ultimate Vacuum	25 Microns	25 Microns	25 Microns	25 Microns
Oil Capacity	11 oz.	11 oz.	15 oz.	15 oz.
Compliance	CSA	CSA	CSA	CSA
Dimensions				
Length	13.6"	13.6"	15.9"	15.6"
Width	5.5"	5.5"	5.9"	5.7"
Height	10.7"	10.7"	11.2"	10.1"
Net Weight	23 lbs.	24 lbs.	36 lbs.	26 lbs.
Warranty	2 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited



Vacuum Pump
1950532



Vacuum Pump
1948122



Vacuum Pump
1948121



Vacuum Pump
1947970

BATTERY POWERED VACUUM PUMP



Power and convenience come together in the perfect pump. The first thing you'll notice is this isn't your traditional hilmor vacuum pump. The hilmor BVP2CFM is powered by a rechargeable 18v Lithium-Ion battery with 9Ah extended runtime that keeps you in the field and on task. The hilmor BVP2CFM is designed, engineered and tested to be A2L compatible and includes the same innovative, patented features as the standard hilmor vacuum pumps to make evacuation as easy as possible.



A2L Compatible

Sparkless design and brushless DC motor allow for use with A2L class refrigerants.



Multiple Sizes

1/4", 3/8" flare connections with tethered brass caps.



Easy Oil Changes

Patented sloped front housing and oversized oil fill port allow easy on-site oil changes.



Quick, Easy Access

Easy access to a large oil fill port.



Easy to Check Oil

Quickly identify oil level and detect oil contamination through a large sight glass.



Battery Powered Vacuum Pump
BVP2CFM

Product Specifications

Item No..	BVP2CFM
CFM	2
Motor HP	1/4
Pump Design	2-Stage
Battery	18V, 9.0 Ah
Battery Charger	1.3 Amp, 110/230V
Universal Battery Adapter	NA
Intake Fitting	1/4", 3/8"
Ultimate Vacuum	25 Microns
Oil Capacity	5.4 oz.
Compliance	ETL, C/US, CE
Dimensions	
Length	11.5"
Width	3.6"
Height	7.5"
Net Weight	8.75 lbs. (with battery) 6.8 lbs. (w/o battery)
Warranty	2 Year Limited

VACUUM PUMP OIL

Working in basements and crawlspaces all day, you're bound to get dirty. And so is your vacuum pump oil. Oil is the lifeblood of a vacuum pump and filters moisture and contaminants from the system. Clean oil means longer life for your pump and deeper, faster vacuum pulls.

Product Specifications

Item Number	1948211	1948212
Product Descriptions	VPOQ	VPOG
Volume	Quart [Case of 12]	1 Gallon [Case of 6]
Dimensions *		
Length	2-5/8"	4-1/8"
Width	4-1/8"	7"
Height	8-7/8"	12"
Weight	3 lbs.	8 lbs.

* Per Bottle



Vacuum Pump Oil
1948212, 1948211

WIRELESS VACUUM GAUGE



Easy positioning. Easier readings. Easily, the best vacuum gauge.



Easy to Read

LED backlit screen for easy to read display.



Long Battery Life

80 hour battery life for Remote Sensor and Handheld.*



Added Convenience

Programmable audible micron alarm with high and low settings.



Added Versatility

Includes foldable hook and magnet to easily attach to any unit.

*measured with LED backlight turned off



Wireless Vacuum Gauge Kit
1950217

Product Specifications

Item Number	1950217
Item Number (Rep. Sensor)	1950219
Product Description	WVG
Contents 1 - Remote Sensor with 3 AAA Batteries 1 - Handheld Display with 3 AA Batteries 1 - 1/4" Female Flare Adaptor 1 - Protective Case	
Batteries	3 AA Alkaline (Handheld Display) 3 AAA Alkaline (Remote Sensor)
Wireless Range	33 Feet (10 m) Unobstructed
Remote Sensor Connection Fitting	1/4" Male Flare
Adapter Accessory	1/4" 45° Flare Female x 1/4" 45° Flare Female
Accuracy	+/-5% of reading +/-10 microns
Resolution	5 to 2,000 microns - 1 micron 2,001 to 5,000 - 100 microns 5,001 to 10,000 - 250 microns 10,001 to ATM - 1,000 microns
Units	micron, mTorr, Torr, mmhg, mBar, kPa and Pa
Operating Temp.	-4°F to 122°F (-20°C to 50°C)
Operating Humidity	Up to 75% Relative Humidity
Temp. Comp. Range	32°F to 122°F (0°C to 50°C)
Max. Momentary Overpressure	800 PSI
Refresh Rate	Every 0.5 Seconds
Set Point Alarm	User Programmable (Advanced Settings)
Power Management	Sleep Mode and Configurable Backlight (Advanced Settings)
Battery Life	80 Hours w/o Backlight (Handheld Display) 40 Hours (Remote Sensor)
Dimensions	2.95" x 4.62" x .90" (7.5cm x 11.7cm x 2.3cm) Handheld Display 2.20" x 5.7" x 1.5" (5.59cm x 14.5cm x 3.8cm) Remote Sensor
Weight	9 oz (255g) Handheld Display 4.8 oz (136g) Remote Sensor
Replacement Parts	
Item Number	1950219
1 - Vacuum Gauge Sensor	
Item Number	1950531
1 - Vacuum Gauge Sensor	
1 - Vacuum Gauge Transmitter	

COMPACT VACUUM GAUGE



The hilmor Compact Vacuum Gauge is an all-in-one micron gauge that is durably constructed for everyday use and abuse. An easy to read backlit display provides readings and the two button operation simplifies field use.



Easy to Read

Backlit LCD makes reading in the dark easy.



Convenient Storage

Protective case keeps the gauge safe and quick to grab.



Added Versatility

Full range readings lets you see the progress right away.



Superior Protection

Handles 800 psi momentarily if a mistake is made.



Product Specifications

Item Number	CVG1200
Product Description	CVG
Contents	
1 - Vacuum Gauge	
1 - Protective Case	
3 - AAA Batteries	
Dimensions	
Length	4.8"
Width	2.2"
Height	1.2"
Units	micron, mBar, mmHg
Accuracy	5% $\pm$ 10 microns (1 to 1,000 microns) at 25°C
	20% (1,000 to 5,000 microns) at 25°C
Resolution	1 micron (1 to 2,000 microns)
	100 microns (2,000 to 20,000 microns)
	1000 microns (20,000 to 100,000 microns)
	10000 microns (100,000 to 300,000 microns)
Operating Temp.	10°F to 122°F (-12°C to 50°C)
Operating Humidity	Up to 75% Relative Humidity
Maximum Overpressure	800 PSI
Refresh Rate	Every 0.5 Seconds
Alarm Type	Audible
Batteries	AAA (x3)
Battery Life	50 Hours (w/o Backlight)

Compact Vacuum Gauge
CVG1200

RECOVERY MACHINE



Pulls like a powerhouse. Lifts like a feather.
The recovery machine designed for you.



Quick, Easy Access

Conveniently located hose ports make connecting hoses easier and reduces strain.



Accurate, Easy to Read

Digital LCD Screen provides accurate and easy to read pressure readings.



Superior Security

High- and low-pressure automatic shutoff protects machine and helps ensure safety.



Convenient Storage

Dedicated power cord wrap protects the cord and secures the plug.



Lightweight Brushless DC
Refrigerant Recovery Machine
1950536

Product Specifications

Item Number	1950536
Product Description	RM
Dimensions	
Length	14.7" (37cm)
Width	14.2" (36cm)
Height	10.6" (27cm)
Weight (Net)	27 lbs. (12.25kg)
Motor	1 HP, Brushless DC
Power	115V, 60Hz
Power Cord Spec	16 Gauge, 6' (182.9cm) Length
Motor Speed	3,000 RPM
Compressor	Oil-Less, Air Cooled, Dual Piston
High Pressure Shut Off	560 PSI (3.86 MPa)
Operating Temperature	32°F (0°C) to 104°F (40°C)
Ingress protection	IP24

Compatible Refrigerants
R-12, R-134A, R-401C, R-406C, R-500,
R-401A, R-412A, R-22, R-407C, R-509,
R-409A, R-411A, R-411B, R-402B,
R-401B, R-407B, R-502, R-408A, R-407A,
R-402A, R-407B, R-404A, R-507, R-410A

Compliance	CSA, FCC, AHR1740-1998 UL Verified	
Recovery Rates		lbs/ min (kg/ min)
R-22	High Temp Vapor Rate	.58/ (.26)
	Direct Vapor	.52/ (.24)
	Direct Liquid	6.9 (3.1)
	Push-Pull Liquid	12.0/ (5.4)
R-134A	Direct Vapor	.48/ (.22)
	Direct Liquid	5.2 (2.3)
	Push-Pull Liquid	7.3/ (3.3)
R-410A	Direct Vapor	.53/ (.24)
	Direct Liquid	7.5 (3.4)
	Push-Pull Liquid	11.7/ (5.3)
R-407C	Direct Vapor	.39 (.18)
	Direct Liquid	6.3/ (2.9)
	Push-Pull Liquid	11.8/ (5.3)

Replacement Parts	
Item Number	1950537
1- Intake Filter	
1- O-Ring	

HEATED DIODE REFRIGERANT LEAK DETECTOR



Tight space? No problem. Find leaks fast with the flexible probe that allows access to all of those hard-to-reach areas.



Added Convenience
Audible and visual notification.



Easy to Read
LED screen for easy to read display.



Added Versatility
Works on all halogenated refrigerants.



Small Space Capable
Flexible probe allows access to the hard-to-reach areas.

Technical Specifications

Sensor Type	Semi-Conductive Sensor (Heated Diode)
Sensor Life	5 years (Typical)
Maximum Sensitivity	[0.14 oz] 4 grams/year
Response Time	3 Seconds
Warm-Up Time	30 Seconds
Operating Environment	32°F [0°C] to 104°F [40°C] at <75% RH (non-condensing)



Heated Diode Refrigerant Leak Detector
LDHD250

Product Specifications

Item Number	LDHD250
Product Description	LDHD
Contents	
1 - Leak Detector	
1 - Accessory Case	
3 - AA Batteries	
Dimensions	
Length	10-1/4"
Width	2-1/4"
Height	2-1/4"
Weight	14 oz. (397g)
Specifications	
Battery Life: 6 hours	
Warranty: 2 Year Limited	

Display Method	LED Display
Notification Mode	LED Display and Audio
Battery	[3] 1.5V AA
Battery Saver	Automatic Shutdown after 10 Minutes of inactivity
Working Time	6 Hours
Certifications	SAE J1627, SAE J2791, SAE J2913, EN14624: 2012
Refrigerants Detected	HFC: R-32, R-410A, R-407C, R-417A, R-404A, R-507, R-23, R-508A, R-508B, R-152A, R-134A HFO: R-454B, R-448A, R-449A, R-1234YF, R-1233ZD, R-514A, R-513A HCFC: R-22, R-123, R-124, R-141B, R-142B, R-402A, R-402B, R-408A, R-409A CFC: R-11, R-12, R-13, R-502, R-503 HC: R-50, R-170, R-290, R-600, R-600A, R-1150, R-1270

INFRARED REFRIGERANT LEAK DETECTOR



This detector is in it for the long haul. The 10-year sensor life will keep up with all of your daily demands.



Extra Confidence

Built to last with a 10-year sensor life.



Easy to Read

The TFT LCD screen provides a clear visual confirmation of the leak location.



Added Convenience

Audible and visual notification for leak detection.



Added Versatility

Works on all halogenated refrigerants.

Product Specifications

Item Number	LDIR150
Product Description	LDIR
Contents	
1 - Leak Detector	
1 - Filter	
1 - Charger	
1 - Cable	
1 - Accessory Case	
Dimensions	
Length	7.9"
Width	3.3"
Height	1-1/2"
Weight	14.6 oz (415g)
Specifications	
Warranty: 2 Year Limited	

Technical Specifications

Sensor Type	Infrared Spectrum Absorption	Display Method	TFT LCD Display
Sensor Life	10 years (Typical)	Notification Mode	TFT LCD Display & Audio
Maximum Sensitivity	[0.14 oz] 4 grams/year	Battery	Built-in Rechargeable Lithium Battery
Response Time	3 Seconds	Battery Saver	Automatic Shutdown after 10 Minutes of inactivity
Warm-Up Time	30 Seconds	Working Time	6 Hours
Operating Environment	32°F [0°C] to 104°F [40°C] at <75% RH (non-condensing)	Charging Time	4 Hours
		Certifications	SAE J1627, SAE J2791, SAE J2913, EN14624: 2012

Refrigerants Detected

HFC: R-32, R-410A, R-407C, R-417A, R-404A, R-507, R-23, R-508A, R-508B, R-152A, R-134A
HFO: R-454B, R-448A, R-449A, R-1234YF, R-1233ZD, R-514A, R-513A
HCFC: R-22, R-123, R-124, R-141B, R-142B, R-402A, R-402B, R-408A, R-409A
CFC: R-11, R-12, R-13, R-502, R-503



Infrared Refrigerant Leak Detector
LDIR150

WIRED/WIRELESS REFRIGERANT SCALES



Rugged & durable to handle all terrains. Use inside the case for added protection from the elements. The hilmer Wireless Refrigerant Scale remote provides the user with a market leading 130 foot wireless range to help tackle those challenging locations.



Accurate Readings

Provides readings in 0.2 oz increments.



Easy to Read

Backlit LED display is easy to read.



Added Versatility

Scale can be used in or out of the protective case.



Long Range

Wireless remote keeps working up to 130 ft away.



Secure

Rubberized surface provides tank stability and protects scale.

Product Specifications

Item Number	RSW220	RSWL220
Product Description	RS	WRS

Contents

- 1 - Refrigerant Scale
- 1 - Remote (Wireless Scale only)
- 5 - AAA Batteries
- 5 - AA Batteries (Wireless Scale only)
- 1 - Protective Case

Dimensions

	RSW220	RSWL220
Length	18"	18"
Width	14-3/4"	14-3/4"
Height	3-1/2"	3-1/2"
Weight	10.6 lbs.	10.6 lbs.

Specifications

Units: kg or lbs & oz
Battery Life Duration: 40 hours
Resolution: 0.2 oz. (5 g)
Capacity: 220 lbs. (100 kg)
Wireless Range: 130 ft. (40m) (Wireless Scale only)
Operating Temperature: -10° to 40°C (14° to 104°F)
Warranty: 2 Year Limited



Refrigerant Scale
RSW220

Wireless
Refrigerant Scale
RSWL220

VALVE CORE REMOVAL TOOLS



Valve Core Removal Tools are designed to make work more efficient, but there's nothing efficient about losing tools or equipment. The hilmor Valve Core Removal Tool has a built-in rare earth magnet on the back of the plunger for convenient jobsite storage. After removing the core for evacuation or change-out, the plunger and valve core can be stored on the side of the unit. The tool comes in both 1/4" and 5/16" sizes. The hilmor Valve Core Removal Tool uses a spring gripper, as opposed to an O-ring to grab valve cores, increasing the life of the tool.



Jobsite Storage
Built-in rare-earth magnet for convenient plunger storage, minimizing lost parts on the job.



Superior Versatility
Vacuum tested to 20 microns and tested to 800 PSI working pressure.



Reliable Core Gripper
Securely and confidently remove valve cores for unrestricted flow.



Vacuum Gauge Port
1/4" side flare to easily connect a vacuum gauge.

Product Specifications

Item Number	1947967	1947968
Product Descriptions	VCRT14	VCRT516
Connection Size	1/4"	5/16"
Maximum Allowable Working Pressure	800 PSI	800 PSI
Burst Pressure	4000 PSI	4000 PSI
Operating Temperature	-20° F to +180° F	-20° F to +180° F
Dimensions		
Length	2-1/2"	2-1/2"
Width	5-3/4"	5-3/4"
Height	7-7/8"	7-7/8"
Weight	8 oz.	8 oz.



Built-in rare-earth magnet for convenient jobsite storage.



Valve Core Removal Tool
1947967, 1947968

LINESET CLEANER

The hilmor Lineset Cleaner uses a pressurized source to launch a foam pig into the lineset to wipe the pipe clean of contaminants and remaining refrigerants.



Picture-Perfect Cleaning

Simply connect the correct nozzle, chamber the corresponding pig size, connect to a regulated compressed nitrogen source, and pull the trigger for a perfectly clean lineset.



Twice the Versatility

One tool that has the ability to effectively wipe contaminants and remaining oil from linesets ranging from 1/4" to 1-1/8".



Premium Care

The rinseable/reusable foam cleaning pigs are specially formulated and manufactured to flow through normal lineset configurations and most deformations.



1/4" Nozzle
HLN014



1-1/8" Nozzle
HLN118



Foam Pigs

HLP1450, HLP038, HLP012, HLP058, HLP034, HLP078, HLP118

Lineset Cleaner
HLC007

Product Specifications

Item Number	HLC007						
Product Description	HLC						
Dimensions							
Length	16.5"						
Width	3.2"						
Height	12.4"						
Weight	7 lbs.						
Max PSI	70 PSI						
Connector Size for Pressure Inlet	1/4" SAE male, 1.02 lbs.						

Item Numbers	HLN014			HLN118			
Product Description	1/4" Nozzle Expansion Pack			1-1/8" Nozzle Expansion Pack			
Sizes	1/4"			1-1/8"			

Item Numbers	HLP1450	HLP038	HLP012	HLP058	HLP034	HLP078	HLP118
Product Description	1/4" FOAM PIG	3/8" FOAM PIG	1/2" FOAM PIG	5/8" FOAM PIG	3/4" FOAM PIG	7/8" FOAM PIG	1-1/8" FOAM PIG
Sizes	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1-1/8"

Item Number	HLP099						
Product Description	FOAM PIG SET 2EA OF 3/8", 1/2", 5/8", 3/4", 7/8"						
Quantity	10 pack - 2 of each						

Item Number	HLP095						
Product Description	95 CT PIG STARTER PACK						
Quantity	Contains 95 Foam Pigs for the different lineset sizes: 10 of Each - 3/8", 10 of Each - 1/2", 25 of Each - 5/8", 25 of Each - 3/4", 25 of Each - 7/8"						

Item Numbers	HLP1450	HLP3850	HLP1250	HLP5850	HLP3450	HLP7850	
Product Description	FOAM PIG SET 50 PACK						
Quantity	50 pack of each size						

BUILT TO HANDLE ANY CLIMATE THROWN THEIR WAY.



Manifolds operate as your sidekicks on every job. They need to be durable. They need to not leak. They need to excel in even the most extreme conditions. The hilmor line of Manifolds is ready to be put to work with replaceable stainless steel valve seats and SAE-style O-rings. The list of features goes on and on, but the one that matters most is their ability to withstand all the pressures you encounter — day in and day out.

DIGITAL MANIFOLD

Our HDM-1 hilmor digital manifold is A2L compatible with 88 pre-loaded refrigerant profiles to select from on our large, easy-read, LCD screen. The brain calculates the superheat and subcool almost instantaneously. The compact unit is solid and ergonomic to hold, with large easy-view buttons and easy-grip rubber knobs. On top of all these features, the product is designed to be super simple to use. Do yourself a favor and add the HDM-1 hilmor digital manifold to your arsenal for the ultimate package of reliability, dependability, and refrigerant control.



Digital Manifold
HDM-1



A2L Compatible

Supports 88 refrigerant profiles including A1, A2, A2L, A3 and B1 Types



Rugged and Durable

Glass-filled nylon housing with a tough, rubber overmold



Easy-to-Use

Turn it on, select your refrigerant with easy to navigate menus and intuitive button layout



Comfort Grip

Standard hilmor rubberized knobs provide secure grip in wet and dirty environments



Extra Versatility

Keep hoses organized and off the ground using the front mounted storage connections

Product Specifications

Pressure

Range	-14.5 to 800 psi
Resolution	0.5 psi
Accuracy	0.5% Full Scale
Units	bar, psi, kPa, Mpa, kg/cm2

Temperature

Range	-40°F to 250°F (-40°C to 120 °C)
Resolution	0.2°F (0.3°C)
Accuracy	0-175°F ±3°F
Units	°F and °C

Other Specifications

Port Type	(3) 1/4" standard NPT male flare fittings
Thermocouple Connector	K-Type
Battery Life	200 hours
Power Source	3x AA Batteries
Operating Temperature	14°F to 120°F

Supported Refrigerants

R12	R124	R1234YF	R401C	R408A	R420A	R429A	R453A
R13	R125	R1234ZE	R402A	R409A	R421A	R434A	R454A
R14	R170	R134A	R402B	R410A	R421B	R437A	R454B
R22	R290	R141B	R403B	R410B	R422A	R438A	R455A
R23	R500	R142B	R404A	R412A	R422B	R441A	R458A
R32	R502	R143A	R406A	R413A	R422C	R443A	R507A
R113	R503	R152A	R407A	R414A	R422D	R448A	R508A
R114	R600	R236FA	R407B	R414B	R424A	R449A	R508B
R115	R718	R245FA	R407C	R416A	R426A	R450A	R514A
R116	R744	R401A	R407D	R417A	R427A	R452A	R600A
R123	R1233ZD	R401B	R407F	R417C	R428A	R452B	R601A

4-VALVE ALUMINUM MANIFOLD

We know that manifolds are your lifeline. So, when we decided to retool the features and design, we were meticulous down to the last detail.



Extra Confidence

Built to last with a forged aluminum body. Designed to be leak-resistant with replaceable stainless steel valve seats, SAE-style O-rings and a securely seated, large sight glass.



Quick on the Job

Get faster vacuum pulls with a true 3/8" bore throughout the valve.



Comfortable Grip

A rubberized handle makes it easier to use in wet and dirty environments.



Glows in the Dark

Light-activated paint illuminates, so you won't be left in the dark.



Built-in Pressure Reminder

A pressure reminder allows you to set the pressure ring and reference it later.



Rubberized handles are optimally sized for quick and painless turns.



Front-mounted hose positions give you easier access.



4-Valve Aluminum
Manifold with Hoses
1839130

4-VALVE ALUMINUM MANIFOLD

Product Specifications

Item Numbers/Product Descriptions					
Refrigerants	With 60" Hoses and Ball Valve Adapters	Without Hoses	Temp.	Pressure Range Low	Pressure Range High
R410A	1839109 4V410H	1839111 4V410	F/C	-30" HG/300/ 500 psi	0/800 psi
HP22-407C-410A (Heat Pump)	1839128 4V22407410H	1839129 4V22407410		0/800 psi	0/800 psi
R22-404A-410A	1839130 4V22404410H	1839132 4V22404410	F	30" HG/300/ 500 psi	0/800 psi
R410A	1839110	4V410HD	F/C	-30" HG/300/500 psi	0/800 psi
R22-404A-410A	1839131	4V22404410HD	F	-30" HG/300/500 psi	0/800 psi
Accuracy	Class 1 - 1% Accuracy (full scale)				
Gauge Connection Type	1/8" NPT Male Fitting				
Valve Type	Double O-ring Piston Style				
Valve Seat (Orifice)	Replaceable Stainless Steel (SAE-style straight thread with O-ring)				
Sight Glass	Bonded steel with SAE-style straight thread with O-ring				
Vacuum Port	3/8" full bore (quantity 1)				
Charge Ports	1/4" (quantity 3)				
Hoses Included	1839143 H60BVS4 60" Hoses with Ball Valve Adapters - Set of 4				
Thermometer Included	1839106 DROT2TCC Dual Readout Thermometer				
Two Thermocouples Incl.	1839108 TCC Thermocouple Clamp				

Dimensions			
Length	8-7/8"	8-7/8"	8-7/8"
Width	4"	4"	4"
Height	7-1/8"	7-1/8"	7-1/8"
	without hook	without hook	without hook
Weight	7.1 lbs.	3.4 lbs.	7.3 lbs.



4-Valve Aluminum
Manifold with Hoses &
Dual Readout Thermometer
1839131

2-VALVE ALUMINUM MANIFOLD

The rough-and-tumble durability of our 4-Valve with the simplicity of a 2-Valve design.



Extra Confidence

Built to last with a forged aluminum body. Designed to be leak-resistant with replaceable stainless steel valve seats, SAE-style O-rings and a securely seated, large sight glass.



Comfortable Grip

A rubberized handle makes it easier to use in wet and dirty environments.



Easy to Read

Improved graphics and high-contrast colors deliver precise readings at a glance.



Glows in the Dark

Light-activated paint illuminates, so you won't be left in the dark.



Built-in Pressure Reminder

A pressure reminder allows you to set the pressure ring and reference it later.



2-Valve
Aluminum
Manifold
1839134

Rubberized handles are optimally sized for easy turns.



A permanent location for the temperature clamps offers quick and convenient storage.



With a forged aluminum body, it can stand up to the roughest, toughest conditions.

Product Specifications

Item Numbers/Product Descriptions					
Refrigerants	Item Numbers	Product Descriptions	Temp.	Pressure Range Low	Pressure Range High
R22-134A-404A	1839126	2V22134404	F	-30" HG/120/350 psi	0/500 psi
R22-404A-410A	1839134	2V22404410	F	-30" HG/300/500 psi	0/800 psi
R10A	1839113	2V410	F/C	-30" HG/300/500 psi	0/800 psi
Accuracy		Class 1 - 1% Accuracy (full scale)			
Gauge Connection Type		1/8" NPT Male Fitting			
Valve Type		Double O-ring Piston Style			
Valve Seat (Orifice)		Replaceable Stainless Steel (SAE-style straight thread with O-ring)			
Sight Glass		Bonded Steel with SAE-style straight thread with O-ring			
Charge Ports		1/4" (quantity 3)			
Dimensions					
Length		8-7/8"			
Width		1-3/4"			
Height		7-1/8" without hook			
Weight		2.5 lbs.			

2-VALVE BASIC MANIFOLD

The hilmor 2-Valve Basic Manifold with 60" Hoses provides all the features you've come to expect from a standard manifold, and then some. It has a durable design, improved accessibility and smart functionality.

The 3-1/8" gauges have been optimized for greater readability with improved graphics, high-contrast color and glow-in-the-dark functionality. Sold with hilmor 60" hoses.



Easy to Read

Improved graphics and high-contrast colors deliver precise readings at a glance.



Glow in the Dark

Light-activated paint illuminates, so you won't be left in the dark.



Comfortable Grip


A rubberized handle makes it easier to use in wet and dirty environments.



2-Valve Basic Manifold
with Hoses
1932650

Product Specifications

Item Numbers/Product Descriptions					
Refrigerants	With 60" Hoses		Temp. Range	Pressure Range Low Range High	Pressure
R454B-R32-R410A	1932651		F	-30" HG/300/500 psi	0/800 psi
R410A	1839114	2VB410H	F/C	-30" HG/300/500 psi	0/800 psi
R22-404A-410A	1932650	2VB22404410H	F	-30" HG/300/500 psi	0/800 psi
Accuracy		Class 1 - 1% Accuracy (full scale)			
Gauge Connection Type		1/8" NPT Male Fitting			
Valve Type		Double O-ring Piston Style			
Charge Ports		1/4" (quantity 3)			
Hoses Included		1839153 H60S3 Hose 60" - Set of 3			
Dimensions					
Length		7-1/4"			
Width		3"			
Height		6"			
Weight		3.9 lbs.			



Replacement Parts

Category	Item Numbers	Product Descriptions		Location #
Manifolds	1932944	AMH	Analog Manifold Hook	1
Gauges	1932986	AGL	Analog Gauge Lens	2
Gauges	1932947	LAGBR	Low Side Analog Gauge Boot w/Ring	3
Gauges	1932948	HAGBR	High Side Analog Gauge Boot w/Ring	4
Manifolds	1932949	MVHB	Manifold Valve Handle - Blue	5
Manifolds	1932951	MVHY	Manifold Valve Handle - Yellow	6
Manifolds	1932950	MVHR	Manifold Valve Handle - Red	7
Manifolds	1932945	VSA2	2-Valve Seat Assembly (2-1/4")	8
Manifolds	1932946	VSA4	4-Valve Seat Assembly (3-1/4", 1-3/8")	9

DUAL READOUT THERMOMETER



Makes Calculations Easier

The industry's only manifold-compatible compact thermometer with two readings to help simplify the calculation of superheat and subcool.



Superior Versatility

Use it on any gauge set, or remove it and use it independently.



Reads Temperatures Quickly

Two easy-to-use, K-style tube-clamp thermocouples get you to the temperature reading quickly.



This thermometer is the first in the industry to attach to any manifold.

Product Specifications

Item Number	1839106		
Product Description	DROT2TCC		
Two Thermocouples Included	1839108 TCC Thermocouple Clamp		
Batteries	AA x 1 (included)		
Battery Life	151 hours		
Connection Type	K		
Measurement	Range	Resolution	Accuracy
Temperature	-76°F to 999.9°F	.10° F/C	+2.0 C°/+3.6°F
Operating Temperature Range		0°C to +50°C (LCD)	
Dimensions			
Length	1-3/4"		
Width	1-5/8"		
Height	3-7/8"		
Weight	11 oz.		



Dual Readout Thermometer
1839106

THERMOCOUPLE CLAMP

Get right to it on up to 1-1/8" tubing with hilmor's Thermocouple Clamp. A K-style connection offers a secure fit and is easy to use with other devices. It is a perfect pairing for the hilmor Dual Readout Thermometer. When the job is done, it is easy to stow it away. Simply wrap the thermocouple wire around the handle, and secure the plug into the clamp.



Fast, Precise Readings
Gets right to the temperature reading up to 1-1/8" tubing.



Secure Connection
K-style connection provides a tight fit and easy use with other devices.



Secure Storage
Stow it away simply by wrapping the thermocouple wire around the clamp and securing the plug.



Protect the thermocouple plug when not in use by wrapping the cord around the handle and plugging into the side socket.

Product Specifications

Item Number	1839108
Product Description	TCC
Connection Type	K
Accuracy	+2.0°C/+3.6°F
Operating Temperature (plastic)	-40°F to 250°F

Dimensions

Length	5-1/4"
Width	7/8"
Height	3-1/4"
Weight	3 oz.



Attach K-style clamp to an easily accessible spot on the hilmor manifold.



K-style clamp securely attaches to tubing up to 1-1/8" for measurements on the double.



Thermocouple Clamp
1839108

FINALLY, THE BRAINS OF YOUR OPERATION CAN TAKE A BUMP TO THE HEAD.



Analog Gauge
1839092



Analog Gauge
1839093



ANALOG GAUGES

You need accurate readings, and you need them at a glance. hilmor Gauges were made for just that. Simply choose the gauge you need, and put it to work.

Tt

Easy to Read

Improved graphics and high-contrast colors deliver precise readings at a glance.



Rugged and Durable

High-impact protective boots and steel construction mean dropping it won't ruin your day.



Forget the flashlight. These gauges are equipped with glow-in-the-dark capabilities.



A pressure reminder allows you to set the pressure ring and reference it later.

Product Specifications

Item Numbers/Product Descriptions					
Refrigerants	Low-side (Blue)	Pressure Range	High-side (Red)	Temp.	Pressure Range
R454B-R32-R410A R410A	1839084 1839082 AG410L	-30" HG/300/500 psi -30" HG/300/500 psi	1939085 1839083 AG410H	F F/C	0/800 psi 0/800 psi
R22-134A-404A	1839088 AG22134404L	-30" HG/120/350 psi	1839089 AG22134404H	F	0/500 psi
HP22-407C-410A (Heat Pump)	1839090 AG22407410L	0/800 psi	1839091 AG22407410H	F	0/800 psi
R22-404A-410A	1839092 AG22404410L	-30" HG/300/500 psi	1839093 AG22404410H	F	0/800 psi
Accuracy	Class 1 - 1% Accuracy (full scale)				
Size	3-1/8" (80mm) Gauge				
Fitting	1/8" NPT Male connection				
Included Parts	Protective boot and dial indicator ring				
Dimensions					
Depth	1-3/4"				
Diameter	3-5/8"				
Weight	6 oz.				

THIS JOB TAKES SOME THICK SKIN. LUCKILY, OUR HOSES HAVE IT.



If you can stand the pressure, your hoses should, too. We've rethought and retooled the hoses you use every day with smart features like an extra abrasion-resistant layer for superior protection in tough conditions. All of our Hoses are rated for 800 PSI working pressure to work with the newest high-pressure refrigerants. Simply select the Hose and Ball Valves you need. You can choose from Hoses and Ball Valve Adapters individually, or buy them as a set.

REFRIGERATION HOSES

hilmor 36" and 60" Hoses are designed with smart features including an extra abrasion-resistant layer for tough environments.



Superior Protection
An extra abrasion-resistant layer for the tough environments of HVAC/R.



Handles High Pressure
Rated for 800 PSI working pressure to work with high-pressure refrigerants.



36" Vacuum Hose
1839159



Product Specifications

60" Hoses		
Item Numbers	Product Descriptions	Diameter
1839150	H60R Hose 60" - Red	1/4"
1839151	H60B Hose 60" - Blue	1/4"
1839152	H60Y Hose 60" - Yellow	1/4"
1839153	H60S3 Hose 60" - Set of 3	1/4"
1839154	H6038 Hose 60" - VAC	3/8"
1839160	H60XX Hose 60" - Black	1/4" & 3/8"
Maximum Allowable Working Pressure		800 PSI
Burst Pressure		4000 PSI
Operating Temperature		-20°F to +180°F
End Connection		Straight by 45 degree
Dimensions		
Length		60"
Weight		8 oz.

36" Hoses		
Item Numbers	Product Descriptions	Diameter
1839158	H36S3 Hose 36" - Set of 3	1/4"
1839159	H3638 Hose 36" - VAC	3/8"
Maximum Allowable Working Pressure		800 PSI
Burst Pressure		4000 PSI
Operating Temperature		-20°F to +180°F
End Connection		Straight by 45 degree
Dimensions		
Length		36"
Weight		6 oz.

Replacement Parts

Category	Item Numbers	Product Descriptions		Location #
Hoses	1932984	HGL	Hose Gaskets (3/8", Pack of 10)	1
Hoses	1932982	HGS	Hose Gaskets (1/4", Pack of 12)	2
Hoses	1932985	HTD	Hose Threaded Depressors, Pack of 6	3

REFRIGERATION HOSES WITH BALL VALVE EXTENSIONS

Rated for 800 PSI working pressure to work with high-pressure refrigerants. Includes an easy-turn valve for added control of refrigerant loss.



Superior Protection

An extra abrasion-resistant layer for the tough environments of HVAC/R.



Handles High Pressure

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



60" Refrigeration Hoses
with Ball Valve Extensions
1839143

Product Specifications

Item Numbers	Product Descriptions	Length	Diameter	Weight
1839140	H60BVR Hose Ball Valve Ext - Red	60"	1/4"	15 oz.
1839141	H60BVB Hose Ball Valve Ext - Blue	60"	1/4"	15 oz.
1839142	H60BVY Hose Ball Valve Ext - Yellow	60"	1/4"	15 oz.
1839143	H60BVS4 Hose Ball Valve Ext - Set of 4	60"	1/4" & 3/8"	3.8 lbs.
1839144	H60BV38 Hose Ball Valve Ext - VAC	60"	3/8"	1.3 lbs.
1935930	H72BVS3 Hose Ball Valve Ext - Set of 3	72"	1/4"	3.0 lbs.
1936002	H72BVS4 Hose Ball Valve Ext - Set of 4	72"	1/4" & 3/8"	4.5 lbs.

Maximum Allowable
Working Pressure

800 PSI

Burst Pressure

4000 PSI

Operating Temperature

-20°F to +180°F

Hoses End Connection

Straight by Straight

Ball Valve Extension Connection

Straight by 45 degree

REFRIGERATION HOSES WITH BALL VALVE ENDS

Our retooled Hoses includes an easy turn valve for added control of refrigerant loss. Features an extra abrasion-resistant layer for superior protection in tough conditions. All of our hoses are rated for 800 PSI working pressure to work with the newest high-pressure refrigerants.



Minimize Refrigerant Loss

Easy-turn valve for added control of refrigerant loss.



Handles High Pressure

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



Small Space Capable

A compact design allows it to be used even in cramped spaces.

Product Specifications

Item Number	Product Descriptions	Diameter
1935917	H48BVES3 Set of 3 - 48"	1/4"
1935918	H48BVEBV Vacuum - 48"	3/8"
1935924	H60BVES3 Set of 3 - 60"	1/4"
1935925	H60BVES4 Set of 4 - 60"	1/4" & 3/8"
1935926	H60BVEBV Ball Valve - 60"	3/8"
1936006	H72BVES3 Set of 3 - 72"	1/4"
1936007	H72BVEBV Ball Valve - 72"	3/8"
Maximum Allowable Working Pressure	800 PSI	
Burst Pressure	4000 PSI	
Operating Temperature	-20° F to 180° F	
End Connection	Straight by 45°	
Dimensions		
Weight	1.8 lbs.	1.0 lb.



Refrigeration Hoses with Ball Valve Ends
1935917

BALL VALVE EXTENSIONS

We all know that controlling refrigerant loss on the jobsite is a big deal. And the hilmor Ball Valve Extension is here to help. It is designed with an extra 6" of hose for additional length.



Superior Protection

An extra abrasion-resistant layer for the tough environments of HVAC/R.



Handles High Pressure

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



Knob turns quickly and easily to restrict flow from hoses.

Product Specifications

Item Numbers	Product Descriptions	Diameter
1839148	BVR Ball Valve Ext - Set of 3	1/4"
1839149	BVB Ball Valve Ext - VAC	3/8"

Maximum Allowable Working Pressure

800 PSI

Burst Pressure

4000 PSI

Operating Temperature

-20°F to +180°F

End Connection

Straight by 45 degree

Dimensions

Length

8"

Weight

4 oz.



Ball Valve Extensions
1839148, 1839149

BALL VALVE ENDS

hilmor Ball Valve Ends give you even more help controlling refrigerant loss.



Minimize Refrigerant Loss

Easy-turn valve for added control of refrigerant loss.



Extra Layer

An extra abrasion-resistant layer for the tough environments of HVAC/R.



Handles High Pressure

Rated for 800 PSI working pressure to work with high-pressure refrigerants.



Ball Valve Ends
1935915

Product Specifications

Item Number	Product Description	Diameter
1935915	Ball Valve Ends - Set of 3	1/4"

Maximum Allowable Working Pressure

800 PSI

Burst Pressure

4000 PSI

Operating Temperature

-20°F to +180°F

End Connection

Straight by 45 degree

Dimensions

Length

9.5"

Width

1"

Height

4.25"

Weight

0.8 lbs.

IT TAKES BRAINS AND BRAWN TO BEND TUBES.



Compact Bender Kit with Reverse
Bending Attachment
1926598

COMPACT BENDER KITS

1839032 Compact Bender Kit

Body and crossbar for 1/4" to 7/8", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8" mandrels.

1926598 Compact Bender Kit with Reverse Bending Attachment

Body and crossbar for 1/4" to 7/8", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8" mandrels and Reverse Bending Attachment.



Simple Setup

Universal crossbar and color-coded mandrels make identifying and changing sizes quick and easy.



One-handed Operation

A ratcheting mechanism and innovative release lever allow for bending with one hand.



Small Space Capable

A compact design allows it to fit where others can't.

Product Specifications

Item Numbers	1839032	1926598
Product Descriptions	CBK	CBKRB
Tube Sizes (O.D.)	1/4", 5/16"	


Dimensions

Length	16-3/8"	16-3/8"
Width	12-1/4"	12-1/4"
Height	3-1/4"	3-1/4"
Weight	8.8 lbs.	10.8 lbs.

Replacement Parts

Item Numbers	Descriptions	Sizes
1839035	Compact Bender Mandrel	1/4"
1839036	Compact Bender Mandrel	5/16"
1839037	Compact Bender Mandrel	3/8"
1839038	Compact Bender Mandrel	1/2"
1839039	Compact Bender Mandrel	5/8"
1839040	Compact Bender Mandrel	3/4"
1839041	Compact Bender Mandrel	7/8"

Tube Materials Soft Tubing Only, Copper, Steel, Aluminum, Brass



A reverse bending attachment for bends in the opposite direction.



Individual replacement mandrels available.



A ratcheting lever gives you the brawn to bend tubes with one hand.



A quick-release button allows you to free the tube with ease and without damage.



A locking slider keeps the bender compact for storage and transport.

TRI-TUBE BENDERS

From start to final bend, the hilmore Tri-Tube Benders have you covered.



Precise Angles

Calibrated markings for making accurate bends up to 180°.



Comfortable Grip

Non-slip grip.



Lighten Your Load

Constructed out of lightweight die-cast aluminum.



Indexing Handle

Compact design for tight access. (1839026 only)

Product Specifications

Item Numbers	1839026	1839027
Product Descriptions	TB31638	TB31612
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8"	3/16", 1/4", 3/8", 1/2"
Dimensions		
Length	2-1/2"	3-1/2"
Width	6"	7-1/2"
Height	12-1/2"	7"
Weight	1.8 lbs.	2.5 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass	



SPRING BENDERS

Getting an accurate bend by hand isn't always easy. But, our Spring Benders can help simplify things. Four different benders are included to fit 1/4", 3/8", 1/2" and 5/8" tubing. Simply slip the Spring Bender over soft copper or aluminum tubing, and count on the spring to keep the tube from kinking.

Product Specifications

Item Number	1839031			
Product Description	SB 4PC Set			
Tube Sizes (O.D.)	1/4"	3/8"	1/2"	5/8"
Dimensions				
Size	1/4"	3/8"	1/2"	5/8"
Length	11-1/3"	11-1/3"	11-1/3"	11-1/3"
Weight	5 oz.	5 oz.	5 oz.	5 oz.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass			



Spring Benders
1839031

GET IN. GET OUT. GET ON TO THE NEXT JOB.



Flaring and swaging is a big part of the job. That's why we made a big effort to guarantee you get a precise flare and swage every time. Convenience and comfort both come standard throughout hilmor's full line of flaring and swaging tools.

Simply choose the tool that fits your needs, and get ready to conquer your next job.

ORBITAL FLARE

The hilmor Orbital Flare was designed to produce quality flares – again and again. A tube-stop arrow allows precise positioning and placement so you can keep that nickel in your pocket. Plus, a clutch mechanism stops the flare to eliminate cracking the tube.



Precise Flares, Every Time

An off-center mounted cone spins on an axis to effectively produce quality flares.



No Cracked Tubes

A clutch mechanism stops the flaring when the job is done.



Simple Setup

A clothespin-inspired, spring-loaded block grips the tube securely.



Easy to Position

A tube-stop arrow slides to set correct height and positioning while ball detents allow for easy flaring cone alignment.



A clutch mechanism stops the flare when the job is done to eliminate cracking the tube.



An off-center mounted cone helps to uniformly shape the tube.

Product Specifications

Item Number	1838952
-------------	---------

Product Description	FTO
---------------------	-----

Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
-------------------	--

Dimensions

Length	8-1/2"
--------	--------

Width	4-5/8"
-------	--------

Height	5-1/4"
--------	--------

Weight	3.8 lbs.
--------	----------

Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
----------------	--

Flare Type	45 degree
------------	-----------



Orbital Flare
1838952

ORBITAL FLARE KIT WITH TUBING CUTTER AND DEBURRING TOOL

The hilmor Orbital Flare Kit comes with everything you need to produce quality flares – again and again. The kit includes hilmor's Large Diameter Tubing Cutter (item # 1885384) for easy kink-free cuts, a Pocket Size Deburring Tool (item #1891258) to smooth things over and, of course, our industry-leading Orbital Flare (item # 1838952).



Storage

Kit included for convenient storage.



Precise Flares, Every Time

An off-center mounted cone spins on an axis to effectively produce quality flares.



No Cracked Tubes

A clutch mechanism stops the flaring when the job is done.



Accurate Cutting

A unique, four-roller tracking system keeps the tube from threading.



Professional Deburring

Conveniently deburr tubes and fittings 1/4" nominal and larger.

Product Specifications

Item Number	1937685
Product Description	FTOK
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"

Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
----------------	--

Dimensions

Length	9"
Width	12-1/2"
Height	2-1/2"
Weight	5.8 lbs.

Kit Contents

Orbital Flare, Large Diameter Tubing Cutter, Pocket Size Deburring Tool

Orbital Flare Kit
1937685



FLARING TOOLS

The hilmor flaring tools are the no-muss, no-fuss way to flare. The hilmor Large Basic Flare has all the advantages of hilmor flaring tools with the bulked-up size to handle 3/4" to 1-1/8" tubes. And it can fit into spaces other flaring and swaging tools can't. Our Basic Flare handles 1/8" to 3/4" tubes.



Durable

The cast steel yoke and hardened flaring bar are made to be knocked around.



Control

Steel wing nuts make it easy to hold pipe secure.



Quality Flares

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

Product Specifications

Item Number	1838955	1838956
Product Description	FTL	FT1834
Tube Sizes (O.D.)	3/4", 7/8", 1-1/8"	1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"

Dimensions		
Length	7"	8-3/4"
Width	6"	5-1/4"
Height	5-1/4"	4-1/4"
Weight	3.7 lbs.	2.4 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass	Soft Tubing Only Copper, Steel, Aluminum, Brass

Flare Type	45 degree	45 degree
------------	-----------	-----------



Large Basic Flare
1838955



Basic Flare
1838956

QUICK-ENGAGE FLARE AND SWAGE KIT

Extra appendages are hard to come by these days. Instead, opt for the Hilmer Quick-Engage Flare and Swage. Simple setup, precise positioning and a secure hold allow you to quickly conquer and move on to the next job.



Less Work

Allows for faster flares and swages because it requires fewer rotations.



Simple Setup

A clothespin-inspired, spring-loaded block grips the tube securely.



Easy to Position

A tube-stop arrow slides to set correct height and positioning, while ball detents allow for easy flaring cone alignment.

Product Specifications

Item Number	1838947
Product Description	FS
Tube Sizes (O.D.)	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
Dimensions	
Length	8-1/2"
Width	4-5/8"
Height	7-1/2"
Weight	3.5 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
Flare Type	45 degree

Kit Contents

1 Bar, 1 Quick-Engage Yoke, 1 Flare Cone 3/16" to 3/4", 5 Swage Heads



An innovative spring-loaded block holds the tube firmly in place.



Ball detents ensure proper and precise alignment to guarantee a perfect flare or swage every time.



Push down the yoke and with fewer rotations, you get a precise flare or swage.



Quick-Engage Flare and Swage
1838947

LARGE FLARE/SWAGE

When you need a precise, quality flare or swage, the hilmor Large Flare/Swage delivers. Its compact design allows it to fit where others can't. And, with a long handle for additional leverage, it can help give you a leg up on any job.



Durable

The cast steel yoke and hardened flaring bar are made to be knocked around.



Control

Steel wing nuts make it easy to hold pipe secure.



Small Space Capable

A compact design allows it to be used even in cramped spaces.



Quality Flares

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

Product Specifications

Item Number	1838948
Product Description	FSL
Tube Sizes (O.D.)	3/4", 7/8", 1-1/8"
Dimensions	
Length	7"
Width	6"
Height	6"
Weight	6.4 lbs.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass
Flare Type	45 degree



Easily changeable swage heads are made for 3/4", 7/8" and 1-1/8" tubing.



Large Flare/Swage
1838948

BASIC FLARE / SWAGE KIT

The hilmor Basic Flare/Swage Kit has the no-muss, no-fuss tools to flare AND swage tubes in a variety of sizes. The small Basic Flare bar handles 1/8" to 7/16" tubes, while the large Basic Flare bar helps you take on 1/2" to 3/4" tubes. Swage head attachments for sizes 1/8" to 3/4" make an entirely new tool for tube working.



Durable

The cast steel yoke and hardened flaring bars are made to be knocked around.



Control

Steel wing nuts make it easy to securely hold tube.



Small Space Capable

A compact design allows it to be used even in cramped spaces.



Quality Flares

An extra-long handle provides more leverage and self-centers for a consistent quality flare.

Product Specifications

Item Number	1937684
Product Description	FSB
Tube Sizes (O.D.)	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4"
Tube Materials	Soft Tubing Only; Copper, Steel, Aluminum, Brass
Flare Type	45 degree
Dimensions	
Length	9"
Width	12-1/2"
Height	2-1/2"
Weight	5.0 lbs.

Kit Contents

2 Bars, 1 Basic Flare/Swage Yoke, 1 Flaring Head, 5 Swage Heads

Basic Flare/Swage Kit
1937684



NO SWEAT. NO STRAIN. JUST PICTURE-PERFECT SWAGES.



At hilmar, we've built our swaging tools around the way you work. We've retooled the design to make swaging tools much more convenient and comfortable to use. And our tools deliver. Each one is made to be precise.

COMPACT SWAGE TOOL KIT

The hilmor Compact Swage Tool is taking swaging to the next level. It has the power to swage 2-1/8" tubing and the control to swage 1/4" tubing without a crack. With its small, pistol-shape design, it can fit in the smallest of spaces. This proprietary design can reduce on-the-job fatigue with its easy setup and one-handed operation made possible by an innovative hydraulic mechanism and release button. It's even equipped for multiple sizes.



Picture-perfect Swaging

Simply select the correct head, place it on the tool and make a quality swage.



Less Effort, More Control

The power to swage 1/4"-2-1/8" tubing and the control to swage 3/8" without splitting the tube.



Small Space Capable

A compact design allows it to be used even in cramped spaces.



One-handed Operation

The lever mechanism and release button allow for one-handed swaging without the fatigue.



Compact Swage Tool Kit
1839015



Product Specifications

Compact Swage Tool Kit

Item Number 1839015

Product Description CS

Kit Contents 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8"
Expander Heads, Deburrer, Compact Swage Tool

Tube Sizes (O.D.) 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8"

Dimensions

Length 9"
Width 1-3/4"
Height 5"
Weight 8.5 lbs.

Expander Heads & Replacement Parts

Item Numbers	Descriptions	Sizes
1964042	CSEH14 Expander Head	1/4"
1839016	CSEH516 Expander Head	5/16"
1839017	CSEH38 Expander Head	3/8"
1839018	CSEH12 Expander Head	1/2"
1839019	CSEH58 Expander Head	5/8"
1839020	CSEH34 Expander Head	3/4"
1839021	CSEH78 Expander Head	7/8"
1839022	CSEH118 Expander Head	1-1/8"
1839023	CSEH138 Expander Head	1-3/8"
1839024	CSEH158 Expander Head	1-5/8"
1964043	CSEH218 Expander Head	2-1/8"
1839025	CSB Compact Swage Body Kit	N/A
1891258	Pocket Size Deburring Tool	N/A

Tube Materials Soft Tubing Only,
Copper, Steel, Aluminum, Brass

Recommended Replacement Hydraulic Fluid HV-15

Recommended Expander Head Lubricant NLGI1 or NLGI2

DELUXE COMPACT SWAGE TOOL KIT

Thoughtfully designed to fit into the smallest of spaces, the hilmor Compact Swage Tool can knock out the picture-perfect swage in just one shot. An innovative hydraulic mechanism and release button let you take care of any job single-handedly.



Picture-perfect Swaging

Simply select the correct head, place it on the tool and make a quality swage.



One-handed Operation

The lever mechanism and release button allow for one-handed swaging without the fatigue.

Product Specifications

Deluxe Compact Swage Tool Kit	
Item Number	1964041
Product Description	DCS
Deluxe Kit Contents	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8", 1-3/8", 1-5/8", 2-1/8" Expander Heads, Pocket Size Deburring Tool, Compact Swage Tool
Tube Sizes (O.D.)	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8", 1-3/8", 1-5/8", 2-1/8"
Dimensions	
Length	9"
Width	1-3/4"
Height	5"
Weight	8.5 lbs.



Deluxe Compact Swage Tool Kit
1964041

PUNCH SWAGE SET

Get the sizes you need, right when you need them, with the hilmor 5-piece Punch Swage Set. Punches are available in a set with 1/4", 5/16", 3/8", 1/2" and 5/8".



Punch Swage Set
1839008

Product Specifications

Item Number	1839008				
Product Description	S1458				
Tube Sizes (O.D.)	1/4"	5/16"	3/8"	1/2"	5/8"
Dimensions					
Size	1/4"	5/16"	3/8"	1/2"	5/8"
Diameter	1/2"	2/3"	2/3"	7/8"	7/8"
Height	3"	3"	3"	3-3/4"	3-3/4"
Weight	3 oz.	3 oz.	3 oz.	3 oz.	3 oz.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass				

MULTI-SWAGE PUNCH

One punch. Multiple tube sizes. The hilmor Multi-Swage Punch is designed to fit 1/4" to 5/8" tubes. Made of steel and chrome-coated for a durable design with less friction against the tube.



The Multi-Swage Punch tool is intelligently designed with a broader base to reduce missed hits.

Product Specifications

Item Number	1839009
Product Description	MS
Tube Sizes (O.D.)	1/4" to 5/8" (1/4", 5/16", 3/8", 1/2", 5/8")
Dimensions	
Diameter	7/8"
Height	5-1/4"
Weight	6 oz.
Tube Materials	Soft Tubing Only Copper, Steel, Aluminum, Brass



Multi-Swage Punch
1839009

CUT TIME, HARD WORK AND EXCESS TUBING.



Trim back on the unnecessary complexities of the job with hilmar's new line of tubing cutters. They're ruggedly durable and designed to slice through copper, PEX and PVC tubing like it's their job. Whether you're up on a ladder or stuck in a crawl space, hilmar tubing cutters will perform time and time again.

SMALL DIAMETER TUBING CUTTERS

When you're in a tight space, this tool can definitely cut it. hilmor's ruggedly durable Small Diameter Tubing Cutters offer precision cuts with minimal burrs.



Rugged and Durable

An ergonomic, cast-zinc body and shock-resistant steel wheel reduce burrs while increasing life and durability.



Small Space Capable

Compact design allows this tool to fit where others can't.



Maximum Protection

A full-stop threading system offers maximum protection for cutting wheels.



Precision Flare Cutting

A flare-cutting groove allows for precision removal of material. Item 1885383 only.



Spare Blade Storage

A bonus blade comes with the tool and can be stored easily in the handle. Items 1885382 & 1885383 only.

Product Specifications

Item Numbers	1885381	1885382
Product Descriptions	TC1858	TC181
Diameters	1/8" - 5/8"	1/8" - 1"

Dimensions

Length	1-3/8"	1-3/4"
Width	3/4"	3/4"
Height	1-3/4"	2-3/8"
Weight	4 oz.	6 oz.

Item Number	1885383
Product Description	TC18118 TC
Diameter	1/8" - 1-1/8"

Dimensions

Length	2"
Width	1"
Height	3"
Weight	8 oz.



Small Diameter Tubing Cutters
1/8"- 5/8", 1/8"- 1", 1/8"- 1-1/8"
1885381, 1885382, 1885383

LARGE DIAMETER TUBING CUTTERS

This cutter can talk the talk without walking the walk. hilmor's Large Diameter Tubing Cutters feature a four-roller tracking system to keep the tube from threading. All the while, a shock-resistant steel wheel cuts through the tube like a knife through butter.



Rugged and Durable

An ergonomic, cast-zinc body and shock-resistant steel wheel reduce burrs while increasing life and durability.



Precision Flare Cutting

A flare-cutting groove allows for precision removal of material.



Maximum Protection

A full-stop threading system offers maximum protection for cutting wheels.



Spare Blade Storage

A bonus blade comes with the tool and can be stored easily in the handle.



Accurate Cutting

A unique, four-roller tracking system keeps the tube from threading.



Professional Deburring

Conveniently deburr tubes with a replaceable machinist's reamer.

Product Specifications

Item Numbers	1885384	1885385
Product Descriptions	TC18138	TC18134
Diameters	1/8" - 1-3/8"	1/8" - 1-3/4"

Dimensions

Length	2-3/4"	3"
Width	1-3/4"	1-3/4"
Height	6-1/4"	7-7/8"
Weight	1.4 lbs.	1.7 lbs.

Accessories

Item Number	1885386
Product Description	Small Tubing Cutter Wheels 2PK Fits hilmor Tubing Cutters: 1885381, 1885382
Item Number	1885387
Product Description	Tubing Cutter Wheels 2PK Fits hilmor Tubing Cutters: 1885383, 1885384, 1885385
Item Number	21024TCD
Product Description	Replacement Deburrer for 1885384 and 1885385



Large Diameter Tubing Cutters
1/8"-1-3/8" and 1/8"-1-3/4"
1885384, 1885385

PLASTIC TUBING CUTTER

We've cut out the unnecessary complexity so you can cut plastic. hilmor's Plastic Tubing Cutter gets the job done with ease. Simple design and intuitive features allow you to get a handle on any cut.



Rugged and Durable

An ergonomic, cast-aluminum body and stainless steel blade increase life and durability.



Comfortable Grip

A rubberized handle makes it easier to use in wet and dirty environments.



Easy to Open and Close

A conveniently positioned locking latch allows for true one-handed operation.

Product Specifications

Item Number	1885388
Product Description	PTC Plastic Tube Cutter
Diameter	1-5/16" MAX OD

Dimensions

Length	11"
Width	5-1/2"
Height	1-2/5"
Weight	13 oz.

Replacement Blade

Item Number	1885390
Product Description	PTCRB Plastic TC Rep Blade



A stainless steel blade gives you the strength and precision for any cut.



Plastic Tubing Cutter
1-5/16" MAX OD
1885388

RATCHETING PLASTIC TUBING CUTTERS



Rugged and Durable

An ergonomic, cast-aluminum body and stainless steel blade increase life and durability.



Comfortable Grip

A rubberized handle makes it easier to use in wet and dirty environments.



Easy to Open and Close

A conveniently placed release button allows for true one-handed operation, while a locking tab secures the blade in place.

Ratcheting Plastic Tubing Cutter
2-3/8" MAX OD
1885395



Rugged and Durable

An ergonomic, cast-aluminum body and high-carbon steel blade increase life and durability.



Easy to Open

Simply pull both handles apart to quickly start the next cut.

Product Specifications

Item Number	1885393
Product Description	RPTC158
Diameter	1-5/8" MAX OD

Dimensions

Length	9"
Width	1-1/8"
Height	4-1/8"
Weight	1.0 lbs.

Ratcheting Plastic Tubing Cutter
1-5/8" MAX OD
1885393



Product Specifications

Item Number	1885395
Product Description	RPPTC238
Diameter	2-3/8" MAX OD

Dimensions

Length	13-1/8"
Width	1-1/3"
Height	6"
Weight	2.5 lbs.

Replacement Blade

Item Number	1885396
Product Description	RPTC238RB Rat TC Rep Blade

ALL THE TOOLS IT TAKES TO TACKLE DUCT WORK.



Whether you need to bend, crimp, pierce or cut sheet metal or duct work, our family of Sheet Metal and Duct Tools are up for the challenge.

ADVANCED FOLDING TOOLS

From professional looking end caps without S-channel to on location Pittsburgh lock fabrication, bend sheet metal to your will with the dependable Folding Tool. Sight holes for depth alignment let you accurately make uniform 3/8" or 1" folds.



Bending and Fabrication

For bending 1/2" hems, end caps and modified Pittsburgh lock fabrication



Capacity

Primarily used for 24 to 30 gauge sheet metal

FOLDING TOOLS

This tool can fold without folding on the job. From end caps to folds for drive cleats, hilmar Folding Tools can handle it all. Strength meets precision with sight holes for depth alignment.



Folding Tool

Built for both 3/8" (10mm) and 1" (25mm) folds.



Accurate Folding

Equipped with sight holes for proper depth alignment.

Product Specifications

Item Numbers	1890982	1890983
Product Descriptions	AFT18	AFT24
Dimensions		
Length	18"	24"
Width	3-1/4"	3-1/4"
Height	1/4"	1/4"
Weight	.96 lbs.	1.3 lbs.




Advanced 18" & 24"
Folding Tools

1890982, 1890983

Product Specifications

Item Numbers	1891146	1890985	1890986
Product Descriptions	SMTFT12	SMTDT18	SMTFT24
Capacity CRS	18ga	18ga	18ga
Dimensions			
Length	12"	18"	24"
Width	3-1/4"	3-1/4"	3-1/4"
Height	1/5"	1/5"	1/5"
Weight	0.65 lbs.	.96 lbs.	1.3 lbs.



12", 18" & 24"
Folding Tools
1891146, 1890985,
1890986

AVIATION SNIPS

Cut sheet metal, duct, stainless steel. Oh, and time. hilmor Aviation Snips feature color-coded handles that make finding the right tool quick and easy. Plus, they have a comfortable grip and durable blades.



Rugged and Durable

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



Quick Identification

Color-coded handle inserts and splines make identification simple.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



Left Cut
Aviation Snip
1891133



Right Cut Offset
Aviation Snip
1891138



Bulldog
Aviation Snip
1891136

Product Specifications

Aviation Snips

Item Numbers

1891133 1891134 1891135 1891172

Product Descriptions

SNIPAL SNIPAR SNIPAS SNIPASLR

Capacity

	1891133	1891134	1891135	1891172
CRS	18ga	18ga	18ga	18ga
SS	22ga	22ga	22ga	22ga

Dimensions

	1891133	1891134	1891135	1891172
Length	10-3/8"	10-3/8"	10-3/8"	10-3/8"
Width	3-1/2"	3-1/2"	3-1/2"	9-1/2"
Height	7/8"	7/8"	7/8"	9-1/2"
Weight	1.1 lbs.	1.1 lbs.	1.1 lbs.	3.3 lbs.

Cutting Direction



3PC Set

Bulldog & Offset Aviation Snips

Item Numbers

1891136 1891137 1891138

Product Descriptions

SNIPAB SNIPOL SNIPOR

Capacity

	1891136	1891137	1891138
CRS	16ga	18ga	18ga
SS	20ga	22ga	22ga


Dimensions

	1891136	1891137	1891138
Length	9-1/2"	10-1/4"	10-1/4"
Width	3-1/2"	3-1/4"	3-1/4"
Height	7/8"	1"	1"
Weight	1.0 lbs.	1.1 lbs.	1.1 lbs.

Cutting Direction



Color-coded handle inserts for quick identification.



Lock for quick and easy storage.

ALUMINUM HANDLE SNIP

If longer, cleaner cuts are your thing, this pair of snips is for you. It's lightweight, aluminum composition makes this tool easy to handle and comfortable in your hands.



Rugged and Durable

Lightweight aluminum construction and replaceable blades increase life and durability.



Less Work

A 3-1/2" cut length requires fewer cuts to complete the job.



Added Versatility

Use either right or left hand to easily make cuts.



Product Specifications

Item Number	1891173
Product Description	SNIP13AH
Capacity	
CRS	24ga
SS	28ga
Dimensions	
Length	13"
Width	4"
Height	1/2"
Weight	1.2 lbs.
Cutting Direction	
Replacement Blade	
Item Number	1891174
Description	SNIP13AHRB 13" AL HAND REP BLADE

Aluminum Handle Snip
1891173

V-NOTCHER

This tool puts the V-notch in HVAC/R. It's perfect for making clean 30° V-shaped cuts in sheet metal without distorting or crimping the material.



Rugged and Durable

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



V-Notcher

Cuts V-shaped notch in sheet metal.

Product Specifications

Item Number	1891180
Product Description	SMTVN1
Capacity	
CRS	18ga
SS	22ga
Dimensions	
Length	9-1/4"
Width	3"
Height	7/8"
Weight	1.2 lbs.

V-Notcher
1891180



SNAP LOCK PUNCH

You've heard the saying. A screw is temporary, but the Snap Lock Punch is forever. This tool can join sheet metal, duct or pipe in a snap for a hold that lasts a lifetime.



Rugged and Durable

Stainless steel blades and a reinforced chrome silicon spring increase life and durability.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



Snap Lock Punch

For joining sheet metal, duct and pipe.

Product Specifications

Item Number	1891182
Product Description	SMTSLP
Capacity	
CRS	18ga
SS	22ga
Dimensions	
Length	8-7/8"
Width	3"
Height	7/8"
Weight	1.1 lbs.



Snap Lock Punch
1891182

HAND CRIMPERS

A crimping tool that won't cramp your style. Or your hand. hilmor Hand Crimpers come standard with contoured rubber grips that fit comfortably in your hands. Happy crimping!



Rugged and Durable

High-carbon steel blades and a reinforced chrome silicon spring increase life and durability.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



Hand Crimper

For crimping round metal pipe.

Product Specifications

Item Numbers	1891186	1891187
Product Descriptions	SMTCTTT	SMTBC5
Capacity		
CRS	18ga	18ga
SS	22ga	22ga
Dimensions		
Length	9-3/4"	9-3/4"
Width	3"	3"
Height	7/8"	7/8"
Weight	1.0 lbs.	1.2 lbs.



3-Blade Crimper,
5-Blade Crimper
1891186, 1891187

HAND SEAMERS

They can bend sheet metal. Flatten it. And flat-out get the job done. 1/4" depth marks ensure an accurate bend, and a reinforced spring stands the test of time.

- 

Rugged and Durable
Stainless steel blades and a reinforced chrome silicon spring increase life and durability.
- 

Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.
- 

Quick Identification
1/4" depth marks on the blades allow for quick bends.
- 

Seamer
For bending and flattening sheet metal.

Product Specifications

Item Numbers	1891185	1891183	1891184
Product Descriptions	SMTHS3	SMTHSO3	SMTHS6
Sizes	3"	3" Offset	6"
Capacity			
CRS	18ga	18ga	18ga
SS	22ga	22ga	22ga
Dimensions			
Length	9-3/4"	8-1/4"	10"
Width	3-1/8"	5"	6"
Height	7/8"	3-1/4"	3-1/2"
Weight	1.5 lbs.	1.4 lbs.	2.2 lbs.



1/4" depth marks on the blades allow for quick bends.



Locking latch.

3" Offset Hand Seamer
1891183

6" Hand Seamer
1891184

3" Hand Seamer
1891185

POCKET BRAKE

The hilmor Pocket Brake is a portable sheet metal scoring tool that permits quick and precise, on the job, sheet metal fabrication.



Flexibility & Speed

Save time by performing onsite sheet metal fabrication.



Jobsite Fabrication

Ambidextrous design with twin metal scoring wheels provides a stable and accurate sheet metal scoring tool.



Ergonomic Design

Ergonomic design permits ambidextrous use.

Product Specifications

Item Number	HPB1701
Product Description	HPB
Dimensions	
Length	4.33"
Width	2.90"
Height	2.85"
Weight	2 lbs.

Pocket Brake
HPB1701



HOLE CUTTERS

Power and precision. Cut holes in sheet metal like a knife through butter, and make them precise with metric and standard scales. Handles 2" to 20" holes.



Rugged and Durable

Includes a lightweight aluminum frame, with a milled bit for life and durability.



Added Versatility

Get two-in-one capabilities with both inch and metric scales.



Perfect Fit

Fits into any corded or cordless drill with a 1/4" or larger chuck.

Product Specifications

Item Numbers	1891191	1891192
Product Descriptions	SMTHC212	SMTHC220
Sizes	2" TO 12"	2" TO 20"

Dimensions

Length	7"	11"
Width	3"	3"
Height	1"	1"
Weight	1.1 lbs.	1.5 lbs.

Replacement Part

Item Number	1891193
Description	SMTHCRB Rep Bit 1 Pack

2" to 12" & 2" to 20"
Hole Cutters
1891191, 1891192



DUCT STRETCHER

Two ducts. One hand. Bring it all together with the hilmor Duct Stretcher. Large gaps are no match. Its sleek aluminum body maintains a low profile to get into tight spaces.



Rugged and Durable

An all-aluminum body increases life and durability.



Small Space Capable

Features a low profile for use in tight spaces.

DUCT SLITTING TOOL

Don't let its unassuming design fool you. The Duct Slitting Tool can pierce, slit or scribe with the best of them.



Comfortable Grip

Over-molded handle reduces hand fatigue and won't slip or twist.



Extra Versatility

Designed to scribe lines or pierce and enlarge holes in sheet metal.

DUCT KNIFE

It's time to cut ties with your old knife. The hilmor Duct Knife's hardened stainless steel blade can cut through duct board with silky, smooth precision.



Rugged and Durable

A hardened stainless steel blade increases life and durability.



Comfortable Grip

Over-molded handle reduces hand fatigue and won't slip or twist.

Product Specifications

Item Number 1890987

Product Description SMTDS

Dimensions

Length 16"
Width 1/4"
Height 1-1/2"
Weight 11 oz.

Replacement Wheels

Item Number 1890988

Product Description SMTDSRW Rep Wheels 2PK

Duct Stretcher
1890987



Product Specifications

Item Number 1890990

Product Description SMTDR

Dimensions

Length 9-3/8"
Width 1-1/4"
Height 1-1/4"
Weight 6 oz.

Duct Slitting Tool
1890990



Product Specifications

Item Number 1891331

Product Description SMTDK

Dimensions

Length 11-5/8"
Width 5/8"
Height 1-3/8"
Weight 10 oz.

Duct Knife
1891331



TOOLS TO HELP YOU KICK IT OFF OR DRIVE IT HOME.



When it comes to tightening and loosening fasteners, you want tools that can get the job done fast without damaging the screw. Same for the next job and the job after that. That's why our line of Screwdrivers, Nut Drivers, Nutsetters and Hex Keys are built for the long haul.

REVERSIBLE MAGNETIC NUT DRIVERS

The hilmor Reversible Magnetic Nut Drivers incorporate a high performance socket design that drives the fastener from the flats, not the corners, minimizing slippage. Making it the most fun you can have without stripping!

Product Specifications

Item Numbers	Product Descriptions	Sizes	Weight
1937881	RMAGND275	2-3/4"	0.1 lbs.
1937882	RMAGND4	4"	0.2 lbs.
1937883	RMAGND6	6"	0.22 lbs.



Reduced Stripping

High performance socket design drives the fastener from the flats, not the corners, minimizing slippage.



Tapered Design

Tapered socket design for improved access in tight spaces.

Sizes

2-3/4" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)

4" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)

6" Reversible Magnetic Hex Driver with flipable 1/4" x 5/16" socket (Impact Rated)

2-3/4", 4" and 6" Reversible Magnetic Nut Drivers
1937881, 1937882, 1937883



MAGNETIC NUTSETTERS

Choose a size. Lock in your bit. And get right to it. The hilmor Magnetic Nutsetters can do work in seconds flat. They feature magnetic tips and a lobular design to grab any bit.

Product Specifications

Item Numbers	Product Descriptions	Sizes	Length	Width	Height	Weight
1885435	MNS14178	1/4" - Set of 3	1-7/8"	3/8"	3/8"	2 oz.
1885436	MNS516178	5/16" - Set of 3	1-7/8"	5/16"	5/16"	3 oz.
1885437	MNS38178	3/8" - Set of 3	1-7/8"	1/2"	1/2"	3 oz.



Secure Hold

A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.



Impact Compatible

Bits are specially manufactured for use with impact drivers.



Quick ID

A color-coded band makes size identification simple.

1/4", 5/16" and 3/8" Magnetic Nutsetters
1937871



Designed for reduced stripping.

FAST CONNECT MAGNETIC NUT DRIVER SET

The nut driver has evolved. The set features a 3" and 6" hilmor Fast Connect Magnetic Nut Driver. The name alone says it all. They're lightning fast and allow for one-handed quick release for fast and easy bit changes.



Simple Setup

A quick-change mechanism allows for easy change-out of standard bits with 1/4" hex shank.



Added Versatility

Set includes both stubby and 4" handles, ensuring you have the right size tool for the job.



Secure Hold

A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.



Reduced Stripping

Designed to drive fasteners on the side instead of on the corners, reducing breakage and stripping.



Quick Identification

A color-coded band makes size identification simple.



Convenient Storage

Soft storage pouch with additional bit storage keeps everything organized.

Product Specifications

Item Number	1937911
-------------	---------

Product Description	SBSFC
---------------------	-------

Kit Contents

2-1/2" Fast Connect Bit Extension for 1/4"
1-7/8" Magnetic Nutsetters for 1/4", 5/16", 3/8"
#1 x 2" Phillips Impact Bit
#2 x 2" Phillips Impact Bit
#1 x 2" Square Impact Bit
#2 x 2" Square Impact Bit
4-5 x 2" Slotted Impact Bit
6-8 x 2" Slotted Impact Bit

Dimensions

Length	4"
Width	4"
Height	1-3/4"
Weight	11 oz.



Fast Connect Magnetic Nut
Driver Set
1937911

FAST CONNECT SCREWDRIVER BIT SET

Fumbling around with bits is a waste of time. The hilmor Fast Connect Screwdriver Bit Set is definitely not. The set features the Fast Connect Bit Extension that's impact driver ready. Quickly swap out bit sizes in seconds flat.

- 

Impact Compatible
Extension and bits are specially manufactured for use with impact drivers.
- 

1/4" Shank
The 1/4" quick-change shank is designed for use in impact drivers and rotary drills.
- 

Secure Fit
Precision tip geometry allows for a better fit and reduced stripping.
- 

Secure Hold
A rare-earth magnet helps maintain a secure hold to keep fasteners firmly in place.
- 

Reduced Stripping
Designed to drive fasteners on the side instead of on the corners, reducing breakage and stripping.
- 

Convenient Storage
Compact kit box included for quick and easy storage.

Product Specifications

Item Number	1937912
Product Description	SBSFC

Kit Contents
2-1/2" Fast Connect Bit Extension for 1/4"
1-7/8" Magnetic Nutsetters for 1/4", 5/16", 3/8"
#1 x 2" Phillips Impact Bit
#2 x 2" Phillips Impact Bit
#1 x 2" Square Impact Bit
#2 x 2" Square Impact Bit
4-5 x 2" Slotted Impact Bit
6-8 x 2" Slotted Impact Bit

Dimensions	
Length	4"
Width	4"
Height	1-3/4"
Weight	11 oz.

Fast Connect Screwdriver Bit Set
1937912



MAGNETIC NUT DRIVERS

All sizes to conquer jobs big and small. The himlor Magnetic Nut Drivers give you a secure hold when and where you need it.



Secure Hold

A magnetic tip keeps fasteners firmly in place.



Quick Identification

A color-coded insert makes size identification simple.



More Torque

A slip-resistant grip and wrench flats allow for maximum leverage. Wrench flat items 1839076 and 18839077 only.



Big Bolt Capable

A hollowed shaft allows for use on long bolts.



Rugged and Durable

Designed to last with a durable chrome-vanadium steel construction.

Sizes

1-1/2" Shaft Magnetic Nut Drivers: Available in 1/4" and 5/16" sizes or as a 2-piece set.

3" and 6" Shaft Magnetic Nut Drivers: Sold individually, or choose our full 7-piece set or our handy 2-piece set.

18" Shaft Magnetic Nut Drivers: Available in 1/4" and 5/16" sizes.

Product Specifications

1-1/2" Magnetic Nut Drivers

Item Numbers	1839055	1839056	1839057
Product Descriptions	SHSM14	SHSM516	SHSM2PC
Sizes	1/4"	5/16"	Set of 2 1/4" & 5/16"
Colors	Red	Yellow	Red & Yellow

Dimensions

Length	3-1/2"	3-1/2"	3-1/2"
Width	1-1/4"	1-1/4"	1-1/4"
Height	1-1/4"	1-1/4"	1-1/4"
Weight	2 oz.	2 oz.	2 oz.

18" Magnetic Nut Drivers

Item Numbers	1839076	1839077
Product Descriptions	XLHSM14	XLHSM516
Sizes	1/4"	5/16"
Colors	Red	Yellow

Dimensions

Length	22"	22"
Width	1-1/4"	1-1/4"
Weight	6 oz.	6 oz.



1-1/2" Magnetic Nut Drivers
1839057

18" Magnetic Nut Drivers
1839076, 1839077

MAGNETIC NUT DRIVERS

Product Specifications

3" Magnetic Nut Drivers						
Item Numbers	1839059	1839060	1839063	1839066	1839065	
Product Descriptions	HSM14	HSM516	HSM716	HSM2PC	HSM7PC	
Sizes	1/4"	5/16"	7/16"	Set of 2 1/4" & 5/16"	Set of 7	
Colors	Red	Yellow	Brown	Red & Yellow	Multi	
Dimensions						
Length	6-7/8"	6-7/8"	7-1/4"	6-7/8"	6-7/8"	
Width	1-1/4"	1-1/4"	1-3/8"	1-1/4"	7-1/4"	
Height	1-1/4"	1-1/4"	1-3/8"	1-1/4"	1-1/4"	
Weight	3 oz.	3 oz.	6 oz.	6 oz.	1-3/8"	
6" Magnetic Nut Drivers						
Item Numbers	1839068	1839069	1839071	1839073	1839074	1839075
Product Descriptions	LHSM14	LHSM516	LHSM38	LHSM12	LHSM2PC	LHSM7PC
Sizes	1/4"	5/16"	3/8"	1/2	Set of 2 1/4" & 5/16"	Set of 7
Colors	Red	Yellow	Blue	Red	Red & Yellow	Multi
Dimensions						
Length	9-7/8"	9-7/8"	9-7/8"	10-1/4"	9-7/8"	9-7/8"
Width	1-1/4"	1-1/4"	1-1/4"	1-3/8"	1-1/4"	10-1/4"
Height	1-1/4"	1-1/4"	1-1/4"	1-3/8"	1-1/4"	1-1/4"
Weight	3 oz.	3 oz.	3 oz.	6 oz.	6 oz.	1-3/8"
1.9 lbs.						



3" Magnetic Nut Driver Set
1839065

QUICK-CHANGE MAGNETIC NUT DRIVERS

It's as if 1/4" to 5/16" had an HVAC/R baby. The hilmor Quick-Change Magnetic Nut Driver is two tools in one, so you can switch from 1/4" to 5/16" with ease. A color-coded handle makes for quick identification. A magnetic tip keeps fasteners firmly in place.



Secure Hold

A magnetic tip on both ends keeps fasteners firmly in place.

x2

Added Versatility

Quickly switch between 1/4" and 5/16", the two most common sizes.



Quick Identification

A color-coded insert on the bands and bottom makes size identification simple.

Product Specifications

1/4" and 5/16" Quick-Change Magnetic Nut Drivers

Item Numbers	1937818	1839054	1891260
Product Descriptions	QCND5	QCND	QCND6
Shaft Length	1-1/4"	3"	6"
Sizes	1/4" & 5/16"	1/4" & 5/16"	1/4" & 5/16"
Dimensions			
Length	3-1/4"	7-1/2"	10-3/8"
Width	1-1/4"	1-1/3"	1-1/3"
Height	1-1/4"	1-1/3"	1-1/3"
Weight	3 oz.	6 oz.	6 oz.



Quick-Change Magnetic
Nut Drivers 1-1/4", 3" & 6"
1937818, 1839054, 1891260

RATCHETING 9 IN 1 MULTI-TOOL

A simple twist of the hand can drive a screw, nut or bolt in no time. Nine different bits are at your disposal. A ratcheting mechanism and an ergonomic rubber grip comes standard.



Rugged and Durable

Designed with a high-torque ratcheting mechanism and thick shaft walls for long life and less stripping.



More Torque

A slip-resistant grip allows for maximum leverage.



Simple Setup

Easily change between forward, reverse and locked positions.

Product Specifications

Item Number	1891259
Product Description	MTR91
Bit Sizes	#1 & #2 Phillips, 3/16" & 1/4" Slotted, #2 Square, 1/4", 5/16", and 3/8" Nut Drivers, and Valve Core Remover.
Dimensions	
Length	8-1/2"
Width	1-1/4"
Height	1-1/4"
Weight	12 oz.



Ratcheting 9 in 1 Multi-Tool
1891259

9 IN 1 MULTI-TOOL

When you've got a lot of jobs but not a lot of time, the 9 in 1 Multi-Tool from hilmor can save the day. It features a slip-resistant grip for more torque and a thick-walled shaft for more durability.



Rugged and Durable

Designed with thick shaft walls for long life and less stripping.



More Torque

A slip-resistant grip allows for maximum leverage.



Product Specifications

Item Numbers	1839053	1937819
Product Descriptions	9IN1SV	MT9IN16
Bit Sizes	#1 and #2 Phillips, 3/16" & 1/4" Slotted, #2 Square, 1/4", 5/16", and 3/8" Nut Drivers, and Valve Core Remover.	

Dimensions

Length	7-1/4"	10-1/2"
Width	1-1/3"	1-1/8"
Height	1-1/3"	1-1/8"
Weight	7 oz.	10 oz.



9 In 1 Multi-Tool - 10-1/2"
1937819

9 In 1 Multi-Tool - 7-1/4"
1839053

6 IN 1 STUBBY MULTI-TOOL

Small spaces come standard in HVAC/R. That's why you need the hilmor 6 in 1 Stubby Multi-Tool. Its compact design fits right in, giving you the necessary torque to tighten or loosen a screw or nut.



Small Space Capable

A compact design allows for use in tight spaces.



More Torque

A slip-resistant grip allows for maximum leverage.



Simple Setup

Easily change between six different drivers - 3/16" and 1/4" Slotted, #1 and #2 Phillips, 1/4" and 5/16" Nut Drivers.

Product Specifications

Item Number	1891351
Product Description	MTS
Bit Sizes	3/16" and 1/4" Slotted, #1 and #2 Phillips, 1/4" and 5/16" Nut Drivers.

Dimensions

Length	4-7/8"
Width	1-1/4"
Height	1-1/4"
Weight	3 oz.



6 in 1 Stubby Multi-Tool
1891351

KEYSTONE TIP DEMOLITION SCREWDRIVERS

It's a screwdriver on steroids. Pounding, prying, chiseling – no problem. A metal strike cap and through shaft can handle just about everything you put in front of it.



Rugged and Durable

Designed to last with a heat-treated, chrome-plated through shaft and metal strike cap.



More Torque

A slip-resistant grip allows for maximum leverage.



Secure Fit

A machined tip allows for a better fit.

Product Specifications

Item Numbers	1891395	1891396
Product Descriptions	SDSLKTDEMO144	SDSLKTDEMO5167
Shaft Length	4"	7"
Tip Type/Size	1/4"	5/16"
Dimensions		
Length	8"	11-1/8"
Width	1"	1-1/8"
Height	1"	1-1/8"
Weight	6 oz.	6 oz.



5/16" Keystone Tip Demolition
Screwdriver 7"
1891396

1/4" Keystone Tip Demolition Screwdriver 4"
1891395

KEYSTONE TIP & CABINET TIP SCREWDRIVERS

Driven to perform. Everything about these screwdrivers says get work done. They're designed to last with a heat-treated, chrome-plated shaft, yet they wouldn't dare strip out your screws.



More Torque

A slip-resistant grip allows for maximum leverage.



Quick Identification

Easy-to-read tip markings on the handle make identification quick and easy.




Rugged and Durable

Designed to last with a heat-treated, chrome-plated shaft.



8" Keystone Tip Screwdriver 3/8"
1891286



6" Cabinet Tip Screwdriver 1/4"
1891289

Product Specifications

KEYSTONE TIP SCREWDRIVERS

Item Numbers	1891355	1891352	1891356	1891358	1891286
Product Descriptions	SDSLKTRS14112	SDSLKTSS144	SDSLKTRS144	SDSLKTRS5166	SDSLKTRS388
Shaft Length	1-1/2"	4"	4"	6"	8"
Tip Type/Size	1/4"	1/4"	1/4"	5/16"	3/8"
Dimensions					
Length	3-1/2"	8-1/8"	8"	10-1/2"	12-1/2"
Width	1-1/4"	1"	1-1/8"	1-1/4"	1-3/8"
Height	1-1/4"	1"	1-1/8"	1-1/4"	1-3/8"
Weight	2 oz.	4 oz.	4 oz.	6 oz.	8 oz.

CABINET TIP SCREWDRIVERS

Item Numbers	1891287	1891288	1891289
Product Descriptions	SDSLCTRS3163	SDSLCTRS3166	SDSLCTRS146
Shaft Length	3"	6"	6"
Tip Type/Size	3/16"	3/16"	1/4"
Dimensions			
Length	6-1/2"	9-1/2"	10-1/4"
Width	1"	1"	1"
Height	1"	1"	1"
Weight	3 oz.	3 oz.	4 oz.

TERMINAL BLOCK SCREWDRIVER

A unique screw calls for a unique screwdriver. The Terminal Block Screwdriver is one-of-a-kind with a heat-treated shaft and super-comfortable grip.

- 

More Torque
A slip-resistant grip allows for maximum leverage.
- 

Quick Identification
Easy-to-read tip markings on the handle make identification quick and easy.
- 

Rugged and Durable
Designed to last with a heat-treated, chrome-plated shaft.
- 

Secure Fit
A machined tip allows for a better fit.

Product Specifications

Item Number	1891397
Product Description	SDTB4
Shaft Length	4"
Tip Type/Size	Terminal Block
Dimensions	
Length	7-1/8"
Width	7/8"
Height	1"
Weight	2 oz.



PHILLIPS TIP SCREWDRIVERS

Forget screws that won't strip. You need a screwdriver that won't strip them. Introducing the hilmer Phillips Tip Screwdriver featuring machined tips for a precise fit. A rugged shaft and comfortable handle round out this tool nicely.

- 

More Torque
A slip-resistant grip allows for maximum leverage.
- 

Quick Identification
Easy-to-read tip markings on the handle make identification quick and easy.
- 

Rugged and Durable
Designed to last with a heat-treated, chrome-plated shaft.
- 

Secure Fit
A machined tip allows for a better fit.

Product Specifications

Item Numbers				
1891290	1891391	1891392	1891393	1891394
Product Descriptions				
SDPHRS13	SDPHRS2	SDPHRS24	SDPHRS27	SDPHRS36
Tip Type/Size				
#1PH	#2PH	#2PH	#2PH	#3PH
Shaft Length				
3"	1-1/2"	4"	7"	6"
Dimensions				
Length				
6-1/2"	3-1/2"	8"	11"	10-1/2"
Width				
1"	1-1/4"	1"	1"	1-1/4"
Height				
1"	1-1/4"	1"	1"	1-1/4"
Weight				
3 oz.	2 oz.	4 oz.	5 oz.	6 oz.



Precision Screwdriver Set

When the job calls for precision, reach for hilmor. The Precision Screwdriver Set features machined tips and rotating heads. Plus, a convenient storage pouch keeps you organized.



Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.



Maximum Precision
A rotating head allows for precise adjustments while giving you greater control.



Quick Identification
Easy-to-read tip markings on the handle make identification quick and easy.



Storage
Pouch included for quick and easy storage.

Product Specifications

Item Number	1891089
Product Description	SDPS
Includes	1/16" x 2" Slotted #0 x 3" Phillips 3/32" x 3" Slotted 1/8" x 4" Slotted 1/8" x 6" Slotted
Dimensions	
Length	10-1/4"
Width	5"
Height	1/8"
Weight	10 oz.



Includes storage pouch.



Tip markings for quick identification.



Precision Screwdriver Set
1891089

SCREWDRIVER SETS

Tip markings on the handle for quick ID. Heat-treated shafts for extra durability. There are thousands of screwdrivers to choose from, but only one set says hilmer. Available in 5-piece or 7-piece sets.



More Torque
A slip-resistant grip allows for maximum leverage.



Quick Identification
Easy-to-read tip markings on the handle make identification quick and easy.



Rugged and Durable
Designed to last with a heat-treated, chrome-plated shaft.



Secure Fit
A machined tip allows for a better fit.

Product Specifications

Item Numbers	1891087	1891088
Product Descriptions	SD5PC	SD7PC
Includes		
5-piece Set	#2 Phillips Tip Round Shank 4" 3/16" Cabinet Tip Round Shank 6" 1/4" Cabinet Tip Round Shank 6" 1/4" Keystone Tip Square Shank 4" 5/16" Keystone Tip Round Shank 6"	
7-piece Set	#1 Phillips Tip Round Shank 3" #2 Phillips Tip Round Shank 4" 3/16" Cabinet Tip Round Shank 3" 3/16" Cabinet Tip Round Shank 6" 1/4" Cabinet Tip Round Shank 6" 1/4" Keystone Tip Square Shank 4" 5/16" Keystone Tip Round Shank 6"	
Dimensions		
Length	10-1/4"	10-1/2"
Width	1-1/4"	1-1/4"
Height	1-1/4"	1-1/4"
Weight	1.4 lbs.	1.7 lbs.

5-piece Screwdriver Set
1891087




7-piece Screwdriver Set
1891088



HEX KEY SETS

Hex head screws have nowhere to hide. hilmor Hex Key Sets have standard and metric sizes covered. They're slip-resistant so you never lose your grip and always keep your cool.



Ball End Hex Key
Set Metric
1937816

Ball End Hex Key
Set Inch
1839049

Product Specifications

Item Numbers	1839049	1937816
Product Descriptions	HKSS Ball End Hex Key Set Inch	HKSBEM Ball End Hex Key Set Metric
Sizes	.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1.5mm, 2mm, 2.5 mm, 3mm, 4mm, 5 mm, 6 mm, 8 mm, 10 mm
Dimensions		
Length	7-1/4"	7"
Width	2-3/4"	2-1/2"
Height	3/4"	3/4"
Weight	13 oz.	12 oz.

You don't fold on the job. Luckily, this set does for easy, convenient storage. Available in inch and metric.



Folding Hex Key Set
Metric
1891472

Folding Hex Key Set
Inch
1839048

Product Specifications

Item Numbers	1839048	1891472
Product Descriptions	HKFS Folding Hex Key Set Inch	HKFSM Folding Hex Key Set Metric
Sizes	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm
Dimensions		
Length	4-1/4"	4-1/4"
Width	7/8"	7/8"
Height	1-5/8"	1-5/8"
Weight	5 oz.	5 oz.

T-HANDLE HEX KEY SET

T for toughness. The hilmor T-Handle Hex Key Set features hardened, nickel chrome-plated shafts, yet ergonomic handles make sure this tool isn't too tough on your hands.



Rugged and Durable

Hardened, nickel chrome-plated shafts increase life and durability.



Comfortable Grip

Ergonomic molded handles reduce hand fatigue and won't slip or twist.



Quick Identification

Easy-to-read size markings make identification simple.

x2

Added Versatility

A 6" shaft works well in tight spaces, while the 1/2" shaft gives you more leverage.

Product Specifications

Item Numbers	1891471	1937817
Product Descriptions	HKTH T-Handle Hex Key Set Inch	HKTH T-Handle Hex Key Set Metric
Sizes	3/32", 5/32", 7/64", 3/16", 1/8", 7/32", 9/64", 1/4", 5/16", 3/8"	2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm
Dimensions		
Length	8-3/4"	8"
Width	7-3/4"	6-3/4"
Height	5-3/8"	5-1/4"
Weight	2.8 lbs.	2.2 lbs.



Easy-to-read size markings.



T-Handle Hex Key Set Metric
1937817



T-Handle Hex Key Set Inch
1891471

TOOLS THAT ARE AS DURABLE AS YOU.



Cutting, gripping, stripping and crimping. Our family of Pliers, Wrenches and Wire Strippers let you do all that and more, while each tool's comfortable grip is a treat for your hands.

DIGITAL ADJUSTABLE TORQUE WRENCH

Tightening to true torque when working on mini-splits is serious business. Under tightening could result in refrigerant leaks, while overtightening could mean burst tubing. That's why the hilmar Digital Adjustable Torque Wrench is critical to perfecting torque time and time again. The 9 factory memory settings make it quick to set common torque values, while the digital display shows the amount of force applied to the flare nut. And if that didn't make the job easy enough, lights and buzzers illuminate and sound when the desired torque is achieved.



Lighten Your Load

Adjustable jaw eliminates the need to carry around extra heads.



Easy To Use

Nine programmable memory settings allow for quick access to the most common torque levels.



Precise Readings

Digital adjustments help ensure torque measurement accuracy.



Extra Confidence

LED lights and buzzer indicate that desired torque has been reached.



Digital Adjustable Torque Wrench
1963826

Product Specifications

Item Number	1963826
Product Description	DAJTW
Jaw Capacity	1/4" (5mm) to 1-1/16" (30mm) to accommodate up to 5/8" flare nuts
Accuracy	+ / 3%
Batteries	AA (x2)
Dimensions	
Length	17"
Width	2-3/8"
Weight	2 lbs.
Specifications	
Warranty: 2 Year Limited	

Technical Specifications

Torque Range (N-m)	6.8 - 135
Torque Range (ft.-lbs.)	5 - 99.5
Torque Range (in.-lbs.)	60 - 1,195
Torque Range (kg-cm)	69 - 1,378
Battery Saver	Automatic Shutdown after 4 Minutes of Inactivity
Measurement Increments	0.1 (N-m, ft.-lb.)
Operation Modes	Track, Peak
Memory Presets	9
Operating Temperature	14°F to 140°F
Dimensions	17" x 2-3/8"

ADJUSTABLE WRENCHES

Take your pick of imperial or metric scales. They come standard on all of our Adjustable Wrenches. They're made to fit in your hand with ergonomic grips and made to last by hilmor.



Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.

x2

Added Versatility
Get two-in-one capabilities with both inch and metric scales.

Product Specifications

Item Number	1885369	1885370	1885421	1885422
Product Descriptions	AW6	AW8	AW10	AW12
Sizes	6"	8"	10"	12"
Jaw Capacity Up To	1"	1-1/8"	1-1/4"	1-1/2"
Dimensions				
Length	6-3/8"	8-1/4"	10"	12-1/8"
Width	1-3/4"	1"	2-5/8"	2-7/8"
Height	1/2"	5/8"	3/4"	3/4"
Weight	6 oz.	12 oz.	1.1 lbs.	1.7 lbs.



6", 8", 10" and 12" Adjustable Wrenches
1885369, 1887370, 1885421, 1885422

MULTI-FUNCTION PLIERS

The hilmor Multi-Function Pliers bring 5 tools into one! They feature a long nose for grabbing and looping wire. The stripper portion can strip 8 AWG to 18 AWG. The curved cutting blade effectively and efficiently cuts through larger wire sizes. The forged alloy steel provides maximum tool strength and durability and the hot-riveted joint ensures a smooth action and reduced hand wobble.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



Strong Hold

Forged alloy steel with hot rivet joint provides maximum tool strength and smooth action.



Stays Sharp

Wire stripper strips 8 AWG to 18 AWG (solid wire), 10 AWG to 20 AWG (stranded wire).

Product Specifications

Item Number	1885391
-------------	---------

Product Description	HMP
---------------------	-----

Screw Sizes (Shearing)	6-32, 8-32
------------------------	------------

Dimensions

Depth	10.1"
Width	3.05"
Height	1"



Multi-Function Pliers
1885391

QUICK-ADJUSTING TONGUE & GROOVE PLIERS

We've made an adjustment to standard pliers. Our Quick-Adjusting Tongue and Groove Pliers feature a simple push button to give you a quick precision grip on pipes, fasteners and more.



Simple Sizing

A push button allows for quick adjustments while multiple grooves guarantee precise positioning.



Comfortable Grip

Over-molded handle reduces hand fatigue and won't slip or twist.



Strong Hold

Machined jaws increase grip on the material every time.

Product Specifications

Item Numbers	1890996	1890997	1890998
--------------	---------	---------	---------

Product Descriptions	PBTGP8	PBTGP10	PBTGP12
----------------------	--------	---------	---------

Length	8"	10"	12"
--------	----	-----	-----

Jaw Capacity	1-1/2"	1-3/4"	2-3/16"
--------------	--------	--------	---------

Dimensions

Length	8-1/4"	10-1/8"	12-1/4"
Width	5/8"	3/4"	3/4"
Height	1-3/4"	2-1/4"	2-1/2"
Weight	9 oz.	13 oz.	1.4 lbs.



8", 10" and 12"
Quick-Adjusting
Tongue & Groove Pliers
1890996, 1890997,
1890998

TONGUE & GROOVE PLIERS

Like a snapping turtle, these pliers grab hold and won't let go. Machined jaws guarantee a lock-tight grip, and over-molded handles won't slip or twist. 12" model adjusts to a 2-1/16" jaw capacity.



Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.



Strong Hold
Machined jaws increase grip on the material every time.

Product Specifications

Item Numbers	1885366	1885367	1885368
Product Descriptions	GJP8	GJP10	GJP12
Sizes	8"	10"	12"
Jaw Capacity	1"	1-11/16"	2-1/16"
Dimensions			
Length	8"	10-1/4"	12"
Width	2-1/2"	3-1/4"	3-1/4"
Height	3/4"	3/4"	7/8"
Weight	10 oz.	1.1 lbs.	1.5 lbs.



8", 10" and 12" Tongue & Groove Pliers
1885366, 1885367, 1885368

LINEMAN'S PLIERS

Grab. Twist. Cut. Repeat. Over and over again. A laser-hardened cutting edge stays sharp longer, and cross-cut knurled jaws guarantee a strong grip time after time. hilmor Lineman's Pliers will last.



Stays Sharp

A laser-hardened cutting edge will stay sharper for longer.



Strong Hold

Cross-cut knurled jaws increase grip on the material every time.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.

Product Specifications

Item Numbers	1885399	1885411
Product Descriptions	LP85	LP95
Sizes	8-1/2"	9-1/2"
Dimensions		
Length	8-3/4"	9-1/2"
Width	2"	2-1/4"
Height	7/8"	7/8"
Weight	13 oz.	1.0 lbs.



8-1/2" and 9-1/2"
Lineman's Pliers
1885399, 1885411

LONG NOSE PLIERS

It's tough to beat a good pair of pliers. A laser-hardened cutting edge, cross-cut knurled jaws and over-molded handles make hilmor Long Nose Pliers pretty darn tough to beat.



Stays Sharp

A laser-hardened cutting edge will stay sharper for longer.



Strong Hold

Cross-cut knurled jaws increase grip on the material every time.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.

Product Specifications

Item Numbers	1885397	1885398
Product Descriptions	LNP6	LNP8
Sizes	6"	8"
Dimensions		
Length	6-7/8"	8-5/8"
Width	2-1/8"	2-1/8"
Height	5/8"	3/4"
Weight	4 oz.	8 oz.



6" and 8" Long Nose Pliers
1885397, 1885398

DIAGONAL CUTTING PLIERS

What's our angle? To make a great pair of pliers. The Diagonal Cutting Pliers stay sharp as a samurai sword with a laser-hardened cutting edge.



Stays Sharp
A laser-hardened cutting edge will stay sharper for longer.



Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.

Product Specifications

Item Numbers	1885412	1885362	1885363
Product Descriptions	DCP6	DCP7	DCP8
Sizes	6"	7"	8"
Dimensions			
Length	6-3/4"	7-1/4"	8"
Width	2-1/8"	2-1/8"	2-1/8"
Height	3/4"	3/4"	3/4"
Weight	4 oz.	8 oz.	12 oz.



6", 7" and 8" Diagonal Cutting Pliers
1885412, 1885362, 1885363

CRIMPING TOOL

Crimp. Cut. We've got you covered. The hilmar Crimping Tool handles both insulated and non-insulated terminals. Over-molded handles and a hardened cutting edge come standard, too.



Stays Sharp
A hardened cutting edge will stay sharper for longer.



Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.

Product Specifications

Item Number	1885429
Product Description	FC10
Size	10"
Capacity	
Wire	10-22AWG
Insulated Terminals	10-22AWG
Non-Insulated Terminals	10-22AWG
Dimensions	
Length	9-7/8"
Width	2-1/4"
Height	3/4"
Weight	1.1 lbs.

10" Crimping Tool
1885429



IN-LINE WIRE STRIPPERS

Eliminate the awkward side pull and strip wires with power and confidence. The ergonomic, in-line orientation is designed to strip wire with ease using a natural pulling motion. A Patented 90-degree angled head fits into tight spaces and features a curved cutting edge that will stay sharper and longer. Electrical work has never been this easy.



Ergonomic Design

90° angled head provides a natural, in-line, wire stripping orientation and movement.



Strong Hold

90° angled head – designed to fit into tight spaces.



Stays Sharp

A hardened cutting edge will stay sharper for longer.



Wire Gauge Capacity

Strip and cut wire 6-12 AWG. [1885428]

Strip and cut 12/2 14/2 dual conductor wire. [1885425]

Product Specifications

Item Numbers	1885425	1885428
Product Descriptions	WS6	WS7
Sizes	6"	7"
Capacity	12/2, 14/2	10-20AWG
Dimensions		
Length	6-1/2"	7-1/4"
Width	2-1/4"	2-1/8"
Height	5/8"	5/8"
Weight	5 oz.	6 oz.



1885425



1885428

Dual Conductor
In-Line Wire Stripper
1885425



Heavy Duty
In-Line Wire Stripper
1885428

WIRE STRIPPERS

The hilmor Wire Strippers feature easy-to-read size markings, which means you can strip wires with ease and without damage. Electrical work is no laughing matter, and these Wire Strippers are no joke.



Comfortable Grip

Over-molded handles reduce hand fatigue and won't slip or twist.



Quick ID

Easy-to-read size markings on the jaws make identification simple.



Bolt Cutting

Cuts 4-40, 5-40, 6-32, 8-32, 10-24, 10-32 bolts and screws to desired size.* 1885424 Only.

Product Specifications

Item Numbers	1885427	1885426	1885424
Product Descriptions	WS6	WS7	WS8
Sizes	6"	7"	8"
Capacity	10-20AWG	10-20AWG	10-22AWG
Dimensions			
Length	6-1/2"	7-1/4"	8"
Width	2-1/4"	2-1/8"	2-5/8"
Height	5/8"	5/8"	5/8"
Weight	5 oz.	6 oz.	8 oz.
Crimps Insulated	N/A	10-22 1.5-6mm	10-22 1.5-6mm
Crimps Non-Insulated	N/A		10-22 1.5-6mm 7-8mm Auto
Bolt Cutting Capacity	N/A		4-40, 6-32, 8-32, 10-24, 10-32

8" Wire Stripper
1885424



7" Wire Stripper
1885426



6" Wire Stripper
1885427



SELF-ADJUSTING WIRE STRIPPER

All wire strippers are not created equal. These come with the ability to crimp insulated and non-insulated terminals 10-22AWG. Plus, clearly marked indicators mean you can strip without damage.

x2 Added Versatility
Crimp insulated and non-insulated terminals 10-22 AWG.

Comfortable Grip
Over-molded handles reduce hand fatigue and won't slip or twist.

Maximum Control
An adjustable stop controls the length of wire being stripped.

Precise Stripping
A micro-adjusting knob allows for stripping down to 30 AWG and up to 8 AWG.

Self-Adjusting
Automatically adjusts to strip and cut wire 10-24 AWG.

Product Specifications

Item Number	1885423
Product Description	WSSA
Sizes	6"
Capacity	8-30 AWG
Crimps Insulated	10-22AWG (0.5-6mm)
Crimps Non-Insulated	10-22AWG (1.5-6mm, 7-8mm Auto)
Dimensions	
Length	8-3/8"
Width	3-1/2"
Height	5/8"
Weight	13 oz.



Adjustable stop and micro-adjusting knob.

Self-Adjusting Wire Stripper
1885423



RETRACTABLE UTILITY KNIFE

This is a great knife to have by your side. Quick cuts come standard with a unique trigger grip. Plus, you've got a few spare blades in the handle when you need them.

- 

Rugged and Durable
An all-metal body increases life and durability.
- 

Secure Storage
Conveniently store up to five extra blades in the handle.
- 

Easy to Change
Change your blade quickly and easily without the use of a separate tool.
- 

Easy to Cut
Get easier cutting on the pull with a unique trigger grip.

Product Specifications

Item Number	1885434
Product Description	UKHR
Dimensions	
Length	1-3/4"
Width	1"
Height	6-3/4"
Weight	6 oz.
Utility Knife Blades	
Item Number	1885432
Product Description	UKB Utility Knife Blades 5PK



Retractable Utility Knife
1885434

FOLDING UTILITY KNIFE

hilmor's Folding Utility Knife stands up to the test with an all-metal body. It's your new knife.



Rugged and Durable

An all-metal body increases life and durability.



Securely Locks Blade

A blade-locking mechanism prevents the blade from coming out during use.



One-handed Operation

A liner-lock for one-handed operation and extra safety.



Superior Versatility

A built-in wire-stripping channel for up to 10-gauge wire is there when you need it.



Belt Clip

A belt clip keeps knife close for easy access.

Product Specifications

Item Number	1885433
Product Description	UKHF
Dimensions	
Length	1-1/2"
Width	3/4"
Height	4"
Weight	5 oz.
Utility Knife Blades	
Item Number	1885432
Product Description	UKB Utility Knife Blades 5PK



You won't fold on the job. With a liner lock, this knife won't either. Until you want it to.



Folding Utility Knife
1885433

FIN STRAIGHTENING TOOLS

A condenser should work as efficiently as you. These tools make it easy to remove debris and straighten fins.



Product Specifications

Item Number	T-100	T-101	T-300	T-400	T-417	T-418
Product Description	Fin Tool Kit	Fin Tool Kit	Fin Tool	Set of 6	Fin Comb	Fin Comb
Sizes	8, 9, 10, 11, 12, 14 FPI	13, 15, 16, 17, 18, 20 FPI	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI	8 & 10, 9 & 15, 11 & 13, 12 & 14, 16 & 17, 18 & 20 FPI	16 & 17 FPI	18 & 20 FPI
Dimensions						
Length	5-3/4"	5-3/4"	12-1/4"	7-1/2"	8-3/4"	8-1/2"
Width	2"	2"	4"	2-3/4"	2-1/4"	2-1/4"
Height	1-1/2"	1-1/4"	1-1/2"	1-1/4"	1/2"	1/2"

DEBURRING TOOL

Whether they're inside or outside, copper or plastic, hilmer Deburring Tool can smooth things over. Our Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.

Product Specifications

Item Number	1891258
Product Description	DBURPS
Sizes	1/4" and up
Dimensions	
Length	5-1/2"
Width	3/8"
Height	3/8"
Weight	7 oz.



Pocket Size Deburring Tool
1891258

INSPECTION MIRRORS

Leaks can't hide anymore with hilmor Inspection Mirrors. With handles that extend, the telescoping inspection mirrors truly do go above and beyond.

Circular
Telescoping Mirror
M-1

Circular Telescoping Mirror
M-2

Rectangular
Telescoping Mirror
M-3

Oval
Telescoping Mirror
M-5



Product Specifications

Item Number	M-1	M-2	M-3	M-5
Product Descriptions	1-1/4" Circular Telescoping Mirror	2-1/4" Circular Telescoping Mirror	2-1/8" x 3-1/2" Rectangular Telescoping Mirror	1" x 2" Oval Telescoping Mirror
Handle Extends	6-1/4" to 18-1/4"	10" to 14"	11-1/4" to 15-1/4"	8" to 21"
Dimensions				
Length	10"	12-1/2"	14-1/2"	9.75"
Width	1/4"	1/4"	1/2"	0.75"
Height	2-1/2"	3-1/4"	4.00"	2.25"
Weight	3.2 oz.	2.2 oz.	3.8 oz.	3.2 oz.

CABLE TIE TENSIONING TOOL

The hilmor Cable Tie Tensioning Tool can relieve the stress of the job. It seamlessly tightens heavy and lightweight cable, and cuts excess material with its easy-to-use lever.



Versatility

Works with both light and heavy-duty nylon cable ties.



Clean Cut

Easy-to-use cutting lever allows for flush cutting of excess material.

Cable Tie Tensioning Tool
1891190



Product Specifications

Item Number	1891190
Product Description	SMTCTTT
Dimensions	
Length	7-5/8"
Width	3-7/8"
Height	5/8"
Weight	10 oz.

SERVICE WRENCHES

Smart features that save your knuckles and your time. Our Straight Service Wrench makes changing sizes quick and easy. Our Offset Service Wrench makes maneuvering around cramped spaces second nature. The reversible Ratchet Wrench has square openings of 1/4" and 3/16" on one end and 3/8" and 5/16" on the other end. And, when it comes to accessing liquid- and suction-based valves, reach for our Hex Key Adapter. It works on 3/16" and 5/16" hex valves.



Hex Key Adapter
1839046

Product Specifications

Item Numbers			
1839042		1839043	1839045
Product Descriptions			
SWS Service 1/4" x 3/16" SQ 3/8" x 5/16" SQ		SWOS Offset 1/4" x 3/16" SQ 3/8" x 5/16" SQ	SWLR Service LR 1/2" x 9/16" Hex 3/16" x 1/4" SQ
Square Sizes			
1/4", 3/16" 3/8", 5/16"		1/4", 3/16" 3/8", 5/16"	1/4", 3/16"
Hex Sizes			
N/A		N/A	1/2", 9/16"
Accessories			
1839046 SWHKA Service Hex Key Adapter works on 3/16" and 5/16" Hex Valves			

Dimensions			
Length	5-1/2"	5-1/4"	6-1/4"
Width	1/2"	3/4"	1/2"
Height	7/8"	7/8"	1"
Weight	3 oz.	3 oz.	5 oz.

Hex Key Adapter

Item Number	1839046
Product Description	SWHKA
Hex Valve Sizes	3/16" and 5/16"

Dimensions	
Length	1/2"
Width	2/5"
Height	2/5"
Weight	1 oz.



Straight Service Wrench
1839042

Offset Service Wrench
1839043

LOCKING PLIERS PINCH-OFF TOOL

The hilmer Locking Pliers Pinch-Off Tool is rugged and durable – a lot like you. Made from high-grade, heat-treated alloy steel, this tool is built to handle whatever you throw at it. The pinch-off mechanism locks on to tubing so your hands are free to get the real job done.



Rugged and Durable

Pliers are built to last, manufactured from high-grade, heat-treated alloy steel for durability.



Added Versatility

Designed to pinch off and lock on to 1/8" to 5/8" diameter tubing, leaving both hands free to do other work.

Locking Pliers Pinch-Off Tool
1937673

Product Specifications

Item Number	1937673
Product Description	LPPOT
Sizes	1/8" to 5/8"
Dimensions	
Length	7-1/4"
Width	2-1/4"
Height	1"
Weight	12 oz.



REFRIGERANT RECOVERY TOOL

Smart features that save refrigerant and time. Our Refrigerant Recovery Tool makes evacuation equipment quick and easy.



Added Convenience

Self-adjusting for 1/4" and 1/2" lines.



Secure Fit

Securely locks and seals.



Rugged and Durable

Stainless Steel Piercing Valve. Made from high carbon, heat treated steel jaws.

Refrigerant Recovery Tool
RRT100

Product Specifications

Item Number	RRT100
Product Description	RRT
Dimensions	
Length	1-1/2"
Width	5"
Height	11-1/2"
Weight	0.55 lbs.



LIQUID CHARGER

Liquid low side charging adapter. For use with all CFC, HCFC and HFC refrigerants on 1/2 ton and larger units. 1/4" female SAE flare inlet , 1/4" male SAE flare outlet.



Less Work
Eliminates the need to heat the refrigerant.

Product Specifications

Item Number	LC500
Product Description	LC
Dimensions	
Length	4.4"
Width	1"
Height	1"
Weight	0.65 lbs.



Liquid Charger
LC500

NITROGEN PURGE TOOL

The hilmar Nitrogen Purge Tool is rugged and durable - a lot like you.



Regulates Nitrogen Flow
Designed to regulate flow with 50 psi inlet pressure. Maximum pressure of 200 psi.



Quick Change Dial
No flow indicator valve needed.
Purge setting = 25-35 scfh @ 50 PSI, Braze setting = 3-6 scfh @ 50 PSI.

Product Specifications

Item Number	HMNPT01
Product Description	NPT
Dimensions	
Length	2"
Width	3"
Height	2"
Weight	1 lb.



Nitrogen Purge Tool
HMNPT01

WORK LIGHT

Just because you could do it with your eyes closed, doesn't mean you should have to. Bring light to the HVAC/R problems at hand so you can do what you do best, solve them.



Two Power Modes

1200 Lumens (3 Hrs)
600 Lumens (5 Hrs)



Lithium Ion Rechargeable Battery

Rechargeable
4000 mAh Lithium-ion Battery



Magnetic Stand for Secure Positioning

Magnetic Base Included
Powerful magnets for secure mounting



Adjustable Joints

Adjustable Stand Included
Multiple joints allow for different angles

MINI WORK LIGHT

A little light goes a long way when you're working under a tricky unit. Small but mighty, our Mini Work Light gives you 600 and 1200 lumens for dark and darker conditions.



Two Power Modes

600 Lumens (1.5 Hrs)
300 Lumens (3 Hrs)



Magnetic Base

Magnetic Base Included
Powerful magnets for secure mounting



Adjustable Joint For Different Angles



Rechargeable Li-Ion Battery

3.7V, 2600 mAh

Product Specifications

Item Number	HMWL1200
-------------	----------

Product Description	WL1200
---------------------	--------

Dimensions

Length	7"
Width	7"
Height	8-1/2"
Weight	3.9 lbs.



Product Specifications

Item Number	HMMWL600
-------------	----------

Product Description	MWL600
---------------------	--------

Dimensions

Diameter	3"
Height	2"
Weight	0.3 lbs.



PORTABLE WORK LIGHT

You're always on the move but your light source must be steady. Designed to prevent shadows and hotspots, the Portable Work Light offers precise light dispersion for the perfect view of whatever moving target you're hitting.

- 

Two Power Modes
1200 Lumens (4 Hrs)
600 Lumens (8 Hrs)
- 

Wide Circular Beam
- 

Secure Hold
Removable magnetic cover
- 

Rechargeable Battery
4400 mAh

PIVOTING WORK LIGHT

For light here, there and everywhere you want it. The Portable Work Light lets you shine light on the problems at hand ... without the use of your hands. Because let's face it, your hands are busy.

- 

240 Lumen Array
5 LED top light
- 

Magnetic Attachment Points on Back and Base
- 

3 AA Batteries Included
- 

Convenient Mounting
360 degree swivel hook and magnetic base

Product Specifications

Item Number	HMPWL1200
Product Description	PWL1200
Dimensions	
Length	10-1/4"
Width	2"
Height	1-1/2"
Weight	1.35 lbs.



Product Specifications

Item Number	HMPWL240
Product Description	PWL240
Dimensions	
Length	8-1/5"
Width	2-1/4"
Height	2"
Weight	9.6 oz.



COMPACT WORK LIGHT

Bright light. Small work space. Designed to fit in your pocket and stick to metal, you can see whatever you need to with ease when you have this little number.



150 Lumens Array



3 AAA Batteries Included



Rotating Hook for Hands-Free Use



Magnetic Base for Precise Positioning

POCKET WORK LIGHT

You need light and possibly a third hand. That's why we'll skip giving you another thing to hold. The Pocket Work Light lives and works right on your pocket to illuminate any and all things HVAC/R.



140 Lumens



180° Swivel Magnetic Clip



3 AAA Batteries Included

Product Specifications

Item Number	HMCWL150
Product Description	CWL150

Dimensions

Length	5-1/5"
Width	1-1/2"
Height	2-1/2"
Weight	1.0 oz.



Product Specifications

Item Number	HMPWL180
Product Description	PWL180

Dimensions

Length	6-1/4"
Width	1"
Height	3/4"
Weight	2.4 oz.



IN THE DARK, DIRTY AND DOWNRIGHT CRAMPED, YOU GOTTA KEEP IT TOGETHER.



We're not just revolutionizing your HVAC/R equipment, we're also retooling the way you store it. We offer a wide array of smart storage and transport solutions for all your valuable tools. It's another way we help you conquer from one job to the next. And keep your cool no matter the climate.

HVAC/R TOTE

The hilmor HVAC/R Tote is your go-to tool storage and transport solution. It includes 27 exterior and interior pockets, 18 bands and clips for your keys so you can store your tools safely and find them quickly.



Keep Organized

27 pockets and 18 bands.
14 exterior pockets and
13 interior pockets.



Rugged and Durable

Designed to last with
water-resistant bottom and
reinforced rivets.



Secure Storage

Stow your meter away safely in the
padded pocket in the interior of the
tote. Use the tape measure clip, key
clip and tape holder loop to secure
the rest of the items you need.



Helps with the Heavy Lifting

This tote has room for multiple tools
and is tested up to
50 lbs. The padded shoulder strap
makes carrying more comfortable.

Product Specifications

Item Number	1839078
Product Description	HT
Number of Pockets	
Interior	13
Exterior	14
Extra Features	Key Clip; Tape Loop; Shoulder Strap
Dimensions	
Length	7-1/2"
Width	7-1/2"
Height	13"
Weight	3.3 lbs.



HVAC/R Tote
1839078

TOOL CENTER BAG

The hilmor Tool Center Bag is your total tool storage solution. It includes 24 exterior and interior pockets and three zippered pouches so you can store your tools safely and find them quickly.



Keep Organized

24 pockets and three zippered pouches.



Secure Storage

Stow your meter away safely in either of the two padded pockets on the exterior sides of the tote.



Helps with the Heavy Lifting

This bag has room for multiple tools and is tested up to 50 lbs. The padded shoulder strap makes carrying more comfortable.



Rugged and Durable

Designed to last with a hard plastic, water-resistant bottom and a padded aluminum carrying handle.

Product Specifications

Item Number	1839079
Product Description	TCB
Number of Pockets	
Interior	13; 18 Tool Loops
Exterior	11

Extra Features

Clear Vinyl ID Window Pocket; Shoulder Strap; Cover Flap

Dimensions

Length	13-1/2"
Width	8-1/2"
Height	9"
Weight	4.5 lbs.



Three zippered pouches and two padded side pockets provide safe storage for your meter.



Tool Center Bag
1839079

BACKPACK TOOL BAG

The hilmor Backpack Tool Bag is your jobsite sidekick with 19 exterior and interior pockets. Its sturdy rubber, water-resistant bottom means rain or shine, the contents inside won't be damaged. And while it's spacious enough to hold up to 50 lbs., padded shoulder straps and a back air vent make hauling it a little more comfortable and leave your hands free to safely climb a ladder.



Secure Storage

Stow your meter away safely in either of the two padded zipper pockets on the exterior sides of the tote.



Superior Versatility

Hang your manifold from the bag's metal loop for easy transport to the jobsite.



Helps with the Heavy Lifting

This bag has room for multiple tools and is tested up to 50 lbs. The padded shoulder straps and air vent back make carrying more comfortable.



19 exterior and interior pockets allow you to store tools safely and find them quickly.

Product Specifications

Item Number	1839080
-------------	---------

Product Description	BKB
---------------------	-----

Number of Pockets	
Interior	11
Exterior	8

Extra Features

Clear Vinyl ID Window Pocket; Shoulder Strap; Double-grip Handles; Steel "U" Ring; Airflow Ventilator Pads

Dimensions

Length	6"
Width	14"
Height	16"
Weight	4.5 lbs.



Backpack Tool Bag
1839080



A metal loop gives you an easy way to transport your manifold.



Two padded, zippered side pockets provide safe storage for your meter.

FOAM STORAGE TRAYS

The hilmar Foam Storage Trays are the perfect fit for a popular storage system. Two options for storage feature space for the HLC007 Lineset Cleaner and the HLN014 and HLN118 Expansion Nozzles in one and the 1839015 Compact Swage Tool and the 1926589 Deluxe Compact Bender in another tray. Easily store all components!



Precision Machined

Tool grade, stackable EVA foam inserts for your favorite red & black storage system.



Perfect Fit

hilmar EVA foam storage solutions stack to fit perfectly in the 6.5" tall storage case.



Organization & Efficiency

Dedicated foam inserts promote organization and efficiency on the jobsite.



Quick Identification

Quick identification of missing tools reduces downtime and tool replacement costs.




REACH and PAHS Compliant

The hilmar HLCFOAM is REACH and PAHS compliant.

Product Specifications

Item Number	HLCFOAM	CSCBFOAM
Product Description	HLCF	CSCBF
Dimensions		
Length	19.88"	19.88"
Width	13.62"	13.62"
Height	2.2"	2.44"
Weight	1.04 lbs.	1.14 lbs.



Foam Tray Fits in Popular Storage Case



Lineset Cleaner Foam Storage Tray*

HLCFOAM

*Tools sold separately



Compact Swage and Compact Bender Foam Storage Tray*

CSCBFOAM

*Tools sold separately

HVAC/R CARRYING STRAP

Let this Strap do some of your lifting. Clip on and carry refrigerant or recovery tanks comfortably and easily.



Rugged and Durable

Heavy-duty nylon fabric and slip-resistant padding helps prevent the strap from sliding.



Less Wasted Time

Steel carabiners easily clip to carry refrigerant or recovery cylinders and other essential materials to save trips and give you an extra arm.



Helps with the Heavy Lifting

Shoulder strap is designed and tested to hold up to 50 lbs.

Product Specifications

Item Number	1891625
Product Description	HVACSCS
Dimensions	
Length	50-1/2"
Width	3-3/4"
Height	1/2"
Weight	14 oz.



HVAC/R Carrying Strap
1891625

ZIPPER POUCH

The hilmor Zipper Pouch is your best bet for keeping track of all the small stuff on the jobsite – from small tools and accessories to receipts and other paperwork.



Keep Organized

The hilmor Zipper Pouch can conveniently fit many hilmor tools, including the Punch Swage Set or Dual Readout Thermometer with two Thermocouple Clamps.



Rugged and Durable

Designed with an inner liner to protect from water damage and a rivet on the outside so it can be clipped where it's needed.

Product Specifications

Item Number	1839081
Product Description	ZP
Number of Pockets	
Interior	1
Dimensions	
Length	10-1/2"
Width	1/8"
Height	7"
Weight	3 oz.



Zipper Pouch
1839081

HVAC/R GENERAL PURPOSE GLOVES

No matter what the task, get a grip and protect your hands with these ruggedly reinforced gloves made to take on any job.



Rugged and Durable

Stands up to HVAC/R applications with a breathable-fabric design, featuring a reinforced thumb, palm and fingertips to increase life and durability.



Extra Comfort

A wrist strap easily adjusts for comfort while a form-fitting design provides fit and flexibility.

Product Specifications

Item Numbers	1891606	1891607	1891624
Product Descriptions	GLOVEHVACM	GLOVEHVACL	GLOVEHVACXL
Sizes	MED	LG	XL
Dimensions			
Length	9-3/4"	9-7/8"	10"
Width	4-3/8"	4-7/16"	4-5/8"
Height	1/2"	1/2"	1/2"
Weight	5 oz.	5 oz.	5 oz.



HVAC/R General Purpose Gloves
1891624

HVAC/R SHEET METAL GLOVES

We don't need to tell you sheet metal can be sharp. Shield your hands from cuts with these gloves that are as tough as they are comfortable.



Rugged and Durable

Stands up to sheet metal with cut-resistant fabric featuring a reinforced thumb, palm and fingertips to increase life and durability.



Extra Comfort

A wrist strap easily adjusts for comfort while a form-fitting design provides fit and flexibility.

Product Specifications

Item Numbers	1891463	1891469	1891592
Product Descriptions	GLOVESMM	GLOVESML	GLOVESMXL
Sizes	MED	LG	XL
Dimensions			
Length	9-3/4"	9-7/8"	10"
Width	4-3/8"	4-7/16"	4-5/8"
Height	1/2"	1/2"	1/2"
Weight	5 oz.	5 oz.	5 oz.



HVAC/R Sheet Metal Gloves
1891592

MINI-SPLIT INSTALL TOOLS KIT

The HVAC/R Mini-Split Install Tools Kit includes all the tools you need to install a typical mini-split system. Tools to help you flare connections without needing a third arm, set proper torque with the digital adjustable torque wrench, hex key sets, the most useful 9 in 1 tool on the market, and a manifold set with hoses to handle superheat and subcool calculations. All with the goal of helping you get in, get out and get on to the next install job.

400 Series Deluxe 2-Valve Brass Manifold 421-CC

Precision engineered with dynamic full-flow design for faster trouble-free evacuation and charging.

Backpack Tool Bag 1839080

Stow your meter away safely in either of the two padded zipper pockets on the exterior sides of the tote.

9 in 1 Multi-Tool 1839053

Designed with thick shaft walls for long life and less stripping.

Brass Adaptor MSA-31F

Meets UL-1963, SAE-J2196 and EPA requirements for strength, pressure and refrigerant permeation.

Digital Adjustable Torque Wrench 1963826

Adjustable jaw eliminates the need to carry around extra heads.

Deburring Tool 1891258

Rotary style blade is perfect for removing burrs from holes and edges.

800 Series PolarShield® Hoses with standard 1/4" fittings 805-MRS

An extra abrasion-resistant layer for the tough environments of HVAC/R.

Orbital Flare 1838952

An off-center mounted cone spins on an axis to effectively produce quality flares.

Large Diameter Tubing Cutter 1885385

A unique, four roller tracking system keeps the tube from threading

Product Specifications

Item Number	MSITK-DD
Product Desc.	Mini-Split Install Tools Kit
Dimensions	
Length	20"
Width	15-1/4"
Height	16-1/2"
Weight	21.7 lbs.

Hex Key Sets 1839048, 1891472

Precision manufactured for full internal socket contact.

Valve Core Removal Tool 1947967

Built-in rare-earth magnet for convenient plunger storage, minimizing lost parts on the job.



HVAC/R STARTER KIT

Get started on the right foot with a few of hilmor's most forward-thinking tools.

Dual Readout Thermometer 1839106

hilmor's Dual Readout Thermometer is the industry's first to offer two digital readouts to help simplify the calculation of superheat and subcool.

2-Valve Aluminum Manifold 1839134

This ruggedly durable Aluminum Manifold features a forged aluminum body and high-impact gauge boots.

60" Hose Set of 3 1839153

Our hoses are bulked up with an extra abrasion-resistant layer and designed to work with the newest high-pressure refrigerants.

Quick-Engage Flare and Swage 1838947

Finally, a flaring tool that doesn't require a third arm. Two hands are all it takes to flare or swage in seconds.

Tri-Tube Bender 1839027

From start to final bend, the hilmor Tri-Tube Bender has you covered. Color-coded sizing makes it simple to bend 1/4", 3/8" and 1/2" tubes.

Service Wrenches 1839042, 1839046

Smart features that save your knuckles and your time. Plus, a Hex Key Adapter for liquid- and suction-based valves.

Product Specifications

Item Number	1890995
Product Description	KITHVACR
Dimensions	
Length	20"
Width	15-1/4"
Height	16-1/2"
Weight	21.7 lbs.

Folding Hex Key Set 1839048

Get full socket contact with our slip-resistant Folding Hex Key Set. Sizes include 5/64" to 1/4".

Inspection Mirror 1839051

Leaks can't hide anymore. With a handle that extends from 7-3/4" to 21-1/2", this telescoping mirror goes above and beyond.

3" Quick-Change Magnetic Nut Driver 1839054

Don't get driven nuts. Just drive them. This Nut Driver lets you quickly switch between 1/4" and 5/16", the two most common sizes.

9 in 1 Multi-Tool 1839053

Tackle any on-the-job challenge with square, hex and Phillips bits. Not to mention a handy valve core remover.

Backpack Tool Bag 1839080

The hilmor Backpack Tool Bag includes 19 exterior and interior pockets. Plus, its sturdy, water-resistant bottom holds up in any climate.



HVAC/R Starter Kit
1890995

LIMITED WARRANTY

At hilmor, we have put the highest priority on thoughtful product design and manufacturing quality. That is why we guarantee our products to be free of material and workmanship defects for a period of time from purchase (see chart below). We get the tough conditions in which you work and have designed products to stand up to those challenges. Unfortunately, this warranty does not apply to product that has been damaged as a result of improper maintenance, accident or other misuse, or which fails to operate due to normal wear and tear.

Product Line	Time Period from Purchase
Power Tool Accessories, Deburring Tools, Gloves, Drill Bits, Tube Brushes, Cutting Wheels and Blades	Limited 90 Days
Refrigeration Scales	Limited One Year
Analog Gauges	Limited One Year
Recovery Machine	Limited One Year
Hoses	Limited One Year
Valve Core Removal Tools	Limited One Year
Vacuum Gauges	Limited Two Years
Vacuum Pumps	Limited Two Years
Digital Adjustable Torque Wrench	Limited Two Years
Electronics	Limited Three Years
Manifold Bar	Limited Lifetime
Bending Tools	Limited Lifetime
Flaring Tools	Limited Lifetime
Swaging Tools	Limited Lifetime
Tubing Cutters	Limited Lifetime
Sheet Metal and Duct Tools	Limited Lifetime
Driving Tools	Limited Lifetime
Pliers, Wrenches and Wire Strippers	Limited Lifetime
Utility Knives	Limited Lifetime
Service Tools	Limited Lifetime
Fin Tools	Limited Lifetime
Inspection Mirrors	Limited Lifetime
Tool Storage Bags	Limited Lifetime

All products, that are subject to warranty claims should be returned to the place of purchase along with proof of purchase showing the date of purchase. The distributor from whom the product was purchased will contact hilmor for next steps, which could include field scrap or return to the factory for analysis, and work with you on a repair, replacement or credit. Please contact hilmor Technical Services for general technical questions related to products or this warranty policy: 1-800-995-2222.

HILMOR MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE. IN NO EVENT SHALL HILMOR AND ITS AFFILIATES, SUCCESSORS AND ASSIGNS BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES (OR LOST PROFITS), REGARDLESS OF THE NATURE OF THE CLAIM.



1-800-995-2222

[hilmar.com](https://www.hilmar.com)

© 2025 hilmar
H1026N
0825