



The Indoor Air Quality Expert



RESIDENTIAL IAQ SOLUTIONS

AIR QUALITY FOR A HEALTHIER INDOOR ENVIRONMENT

Fresh-Aire UV® is passionate about what we do and driven to provide you with only the best IAQ solutions. Our safe and effective, filtration and award-winning UVC light and carbon catalyst products capture particulates and neutralize air contaminants and deliver healthier HVAC systems – tackling problems that matter to homeowners the most, such as:

ALLERGENS

MOLD

BACTERIA

VIRUSES

ODORS

Fresh-Aire UV products are cost-effective and save energy while improving the health, life and efficiency of the HVAC system.



SCIENTIFICALLY VALIDATED, PROVEN TECHNOLOGY

What is UVC Light and How Does it Work?

Ultraviolet (UV) is a range of light frequencies that are mostly invisible to the human eye. The UVC band is most effective at neutralizing biological contaminants because its short wavelength is able to penetrate the cell walls of microorganisms and scramble their DNA.

Well-Established Technology

The neutralizing effect of Ultraviolet light on microbes has been known for over a century. UVC band light is now widely used in hospitals and laboratories to sanitize instruments and work surfaces and to prevent the spread of potentially lethal airborne and surface infectious diseases. It is also used by the food industry to sterilize product before packaging, and water treatment systems large and small incorporate UV light as a chemical-free means of purification.

Improves Indoor Air Quality

According to the Environmental Protection Agency (EPA), indoor air pollution levels are often from 10 to 100 times higher than outdoor air and represent a significant health risk. UVC light improves indoor air quality by neutralizing mold, bacteria, viruses, and allergens from the air and the HVAC equipment as it cycles through the central air system.


UVC disinfection technologies are promoted as part of a layered strategy for reducing transmission of diseases by organizations including:

- **CDC** - Centers for Disease Control and Prevention
- **ASHRAE** - American Society of Heating, Refrigerating and Air-Conditioning Engineers
- **Johns Hopkins** - Bloomberg School of Public Health
- **GSA** - General Services Administration
- **USGBC** - United States Green Building Council
- **WELL** - International Well Building Institute



REVOLUTIONARY **WHOLE-HOME** IAQ TECHNOLOGY


According to the EPA, indoor air pollution is often 5X, and at times, up to 100X worse than outdoor air and represents a significant health risk.



FRESH-AIRE UV WORKS WITH THE HVAC FILTER TO ADDRESS CONTAMINANTS IN THE AIR.

Airborne contaminants are made up of particulates, microorganisms, odors, and VOCs. While HVAC filters capture particulates (1/3 of what's in the air), Fresh-Aire UVC light and activated carbon catalyst address the other two thirds that pass through a filter, like sand through a tennis racket.

OUR TECHNOLOGY HELPS TO SAFELY AND EFFECTIVELY MAINTAIN CLEAN INDOOR AIR.



EverCarbon™ Catalyst

EVERCARBON™ CATALYST


Our unique carbon-based catalyst process allows for complete oxidation without causing an increase in aldehydes that may be an issue for conventional PCO, ROS & ozone-based systems. UVC light energizes and regenerates activated carbon, which attracts and absorbs odors, fumes, organic pollutants, toxic compounds and volatile organic compounds (VOCs).

SAFE AND EFFECTIVE UVC LIGHT

Non-ozone producing UVC light at the 254nm wavelength keeps coils clean and disinfects the air while improving the life and efficiency of the HVAC system.

EVERCARBON™ TECHNOLOGY

Lifetime activated carbon catalyst with antimicrobial finish captures and neutralizes odor-causing contaminants when energized by UVC light.




Scan to watch the APCO-X ULTRA video

HOW IT WORKS


UVC improves indoor air quality by neutralizing mold, bacteria, viruses, and allergens from the air, and the HVAC equipment as it cycles through the central air system.

- UV disinfects the coil, equipment and air
- Lifetime EverCarbon™ Catalyst adsorbs chemicals, VOCs and odors
- UVC light reacts with the catalyst/TiO2 to neutralize captured impurities (VOCs and odors)
- Lifetime EverCarbon Catalyst is regenerated by UVC light
- Safely released as carbon dioxide and water



APCO®-X ULTRA & APCO-ONE® ARE OUR MOST ADVANCED AIR TREATMENT SYSTEMS

THE APCO FAMILY OF PRODUCTS ARE DESIGNED TO PROVIDE SAFE AND EFFECTIVE IAQ SOLUTIONS THAT TREAT THE HVAC EQUIPMENT AND WHOLE HOME.



NEW



TUV-APCOX-U (single)



TUV-APCOX-UD (dual)

APCO®-X ULTRA reduces indoor air pollution and helps extend the life of your HVAC system. APCO-X ULTRA, is our most powerful air and coil treatment system from Fresh-Aire UV. Now with lamp-life monitoring and LED status indicator.

Conventional filters are only effective against particulates, like dust. APCO-X ULTRA is proven to safely reduce both biological and chemical contaminants inside the air system and throughout the building. Together, they address 99+% of the contaminants in the air without producing ozone.

- **24V operation (transformer included)**
- **Lifetime warranty and 3-year advanced UVC lamp**
- **Ideal for up to 5-ton HVAC systems per unit**
- **Single and dual options available**

The APCO-X ULTRA Dual system is the best choice for heat pumps and air handlers. It includes a second UVC light for the coil.



NEW



TUV-APCO-ONE

APCO-ONE® The APCO-ONE system is designed to improve air quality and HVAC equipment performance and efficiency. Everything you expect from APCO®, now with a polycarbonate housing and lamp status indicator.

- **24V operation (transformer included)**
- **Lifetime warranty and 2-year advanced UVC lamp**
- **Ideal for up to 5 ton HVAC systems per unit**



LED STATUS INDICATORS on APCO-X ULTRA and APCO-ONE flash to indicate when the lamp needs to be replaced or turn red if the lamp has failed or is disconnected.



DESIGNED & ASSEMBLED IN THE U.S.A.

UL2998 validated for zero ozone emissions

APCO®-X ULTRA FEATURES

- **Exclusive V-Twin EverCarbon™** Catalyst with nanotech antimicrobial coating
- **Dimmable LED status** and lamp fault indicator
- **Advanced 3-year** UVC 254nm quartz lamp
- **Single or Dual** systems available
- **Shock-resistant V-Twin wing** with 8 catalyst cells
- **Four-way installation** vertical or horizontal
- **UL 2998 validated** no harmful ozone is produced
- **Continuously treats the air** and the evaporator coil
- **Virtually maintenance free** (lamp replacement only)
- **Translucent polycarbonate housing**
- **Lifetime system warranty**

APCO-ONE® FEATURES

- **Simple and cost-effective.** APCO-ONE® features a polycarbonate housing and LED light-bar status indicators and quick-latch simple installation
- **LED lamp-life** / system status notification bars
- **Advanced 2-year** UVC 254nm quartz lamp
- **In-line wing** with 6 EverCarbon™ catalyst cells
- **UL 2998 validated** no harmful ozone is produced
- **Continuously treats the air** and the evaporator coil
- **Virtually maintenance free** (lamp replacement only)
- **Polycarbonate housing**
- **Lifetime system warranty**

	VOLTAGE RANGE	MODEL	WARRANTY
APCO-X ULTRA	18-32 VAC*	TUV-APCOX-U (single)	SYSTEM: LIFETIME LAMP: 3-YEARS
		TUV-APCOX-UD (dual)	
APCO-ONE	18-32 VAC*	TUV-APCO-ONE	SYSTEM: LIFETIME LAMP: 2-YEARS




*Includes 120/208/240VAC transformer

See back of brochure for additional specifications and replacement parts.

Pressure Drop <0.01" w.c. @ 400 FPM

WE ARE COMMITTED TO DEVELOPING AND VALIDATING OUR PRODUCTS. APCO-X TESTING RECEIVED INCREDIBLE RESULTS

Fresh-Aire UV® systems are not intended to diagnose, treat, prevent, or cure any disease.



% Reduction of common indoor air contaminants over 4 hours.
Tested at airflow velocity of 492-fpm (0.93m3/sec).

AKTIV8® ACTIVE AIR TREATMENT FOR THE WHOLE HOME

ACTIVATE PURE, FRESH AIR IN YOUR WHOLE HOME



APCO®-X ADVANCED AIR TREATMENT SYSTEM

THE APCO-X FAMILY OF PRODUCTS ARE PROVEN TO BE SAFE AND EFFECTIVE TREATING THE WHOLE HOME



AKTIV8® is designed to actively treat the air in the home or building using a patent-pending process to neutralize viruses, bacteria, mold, odors and VOCs.

AKTIV8 addresses the health of the HVAC system by destroying efficiency robbing mold and biofilm across the evaporator coil which improves heat transfer and reduces static pressure while also reducing odor-causing VOCs that would otherwise be distributed throughout the living/working space.

TUV-AKT8-ER2 (Single)


TUV-AKT8-DER2 (Dual)



AKTIV8 FEATURES

- **Actively treats the whole-system**
Treats the HVAC equipment and air in the entire home
- **Advanced 2-year UV germicidal oxidizing quartz lamp**
Long lasting, safe and effective
- **Activated carbon catalyst**
Complete biological and odor control
- **Certified to UL 2998**
Verified Zero Ozone
- **Easy installation**
Simple 24V connection Duct Board Kit included
- **Warranty**
Main unit: 5 years, UV lamp: 2 years

	VOLTAGE RANGE	MODEL	WARRANTY
AKTIV8	18-32 VAC	TUV-AKT8-ER2 (Single)	SYSTEM: 5-YEARS
		TUV-AKT8-DER2 (Dual)	LAMP: 2-YEARS



TUV-AKT8-ER2 (Single)



APCO®-X MAG is ideal for limited space HVAC systems with no duct access or direct coil exposure in furnaces, package units up to 5 tons, downflow units, small air handlers, and water source heat pumps. Features a sturdy and reliable mounting magnet with an anti-vibration coating.

APCO-X MAG FEATURES

- **Proprietary EverCarbon™ Catalyst**
with nanotech antimicrobial coating
- **UVC 254nm** advanced 3-year quartz lamp
- **Direct coil exposure** helps keep coil clean
- **UL 2998 validated:** no harmful ozone is produced
- **Whole home** continuous air treatment
- **Virtually maintenance free**, lamp replacement only
- **Powerful mounting magnet** with anti-vibration coating
- **Lifetime warranty for all parts**, 3-year lamp
- **Universal Power Supply** Auto Sensing 24-277V
- **Dry Contacts** Indicates when to replace lamp

		PART#	WARRANTY
APCO-X MAG	15" LAMP	TUV-APCOX-MAG15-UB (Single)	SYSTEM: LIFETIME LAMP: 3-YEARS
		TUV-APCOX-MAG15-UBD (Dual)	
	11" LAMP	TUV-APCOX-MAG11-UB (Single)	
		TUV-APCOX-MAG11-UBD (Dual)	



DESIGNED & ASSEMBLED IN THE U.S.A.



DESIGNED & ASSEMBLED IN THE U.S.A.

BLUE-TUBE UV® IS THE WORLD'S MOST POPULAR HVAC UV LIGHT

THE BLUE-TUBE UV FAMILY OF PRODUCTS ARE THE SIMPLE, SAFE AND EFFECTIVE WAY TO KEEP THE HVAC SYSTEM CLEAN AND IMPROVE IAQ.



TUV-BTX-ER3

BLUE-TUBE UV®-X is our most advanced HVAC UV light yet, with longer 3-year lamp life and an improved electronic power supply and powerful newly developed rubber coated anti-vibration magnet mount. The powerful, advanced UVC light neutralizes germs continuously and is known for its reliability, ease of installation, innovative features and quality components.

System Warranty: Lifetime
Lamp Warranty: 3 years




TUV-BTER2

BLUE-TUBE UV® Homeowners breathe easy knowing that the air their family breathes is protected by this proven, award-winning technology. It continuously fights mold and other biological contaminants in the air and on the HVAC system interior surfaces.

System Warranty: Lifetime
Lamp Warranty: 1 or 2 years



Blue-Tube UV-X



Blue-Tube UV

BLUE-TUBE UV® FAMILY FEATURES

- **Lifetime system warranty** ensures years of trouble-free operation
- **Auto-sensing** 18-32V & 120-277 models
- **Multiple lamp options** - 1-year, 2-year, or 3-year UVC 254nm quartz lamp availability
- **Magnetic Z-Bracket** design for flexible, quick and easy installations
- **Ozone-free operation** neutralizes contaminants safely
- **Continuous operation** - works 24 hours a day to keep your air and HVAC system clean

	VOLTAGE RANGE	MODEL	WARRANTY
BLUE-TUBE UV-X	18-32 VAC	TUV-BTX-ER3	SYSTEM: LIFETIME
	120-277 VAC	TUV-BTX-ST3	LAMP: 3-YEARS
BLUE-TUBE UV	18-32 VAC	TUV-BTER	SYSTEM: LIFETIME
		TUV-BTER2	LAMP: 1-YEAR
	120-277 VAC	TUV-BTST	SYSTEM: LIFETIME
		TUV-BTST2	LAMP: 2-YEARS

See back of brochure for additional specifications and replacement parts.


Blue-Tube UV-X Kit Includes: Power Supply, 8' Lamp Cable, UV Lamp, Magnetic 'Z' Bracket, Mounting Hardware, Panel Indicator, Installation Decal

Blue-Tube UV Kit Includes: Power Supply, 6' Lamp Cable, UV Lamp, Magnetic 'Z' Bracket, Mounting Hardware, Panel Indicator, Installation Decal

AHU SERIES 1 IS OUR ORIGINAL UV LIGHT SYSTEM



The Fresh-Aire UV® AHU Series 1 germicidal UV light system is installed in the central air system where it reduces airborne viruses and bacteria. It also suppresses mold growth on the cooling coils and surrounding areas while generally improving indoor air quality throughout the home.



AHU SERIES 1 FEATURES

- Water-resistant shielded UVC lamp
- Heavy-Duty commercial IP rated power supply
- Auto-switching multi-voltage 120-277 VAC models
- Multiple configurations available - single/dual
- Magnetic Z-Bracket design for flexible, quick and easy installations
- Two lamp options - 1-year or 2-year UVC 254nm quartz lamps
- Lifetime warranty for all parts except lamp

AHU SERIES 1			
SYSTEM	MODEL	WARRANTY	LAMP
Single Lamp	TUV-100S-I	LIFETIME	1 Year
	TUV-200S-I	LIFETIME	2 Year
Dual Lamp	TUV-100D-I	LIFETIME	1 Year
	TUV-200D-I	LIFETIME	2 Year

MINI UV LED™ SYSTEM FOR MINI-SPLITS



Mini UV LED™ is the first-of-its-kind UV light LED system for mini-splits and similar limited-space applications. Like all A/C systems, mini-splits are prone to internal mold growth and microbial contamination, particularly on and near the blower wheel. The LED light strip in Mini UV LED is designed to disinfect surfaces while having no impact on plastic materials.



MINI UV LED FEATURES

- Fits mini-split & ceiling cassette A/C systems
- Near UV spectrum is safe for eyes and plastics
- Flush-mount nighttime on/off switch
- Flexible, easy installation - 40" adhesive LED strip trimmed to length
- 50,000 hour+ replaceable LED strip life
- 5-year warranty on all parts


MINI UV LED	
MODEL	LAMP WARRANTY
TUV-MINI-LED-SW	5 Years On All Parts

Mini UV LED Kit includes: 40" LED strip, LED driver, #8 pan screws, Panduit™ straps, warning decal, and manual.



See back of brochure for additional specifications and replacement parts.

PURITY™ LOW PROFILE - 1" POLARIZED HVAC FILTRATION SYSTEM



Purity™ Low Profile (PLP) creates a polarized charge which attracts the smallest contaminants to each other and to the polarized media. Most HVAC filters only capture large particles; fine particulates are a health risk. Because PLP is less restrictive, the air system can work more efficiently. The result is exceptional sub-micron particulate removal without the efficiency-robbing static pressure common with traditional filters.



PURITY LOW PROFILE FEATURES

- Captures fine particulates - 97% effective capturing particles down to .3 microns (.00001 inch) in multiple pass scenario
- UV-reactive filter media with anti-microbial nanotechnology
- Fits standard 1" filter slot
- Lifetime system warranty
- Safe for use with UV lights while most HVAC filters are not

See back of brochure for additional specifications and replacement parts. Pressure Drop 0.12" @ 300 FPM

PURITY LOW PROFILE	
FILTER DIMENSIONS	

12" X 12" X 1"	16" X 20" X 1"
12" X 20" X 1"	16" X 30" X 1"
12" X 24" X 1"	18" X 18" X 1"
14" X 14" X 1"	18" X 20" X 1"
14" X 20" X 1"	18" X 24" X 1"
14" X 24" X 1"	20" X 20" X 1"
14" X 25" X 1"	20" X 22" X 1"
14" X 30" X 1"	20" X 24" X 1"
15" X 20" X 1"	20" X 25" X 1"
16" X 16" X 1"	20" X 30" X 1"
16" X 24" X 1"	25" X 25" X 1"

PLP PART # EXAMPLE: TUV-PLP-12X12NB
PLP MEDIA # EXAMPLE: TUV-PLPM-1-12X12NB

ENHANCE-ION™ BIPOLAR FILTRATION ENHANCEMENT

ENHANCE-ION™ is the next generation bipolar ionization system designed to improve filtration effectiveness. Bipolar ionization has been used for decades to charge and attract small airborne particles together. This allows them to be easily captured by HVAC filter media. ENHANCE-ION enhances the ability of the HVAC filter to capture airborne contaminants and pollutants, effectively turning a standard filter into a high-efficiency filter. In 3rd party laboratory tests a MERV 7 filter with ENHANCE-ION improved capture rate by 38% vs MERV 7 filter alone and a MERV 8 filter with ENHANCE-ION improved capture rate by 18% vs MERV 8 filter alone. UL 2043 listed.



*Airborne particles sizes ranged from 0.3 - 10 Micron.

ENHANCE-ION™		
MODEL	ELECTRICAL	DIMENSIONS
TUV-BIPO-ER	18-32VAC	Unit 5"L x 3.1"H x 1.9"D

ENHANCE-ION™ FEATURES

- Captures fine particulates including PM2.5 (Fine particulate matter less than 2.5 microns in diameter)
- Easy installation
- 3-year warranty
- Turbulence generator
- Low maintenance design
- Flexible installation including magnet mount

PRODUCT SPECIFICATIONS AND REPLACEMENT LAMPS

MODEL	ELECTRICAL	DIMENSIONS	LAMP LIFE	REPLACE LAMP
APCO®-X ULTRA				
TUV-APCOX-U	60Hz, 18-32VAC, 0.80A	Cell & Lamp: 5.8"W x 3.25"H x 13.2"D Enclosure: 7.6"L x 7.6"W x 2.2"D Lamp: 15"L x 0.9 Dia.	3 Year	TUVL-315
TUV-APCOX-UD	60Hz, 18-32VAC, 1.60A			

APCO-ONE®				
TUV-APCO-ONE	60Hz, 18-32VAC, 0.80A	Cell & Lamp: 3.3"W x 3.3"H x 14"D Enclosure: 6"L x 7.6"W x 2.43"D Lamp: 15"L x 0.9 Dia.	2 Year	TUVL-215

AKTIV8™				
TUV-AKT8-ER2	60Hz, 18-32VAC, 0.8A	Cell & Lamp: 5.87"W x 5.87"H x 11.25"D Enclosure: 5.58"L x 5.58"W x 2.43"D Lamp: 15"L x 0.9 Dia.	2 Year	TUVL-211-OS-N9
TUV-AKT8-DER2	60Hz, 18-32VAC, 1.6A			

APCO®-X MAG						
TUV-APCOX-MAG15-UB (15" Single)	TUV-40S24-277 TUVL-315 (2)			Cell & Lamp: 4.85"H x 3.45"W x 16.2"D Power Supply: 2"H x 2.375"W x 5"D Lamp: 15"L x 0.9 Dia.	3 Year	TUVL-315
	Volts AC	2 Lamps Watts	2 Lamps Watts			
TUV-APCOX-MAG11-UB (11" Single)	24	51.88	2.33	Cell & Lamp: 4.85"H x 3.45"W x 12.13"D Power Supply: 2"H x 2.375"W x 5"D Lamp: 11"L x 0.9 Dia.		
	120	48.42	0.41			
	204	48.88	0.22			
	277	49.00	0.19			
TUV-APCOX-MAG15-UBD (15" Dual)	TUV-20S24-277 TUVL-315 (1)			Cell & Lamp: 4.85"H x 3.45"W x 16.2"D Power Supply: 2"H x 3.5"W x 5"D Lamp: 15"L x 0.9 Dia.		TUVL-311
	Volts AC	1 Lamp Watts	1 Lamp Amps			
TUV-APCOX-MAG11-UBD (11" Dual)	24	33.29	1.37	Cell & Lamp: 4.85"H x 3.45"W x 12.13"D Power Supply: 2"H x 3.5"W x 5"D Lamp: 11"L x 0.9 Dia.		
	120	30.01	0.25			
	204	30.64	0.14			
	277	31.00	.012			

BLUE-TUBE UV®-X				
TUV-BTX-ER3	60Hz, 18-32VAC, 0.80A	Power Supply: 4.2"W x 1.8" H x 1.7"D Lamp: 15"L x 0.9 Dia.	3 Year	TUVL-315
TUV-BTX-ST3	50/60Hz, 120-277VAC, 0.18A@120V, 0.09A@277V			

BLUE-TUBE UV®				
TUV-BTER	60Hz, 18-32VAC, 0.80A	Power Supply: 4.1"W x 1.7" H x 1.8"D Lamp: 15"L x 0.74 Dia.	1 Year	TUVL-115P
TUV-BTER2			2 Year	TUVL-215P
TUV-BTST	50/60Hz, 120-277VAC, 0.18A@120V, 0.09A@277V	Power Supply: 5.0"W x 1.1"H x 2.4"D Lamp: 15"L x 0.74 Dia.	1 Year	TUVL-115P
TUV-BTST2			2 Year	TUVL-215P

MODEL	ELECTRICAL	DIMENSIONS	LAMP LIFE	REPLACE LAMP
AHU SERIES 1				
TUV-100S-I	50/60Hz, 120-277VAC, 0.18A@120V, 0.09A@277V	Lamp: 15"L x 0.74" Dia. Power Supply: 8.75"L x 3.5" W x 2.5"D ST Power Supply: 5.0"W x 1.1" H x 2.4"D	1 Year	TUVL-115P
TUV-200S-I			2 Year	TUVL-215P
TUV-100D-I	50/60Hz, 120-277VAC, 0.33A@120V, 0.15A @277V	Lamp: 15"L x 0.74" Dia. Power Supply: 8.75"L x 3.5" W x 2.5"D ST Power Supply: 5.0"W x 1.1" H x 2.4"D	1 Year	TUVL-115P
TUV-200D-I			2 Year	TUVL-215P

MINI UV LED™				
TUV-MINI-LED-SW	50/60Hz, 120-277VAC, 0.47A@120V, 0.21A@277V	LED Strip: 40" L x 0.375" H Power Supply: 5.12"L x 0.78 " H x 0.77 " D	LEDs 5 Years	TUVL-MINI-LED

ENHANCE-ION™				
TUV-BIPO-ER	60Hz, 18-32VAC, <20mA	Unit: 5"L x 3.1"H x 1.9"D		

PURITY™ LOW PROFILE				
PLP PART # EXAMPLE: TUV-PLP-12X12NB	50/60Hz, 24VAC, 0.07A, 1.5VA	FILTER DIMENSIONS		
PLP MEDIA # EXAMPLE: TUV-PLPM-1-12X12NB		12" X 12" X 1"	16" X 20" X 1"	
		12" X 20" X 1"	16" X 30" X 1"	
		12" X 24" X 1"	18" X 18" X 1"	
		14" X 14" X 1"	18" X 20" X 1"	
		14" X 20" X 1"	18" X 24" X 1"	
		14" X 24" X 1"	20" X 20" X 1"	
		14" X 25" X 1"	20" X 22" X 1"	
		14" X 30" X 1"	20" X 24" X 1"	
		15" X 20" X 1"	20" X 25" X 1"	
		16" X 16" X 1"	20" X 30" X 1"	
		16" X 24" X 1"	25" X 25" X 1"	



Full line of Commercial UV systems are also available:
www.freshaireuv.com/commercial



The Indoor Air Quality Expert

TRANSFORMING THE WAY WE EXPERIENCE THE INDOORS

20+ YEARS
EXPERIENCE

OVER 4 MILLION
SYSTEMS INSTALLED
SINCE 2001

VALIDATED
PROVEN TO BE SAFE
AND EFFECTIVE

Begin experiencing cleaner, fresher air. Contact us today.

www.freshaireuv.com • 1-800-741-1195